9-1300-385/989-2

TB 9-1300-385

DEPARTMENT OF THE ARMY TECHNICAL BULLETIN

MUNITIONS
RESTRICTED OR SUSPENDED

HEADQUARTERS, DEPARTMENT OF THE ARMY

APRIL 1989

D 101.25:

READEX FICHE best copy available

Technical Bulletin

No. 9-1300-385

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, DC, 1 APRIL 1989

TABLE OF CONTENTS

PART 1 - AMCCOM MUNITIONS RESTRICTED OR SUSPENDED

	Paragraph	Page
Purpose	1-1	i
Scope	1-2	i
Definitions	1-3	i
General	1-4	iii
Composition and Use	1-5	v
Reporting	1-6	vii
Special Issue of Suspended Munitions	1-7	vii
References	1-8	vii
Recommended Changes	1-9	vii
Identification Data	1-10	vii
AMCCOM - Munitions Restricted or Suspended		1-1

PART 2 - MICOM MUNITIONS RESTRICTED OR SUSPENDED

	Paragraph	Page
Purpose	2-1	i
Scope	2-2	i
Definitions	2-3	i
General	2-4	iii
Composition and Use	2-5	v
Reporting	2-6	vi
Special Issue of Suspended Munitions	2-7	vi
References	2-8	vii
Recommended Changes	2-9	vii
Identification Data	2-10	vii
MICOM - Munitions Restricted or Suspended		2-1

		Page
Appendix A.	AMCCOM AMMUNITION RESTRICTION DEFINITIONS AND CODES	A-1
B.	SHELF/SERVICE LIFE DATA FOR ARMY CLASS V MATERIEL	B-1
C.	AMMUNITION LOTS CLEARED FOR OVERHEAD FIRE	C-1
D.	AMMUNITION LOTS NOT SUITABLE FOR OVERHEAD FIRE	D-1
E.	NOT USED	
F.	MICOM AMMUNITION RESTRICTION DEFINITIONS AND CODES	F-1

---

*This bulletin supersedes TB 9-1300-385, 1 January 1989, includes AMCCOM Ammunition Supplemental Notices 89-032 thru 89-062, Overhead Fire Supplemental Notices 89-OH05 thru 89-OH08 and MICOM Supplements 89-08 thru 89-12.

PART 1
AMCCOM MUNITIONS
RESTRICTED OR SUSPENDED

		Paragraph	Page
	Purpose	1-1	i
	Scope	1-2	i
	Definitions	1-3	i
	General	1-4	iii
	Composition and Use	1-5	v
	Reporting	1-6	vii
	Special Issue of Suspended Munitions	1-7	vii
	References	1-8	vii
	Recommended Changes	1-9	vii
	Identification Data	1-10	vii
	Munitions Restricted or Suspended		1
Appendix A.	AMMUNITION RESTRICTION DEFINITIONS AND CODES		A-1
B.	SHELF/SERVICE LIFE DATA FOR ARMY CLASS V MATERIEL		B-1
C.	AMMUNITION LOTS CLEARED FOR OVERHEAD FIRE		C-1
D.	AMMUNITION LOTS NOT SUITABLE FOR OVERHEAD FIRE		D-1
E.	NOT USED		

1-1. Purpose. Part 1 of this bulletin provides a listing of restricted or suspended munitions which will assist those responsible for storage, issue, use, testing, inspection and transportation of Class V materiel.

1-2. Scope. Part 1 of this bulletin is applicable to all Department of Army activities with mission responsibility for storage, issue, use, test, and transportation of Class V materiel that is managed by US Army Armament, Munitions and Chemical Command (AMCCOM).

1-3. Definitions. a. Suspended Munitions. Munition items which are withdrawn from either issue, movement, test and/or use, with or without qualifications, due to a suspected or confirmed unsafe or other defective condition.

b. Types of Suspensions.

(1) Temporary suspension. An interim order prohibiting either issue, movement, and/or use of a munition item, with or without limitation, due to a suspected unsafe or other defective condition.

(Munitions are temporarily suspended as a result of firing and handling malfunctions and other failure conditions pending investigations of the circumstances and involved munitions.)

(2) Permanent suspension. A permanent order based on an engineering evaluation that prohibits the issue, movement, test and/or use of a munitions item, with or without limitations, due to a confirmed unsafe or other defective condition. (Munitions are permanently suspended as a result of an investigation which confirms that involved munitions are unsafe or otherwise defective.) Munitions permanently suspended should have a fix (restoring action) assigned. Instances where a munition item is permanently suspended and action to restore has not been determined, "fix" entry will read: "No fix authorized", or, "fix undetermined at this time".

c. Limitations.

(1) Suspended from issue, movement and use (SIMU). A qualification to a suspension order prohibiting issue, movement and use of a munitions item under any circumstance due to a suspected or confirmed unsafe condition. Munitions in this category are extremely dangerous to fire, handle, move or transport. All such items are designated SIMU in limitations column. SIMU assigned to lots permanently suspended with a fix assigned, are not to be worked until special handling instructions are provided by AMCCOM Maintenance.

(2) Suspended from issue and use (SIU). A qualification to a suspension order prohibiting issue and use of a munitions item due to a suspected or confirmed unsafe condition. Munitions in this category are dangerous to fire or function, no movement, handling or transporting limitations are imposed. All such items are designated SIU in the limitations column.

d. Restriction. An order which places special operating limits on use of munitions for reasons of safety or degraded performance.

CAUTION

1. Restrictions listed in Appendix A are in addition to precautions, warnings, and restrictions pertaining to firing specific rounds as stated in FM's, TM's, TB's and firing tables.
2. When a lot that is both suspended and restricted is reworked, and fix that is being applied to restore the item to a serviceable condition will not correct restriction, installation performing rework will notify USA AMCCOM, AMSMC-QAS, listing basic lot number and any additional lot suffix or local lot number that was assigned. Conversely, same procedure will apply when a previously unrestricted item/lot becomes restricted due to modification of one end item to a new end item. USA AMCCOM, AMSMC-QAS will issue an interim change to this bulletin assigning restriction to the new lot.

e. Release Action. An order which rescinds a previously imposed suspension, or restriction. Munitions may be released from suspension with a restriction applied.

f. Shelf Life. The total period of time, beginning the date of manufacture/cure/assembly that an item may remain in the combined wholesale (including manufacturer) and retail storage system and still remain suitable for issue to, and use by end user (shelf life is not to be confused with service life which is a measurement of anticipated total in-use time).

1-4. General. a. US Army Armament, Munitions and Chemical Command (AMCCOM), Rock Island, IL 61299-6000 is responsible for preparation and maintenance of Part 1 of this bulletin.

(1) Revision of this bulletin is accomplished quarterly or on an as required basis. AMCCOM Ammunition Supplemental Notices will be disseminated for all changes to keep this bulletin current between revisions.

(2) Munitions released from this bulletin will be reflected in identification data for one revision following distribution of the AMCCOM Ammunition Supplemental Notice.

b. A munitions item suspected of being unsafe or otherwise defective and placed under a temporary suspension order is to be afforded same precaution and significance as an item which has been confirmed as being unsafe or otherwise defective and placed under a permanent suspension order.

c. Permanently suspended munitions require either renovation, modification, or inspection, for restoration to a usable condition or may be recommended for demilitarization due to involved hazards, major component failure, etc., as determined by appropriate investigative authority.

d. Installations and activities will comply with instructions provided by the NMP in response to ACRs submitted on permanently suspended munitions.

e. Suspension and restriction orders normally pertain to individual lots, lot series (lot interfix numbers) or munitions type (all lots).

f. All suspended or restricted munitions listed in this bulletin are considered suitable for emergency combat issue and use, except those items with a limitation of SIMU, SIU and training items (except 20-mm TP) (see para 1-3c).

g. Restriction and use limitations contained herein are not intended to conflict with requirements of AR 385-63, and must not be interpreted as replacing any requirements therein.

h. Where munitions have been returned to the supply system by another service or country and suspension status requires clarification, queries are to be directed to USA AMCCOM, ATTN: AMSMC-QAS-P, Rock Island, IL 61299-6000.

i. AMCCOM Ammunition supplemental notices which are issued as a result of a malfunction will identify the class of suspensions as A, B, or C as it relates to hazard and usage; classes are defined as follows:

(1) Class A mulfunctions are those which have resulted in death or major injury, are similar to previous malfunctions which have resulted in death or major injury, are judged as having had an appreciable probability of causing death or major injury, or which have adverse political implications.

(2) Class B malfunctions are those which have resulted in damage to major equipment which cannot be repaired at the unit level or maintenance, or have resulted in an ammunition suspension which significantly impacts readiness or training.

(3) Class C malfunctions are those which are neither Class A nor Class B.

j. Recipients of AMCCOM Ammunition Supplemental Notices on initial Suspension/Restriction must assure that use of specific lot is withheld to include 24 hour notification to training ranges and test sites.

k. A suspension or restriction of a lot number or group of lot numbers under a specific NSN or a zero-filled NIIN applies to that lot number or group of lot numbers in other NSN's for that nomenclature item.

l. Where a notice of suspension or restriction identifies a specific component or subassembly by model and lot number, the suspension or restriction applies to all items utilizing the affected components or subassemblies. Restriction or suspension will remain in effect until released or a fix has been prescribed and necessary maintenance, tests or inspections have been accomplished. This applies to installed components or those packed with an end item included for field assembly. Items/lots on hand in this category not listed in Part 1 of this Technical Bulletin will be reported to USA AMCCOM, ATTN: AMSMC-QAS for necessary suspense or restriction action.

m. Deletions:

(1) Periodically, Part 1 of this bulletin will be reviewed to remove all items by NSN wherein the NSN has been deleted from the Federal Cataloging System and where no known assets are reflected in the supply system. Stocks on hand or subsequently received from another service or unit wherein applicable NSN has been deleted from

the Federal Cataloging System and which do not appear in this bulletin will be reported to USA AMCCOM, ATTN: AMSMC-QAS requesting verification by lot number as to whether lot(s) had been previously suspended or restricted. This does not eliminate requirements for submitting a DA Form 1669 (Request for National Stock Number and Department of Defense Identification Code for Ammunition and Explosive Supplies) in accordance with TB 9-1300-256.

(2) Items will also be deleted by lot number where lot is not visible in supply system and has been listed for 5 years or more. Stocks on hand or subsequently received from another service or unit for which there is a question of suspension/restriction status should be reported to AMSMC-QAS for resolution.

n. Recommended condition code contained on permanent suspension messages and this publication is based solely on "fix" assigned. Installations and activities therefore must consider both local inspection results along with "fix" when assigning condition codes. It is important to realize that recommended condition codes listed in permanent suspension messages and this publication do not necessarily override a locally imposed condition code, but shall do so if locally assigned condition code is less restrictive.

1-5. Composition and Use. Part 1 of this bulletin consists of Identification Data, and appendices A, B, C, D and E.

a. Identification Data. This data is a listing of items either by nomenclature, Federal Recognized Number (National Stock Number (NSN), Drawing Number or Specification Number where no NSN is applicable) and when used contains following data in columnar form:

(1) Federally recognized number. A number assigned to each item of supply for identification purposes. It takes following forms:

(a) National stock number. NSNs are in sequence, by Federal Supply Class (FSC), Department of Defense Identification Code (DODIC), and National Item Identification Number (NIIN).

(b) Specification number. Specification number is identified by abbreviation "SPEC #" which is not part of actual specification number.

(c) Drawing number. Drawing number is identified by abbreviation "DRAW #" which is not part of actual Drawing Number.

(2) Generic description. Will consist of an approved item name and model number.

(3) Lot number. A number systematically assigned to each Ammunition Lot (MIL-STD-1168A). Due to number of lots which could be involved in a blanket-type suspension or restriction, a group statement wherever applicable will be used in lieu of lot numbers. Some examples are as follows:

(a) All lots.

(b) All lots LS (all lots manufactured by a given manufacturer as illustrated by all lots manufactured by Lone Star AAP).

(c) All lots P0669 (all lots manufactured prior to a given month and/or year as illustrated by all lots manufactured prior to June 1969).

(d) All LS-1 or LS-75A006 (all lots manufactured by a given manufacturer and interfix).

(4) Limitations. A qualification to a suspension precluding use for emergency combat.

(5) Restriction. Restricted to specified uses or conditions.

(6) Release. Self-explanatory.

(7) Reasons. Brief explanation of reason for suspension; e.g., premature detonation, inbore premature.

(8) Fix. Indicates a certain action that will be required to restore that item to a serviceable condition or to indicate demilitarization. This action will replace reason when the lot is transferred to permanent suspension.

b. Appendix A. Appendix A contains restriction codes with corresponding definitions.

c. Appendix B. Appendix B contains Shelf and Service Life for Army items. Shelf life is identified in years (YRS) and Service Life is identified in months (MOS). Changes to Shelf and Service Life will appear in Ammunition Supplemental Notices between quarterly revisions to TB 9-1300-385. Footnotes (e.g., (1)) listed in Appendix B are for temporary extensions to an item's Shelf or Service Life. Footnote explanations are provided at end of Appendis B, including type of extension and expiration date or extension.

d. Appendix C. Appendix C contains lot numbers of ammunition determined to be functionally suitable for use in overhead and flanking fire exercises. Limitations in current AR's and TM's will apply.

e. Appendix D. Appendix D contains lot numbers of ammunition not suitable for overhead fire. This listing is a result of candidate lots submitted for overhead fire clearance and found not to be acceptable. This is not a criterion for change of condition code.

f. APPENDIX E. Appendix E contains listing of items deleted in accordance with paragraph 1-4m during the fiscal year quarter immediately preceding date of publication.

g. Changes, additions or deletions to appendix C or D will be made via Overhead Fire Supplemental Notices, designated by the letters OH in the numbering sequence.

1-6. Reporting. a. DA PAM 738-750 provides guidance for the preparation and submission of reports (where applicable).

b. Stocks of temporarily suspended munitions listed in Part 1 of this bulletin or AMCCOM Ammunition Supplemental Notices will be reported by electrical message to CDR, AMCCOM, ROCK ISL IL//AMSMC-QAS// and //AMSMC-QAL//, with information copies to CDR, AMCCOM, DOVER, NJ//AMSMC-DSM// or CDR, AMCCOM, APG MD//AMSMC-DSM// as applicable, in accordance with AMCCOM Ammunition Supplemental Notices. Negative response is not required.

1-7. Special Issue of Suspended Munitions. Prohibition against issue and use (except SIMU items) of a suspended munition lot is not applicable when:

a. Shipment is directed by AMSMC-QAS to a proving ground or other test agency for special testing or investigation.

b. Shipment of permanently suspended munitions with authorized "fix" when directed by the NICP for modification, renovation or remanufacture.

c. Shipment of temporarily or permanently suspended munitions when directed by the NICP for demilitarization.

1-8. References. a. AR 385-63 (Regulations for Firing Ammunition for Training, Target Practice and Combat).

b. AR 75-1 (Malfunction Involving Ammunition and Explosives).

c. DA PAM 738-750 (The Army Maintenance Management System (TAMMS)).

1-9. Recommended Changes. Recommendations for improvement of procedures set forth in Part 1 of this bulletin, or request for clarification and/or interpretation, are invited and should be reported on DA Form 2028 (Recommended Changes to Publications and Blank Forms). DA Form 2028 prepared on Part 1 of this bulletin will be forwarded through command channels to major commands. Major commands will forward direct to Commander, US Army Armament, Munitions and Chemical Command, ATTN: AMSMC-QAS-P, Rock Island, IL 61299-6000.

1-10. Identification Data. International Logistic problems on identification data in Part 1 of this bulletin will be forwarded through command channels to Commander, US Army Armament, Munitions and Chemical Command, ATTN: AMSMC-ILO-R, Rock Island, IL 61299-6000.

```
 1305-00-0000000-A011  CTG 12 GAGE SHOTGUN 00 BUCKSHOT
   FC-1830          SIU          DEMIL INDICATED COND CODE H
   FC-1831          SIU          DEMIL INDICATED COND CODE H
   FC-1832          SIU          DEMIL INDICATED COND CODE H
   RA-5652                       DEMIL INDICATED COND CODE H
   WCC-6042                      DEMIL INDICATED
 1305-00-0000000-A017  CTG 12 GAGE SHOTGUN NO 9 SHOT
|  CHE84J001-001    SIU          DEMIL INDICATED COND CODE H
 1305-00-0000000-A058  CTG 5.56MM BALL M855
   LC-86L082-140    SIU          DEMIL INDICATED COND CODE H
 1305-00-0000000-A059  CTG 5.56MM BALL M855
   LC-85A080-005          W04
   LC-85B080-007          W03
   LC-85B080-010          W04
   LC-85C080-013          W03
   LC-85C080-017          W04
   LC-85C080-018          W04
   LC-85C080-021          W04
   LC-85C080-022          W04
   LC-85C080-023          W04
   LC-85E081-001          W04
   LC-85F080-038          W04
   LC-85F081-011          W04    RELEASED WITH RESTRICTION
   LC-85G081-031          W04
   LC-85H081-036          W04
   LC-85H081-039          W04
   LC-85H081-042          W04
|  LC-85K081-060    SIU          RQR INSP FOR UNSVC CTG CASES
|                                RQR INSP OF PRIMERS
|                                ASSIGNED COND CODE E
|  LC-85K081-061    SIU          RQR INSP OF PRIMERS
|                                RQR INSP FOR UNSVC CTG CASES
|                                ASSIGNED COND CODE E
|                                RELEASED WITH RESTRICTION
   LC-86D082-064          B01    DEMIL INDICATED COND CODE H
   LC-86L082-140    SIU          INSUFFICIENT PROPELLANT
|  LC-87D082-218    SIU          WEAPON DAMAGE
|  WCC85F030-002
 1305-00-0000000-A062  CTG 5.56MM BALL M855
   LC-86D082-064    SIU          BLOWN WEAPON
                                 ASSIGNED COND CODE J
   LC-86L082-140    SIU          DEMIL INDICATED COND CODE H
 1305-00-0000000-A064  CTG 5.56MM LNK 4BALLM855 1TRM856
   LC-85E690L018          W03
   LC-85H690L036          W03
   LC-85K690L047          W03
   LC-86F301S044          B01    RELEASED WITH RESTRICTION
   LC-86G691L049          B01    RELEASED WITH RESTRICTION
   LC-86M691L117    SIU          DEMIL INDICATED COND CODE H
|  LC-87D691L180    SIU          KNOWN TO CONTAIN SUSPENDED AMMO LOTS
|  LC-87D691L181    SIU          KNOWN TO CONTAIN SUSPENDED AMMO LOTS
 1305-00-0000000-A066  CTG 5.56MM BALL M193
   LC-84H002-345          B01
   LC-84H060-042          B01
```

1305-00-0000000-A066 CTG 5.56MM BALL M193

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	LC-85J002-605			RELEASED FROM TEMPORARY SUSPENSION
|	LC-87B006-119		B01	
|	LC-87H006-170	SIU		RQR INSP FOR UNSVC CTG CASES RQR INSP OF PRIMERS ASSIGNED COND CODE E
|	LC-88A006-213	SIU		RQR REMARKING OF INNER PACK ASSIGNED COND CODE E
	NAF85C001G001	SIU		DEMIL INDICATED COND CODE H
	RA-5043		B01	
	RA-5046		B01	

1305-00-0000000-A068 CTG 5.56MM TR M196

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	LC-10-13		B01	
	LC-10-16	SIU		DEMIL INDICATED COND CODE H
	LC-10-20		B01	
	LC-10-21		B01	
	LC-10-30		B01	
	LC-10-58		B01	
	LC-11-4		B01	
	LC-12037		B01	
	LC-12060		B01	
	LC-12072		B01	
	LC-12110	SIU		DEMIL INDICATED COND CODE H
	LC-12116		B01	
	LC-12127		B01	
	LC-12143		B01	
	LC-12166	SIU		DEMIL INDICATED COND CODE H
	LC-12170		B01	
	LC-12174		B01	
	LC-12176		B01	
	LC-12181		B01	
|	LC-12184	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE E AFTER INSP SERV CTGS ARE RESTRICTED TO TRNG USE ONLY
	LC-12197		B01	
	LC-12201		B01	
	LC-12212		B01	
	LC-12213		B01	
	LC-12216		B01	
	LC-82L011-002		B17	
	LC-82M011-008		B01	
	LC-82M011-009			SHORT ROUND ASSIGNED COND CODE J
	LC-83B011-021		B01	
	LC-84C012-002		B01	
|	RA-223-152	SIU		DEMIL INDICATED COND CODE H
	TW-18068		B01	
	TW-18072		B01	
	TW-18090	SIU		DEMIL INDICATED COND CODE H
	TW-18119		B01	
	TW-18147		B01	
	WCC-6106		B01	

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1305-00-0000000-A068 CTG 5.56MM TR M196			
	WCC-6149		B17	
|	WCC-6151	SIU		DEMIL INDICATED COND CODE H
	WCC-6154		B01	
	WCC-6156		B01	
|	WCC-6158		B01	
	WCC-6166		B01	
	1305-00-0000000-A069 CTG 5.56MM DUMMY M232			
|	LC-12008			RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
	1305-00-0000000-A071 CTG 5.56MM BALL M193			
	LC-3-1 THRU LC-3-272		B01	
	LC-1-570	SIU		DEMIL INDICATED COND CODE H
	LC-2-431		B01	
	LC-2-603A		B01	
	LC-2-607A		B01	
	LC-2-608A		B01	
	LC-2-610A		B01	
	LC-2-613A		B01	
	LC-3-113F	SIU		DEMIL INDICATED COND CODE H
	LC-3-161	SIU		DEMIL INDICATED COND CODE H
	LC-3-175	SIU		DEMIL INDICATED COND CODE H
	LC-3-231	SIU		WEAPON DAMAGE
|	LC-3-79	SIU		DEMIL INDICATED COND CODE H
	LC-3-82			RELEASED FROM TEMPORARY SUSPENSION
	LC-4-49	SIU		DEMIL INDICATED COND CODE H
|	LC-81H001-173		B01	RELEASED WITH RESTRICTION
|	LC-81H001-174		B01	RELEASED WITH RESTRICTION
|	LC-81H001-176		B01	RELEASED WITH RESTRICTION
|	LC-81H001-177		B01	RELEASED WITH RESTRICTION
	LC-82C001-215		B01	
	LC-82K002-057		B01	
	LC-82L002-070		B01	
	LC-83A002-098	SIU		DEMIL INDICATED COND CODE H
	LC-83A002-099		B01	
	LC-83B011-021		B01	
	LC-83D002-141		B01	
	LC-83E002-151		B01	
	LC-83G002-175		B06	
	LC-83G002-176		B06	
	LC-83M002-214		B17	
	LC-83M003-024		B17	RELEASED WITH RESTRICTION
	LC-83M003-029		B17	
	LC-83M003-030		B17	
	LC-83M003-032		B01	
	LC-84A004-012		B17	
	LC-84B004-060	SIU		DEMIL INDICATED COND CODE H
	LC-84E002-269		B01	
	LC-84E002-283		B01	
	LC-84E002-284		B01	
	LC-84F002-320	SIU		WEAPON DAMAGE

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1305-00-0000000-A071	CTG 5.56MM BALL M193		
|	LC-87H006-170	SIU		RQR INSP FOR UNSVC CTG CASES
|				RQR INSP OF PRIMERS
|				ASSIGNED COND CODE E
|	LC-87J006-177	SIU		WEAPON DAMAGE
|	LC-88A006-213	SIU		RQR REMARKING OF INNER PACK
|				ASSIGNED COND CODE E
	SOG-L-500-104	SIU		DEMIL INDICATED COND CODE H
	TW-18257	SIU		DEMIL INDICATED COND CODE H
	TW-2-461	SIU		DEMIL INDICATED COND CODE H
|	TW-2-477		B01	
	1305-00-0000000-A072	CTG 5.56MM TRACER M196 W/STEEL CTG CASE		
	LC-S-12157		S25	
	1305-00-0000000-A080	CTG 5.56MM BLANK M200		
	LC-60-219	SIU		RQR INSP FOR SVC RDS
	LC-60-345	SIU		RQR INSP FOR SVC RDS
	LC-60-366	SIU		RQR INSP FOR SVC RDS
	LC-60-368	SIU		RQR 100% INSP FOR SVC RDS COND CODE E
	LC-83K023-062	SIU		RQR 100% INSP FOR SVC RDS COND CODE E
	LC-83K023-063			RELEASED FROM TEMPORARY SUSPENSION
	LC-83L023-069			RQR 100% INSP FOR SVC RDS COND CODE E
	LC-84C021-225	SIU		ASSIGNED COND CODE E
				RQR 100% INSP F/SVC RDS MIXED W/BLANK RDS
	LC-84F021-259	SIU		RQR INSP OF PRIMERS
				ASSIGNED COND CODE E
|	LC-84H021-287			RELEASED FROM TEMPORARY SUSPENSION
	LC-84K021-311		S07	RELEASED WITH RESTRICTION
	LC-84M021-337	SIU		RQR 100% INSP F/SVC RDS MIXED W/BLANK RDS
				ASSIGNED COND CODE E
	LC-84M021-339			RQR INSP OF PRIMERS
				ASSIGNED COND CODE E
	LC-85A021-351	SIU		RQR 100% INSP F/SVC RDS MIXED W/BLANK RDS
				ASSIGNED COND CODE E
	LC-85B021-352	SIU		RQR 100% INSP F/SVC RDS MIXED W/BLANK RDS
				ASSIGNED COND CODE E
	LC-85B021-359	SIU		RQR INSP OF PRIMERS
				ASSIGNED COND CODE E
	LC-85G021-411	SIU		100% INSP FOR INVERTED PRIMER
				ASSIGNED COND CODE E
|	LC-86L025-069			RQR 100% INSP F/SVC RDS MIXED W/BLANK RDS
|				ASSIGNED COND CODE F
|	LC-87B025-113			RQR 100% INSP F/SVC RDS MIXED W/BLANK RDS
|				ASSIGNED COND CODE F
	TW-11-1		S18	
	TW-11-15		S18	
	TW-11-17		S18	
	TW-11-2		S18	
	TW-11-24		S18	
	TW-11-25		S18	
	TW-11-26		S18	
	TW-11-30		S18	
	TW-11-35		S18	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A080 CTG 5.56MM BLANK M200			
TW-11-37		S18	
TW-11-38		S18	
TW-11-39		S18	
TW-11-41		S18	
TW-11-43		S18	
TW-11-45		S18	
1305-00-0000000-A085 CTG CAL 22 BLANK			
LOD79E001-001	SIU		DEMIL INDICATED COND CODE H
WCC-60-4	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A086 CTG CAL .22 BALL LONG RIFLE			
RA-1-34	SIU		DEMIL INDICATED
RA-78G101-018			DEMIL INDICATED COND CODE H
RA-79B102-002	SIU		DEMIL INDICATED COND CODE H
RA-79B103-002	SIU		DEMIL INDICATED COND CODE H
WCC-40-130	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A091 CTG CAL .22 LONG RIFLE MATCH			
WCC-11-6004		C03	
WCC-21-6008		C03	
WCC-21-6014		B14	
WCC-21-6017		B04	
WCC80K026-005		B04	
1305-00-0000000-A093 CTG CAL .22 BALL LONG RIFLE MATCH GRADE			
WCC-3-6001		B14	
WCC-3-6002		B14	
WCC-3-6004		B14	
WCC-4-001		B14	
WCC-4-004	SIU		DEMIL INDICATED COND CODE H
WCC-4-005		B01	
WCC80E004-007		B14	
WCC82L005-006		B14	
1305-00-0000000-A102 CTG 7.62MM BALL M80			
WRA-22903		W16	
1305-00-0000000-A111 CTG 7.62MM BLANK M82 LNKD			
LC-L-41-47 THRU			ASSIGNED COND CODE F
LC-L-41-125			RQR REPACK
LC-L-12985	SIU		RQR 100% INSP FOR SVC RDS COND CODE E
LC-L-13021	SIU		DEMIL INDICATED COND CODE H
LC-L-41-1	SIU		RQR INSP FOR SVC RDS
LC-L-41-127	SIU		RQR 100% INSP FOR SVC RDS COND CODE E
LC-L-41-130	SIU		RQR 100% INSP FOR SVC RDS COND CODE E
LC-L-41-153	SIU		DEMIL INDICATED COND CODE H
LC-L-41-45	SIU		DEMIL INDICATED COND CODE H
LC-41-161			DEMIL INDICATED COND CODE H
LC-82F120-135	SIU		RQR 100% INSP FOR SVC RDS COND CODE E
LC-83D120-230	SIU		ASSIGNED COND CODE E
			RQR 100% INSP FOR SVC RD
LC-84A120-339	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A112 CTG 7.62MM BLANK M82			
ALL IVI LOTS		W14	
LC-12919		R05	
LC-12963		R05	

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1305-00-0000000-A112 CTG 7.62MM BLANK M82			
	LC-12964		R05	
	LC-12981		B01	
	LC-12985	SIU		RQR 100% INSP FOR SVC RDS COND CODE E
	LC-13088		R05	
	LC-13092		R05	
	LC-84A120-334			RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
	LC-86C121-003			RQR SEG AND DEMIL OF RDS IN PREV OPENED CANS ASSIGNED COND CODE E
	1305-00-0000000-A119 CTG 7.62MM BALL M80 F/MG M60 M73 & RIFLE M14			
	ALL LOTS P0064		W21	
	ALL M59 BALL		W21	
	LC-1-318		W10	
	LC-12086		B01 W05	
	LC-13207		W10	
|	LC-82C101-127		W10	
	RA-5642		W10	
	WCC-6543	SIU		DEMIL INDICATED COND CODE H
	WRA-22096		B01	
	WRA-22099		B01	
|	WRA-22146	SIU		DEMIL INDICATED COND CODE H
	WRA-22216	SIU		DEMIL INDICATED COND CODE H
|	WRA-22277	SIU		DEMIL INDICATED COND CODE H
	WRA-22327		B01	
	WRA-22330		B01	
	WRA-22341		B01	
	WRA-22345		B01	
	WRA-22346		B01	
	WRA-22350		B01	
	WRA-22353		B01	
	WRA-22354		B01	
	WRA-22357		B01	
	WRA-22358		B01	
	WRA-22359		B01	
	WRA-22369		B01	
	WRA-22373		B01	
	WRA-22390		B01	
	WRA-22391		B01	
	WRA-22423		B01	
	WRA-22424		B01	
	WRA-22425		B01	
	WRA-22447		B01	
	WRA-22454		B01	
	WRA-22474		B01	
	WRA-22504		B01	
	WRA-22513		B01	
	WRA-22519		B01	
	WRA-22529		B01	
	WRA-22534		B01	
	WRA-22538		B01	
	WRA-22562		B01	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A119 CTG 7.62MM BALL M80 F/MG M60 M73 & RIFLE M14			
WRA-22578		B01	
WRA-22583		B01	
WRA-22625		B01	
WRA-22630		B01	
WRA-22641		B01	
WRA-22697		B01	
WRA-22708		B01	
WRA-22717		B01	
WRA-22724		B01	
WRA-22732		B01	
WRA-22768		B01	
WRA-22769		B01	
WRA-22903		W16	
1305-00-0000000-A122 CTG 7.62MM BALL M80			
ALL LOTS P0064		W21	
ALL M59 BALL		W21	
IVI-44477		W10	
IVI-44478		W09	
LC-1-318		W10	
LC-13144			DEMIL INDICATED
LC-5-25		W10	
LC-5-6		B01	
LC-81G101-057		B01	
LC-82C101-127		W10	
LC-83H101-309		B17 B20	
LC-83J101-325		B17 B20	
LC-83J151-052		B17 B20	
LC-84G101-478		B17 B20	
LC-84G101-480	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE E
RA-5107		W05	
RA-5642		W10	
RA-5733		W10	
TW-18366		W14	
WCC-6006	SIU		DEMIL INDICATED COND CODE H
WCC-6543	SIU		DEMIL INDICATED COND CODE H
WRA-22084	SIU		DEMIL INDICATED COND CODE H
WRA-22087	SIU		DEMIL INDICATED COND CODE H
WRA-22096		B01	
WRA-22097	SIU		DEMIL INDICATED COND CODE H
WRA-22099		B01	
WRA-22146	SIU		DEMIL INDICATED COND CODE H
WRA-22216	SIU		DEMIL INDICATED COND CODE H
WRA-22258		W05	
WRA-22277	SIU		DEMIL INDICATED COND CODE H
WRA-22327		B01	
WRA-22330		B01	
WRA-22341		B01	
WRA-22345		B01	
WRA-22346		B01	
WRA-22350		B01	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A122 CTG 7.62MM BALL M80			
WRA-22353		B01	
WRA-22354		B01	
WRA-22357		B01	
WRA-22358		B01	
WRA-22359		B01	
WRA-22369		B01	
WRA-22373		B01	
WRA-22390		B01	
WRA-22391		B01	
WRA-22423		B01	
WRA-22424		B01	
WRA-22425		B01	
WRA-22447		B01	
WRA-22454		B01	
WRA-22474		B01	
WRA-22504		B01	
WRA-22513		B01	
WRA-22519		B01	
WRA-22529		B01	
WRA-22534		B01	
WRA-22539		B01	
WRA-22562		B01	
WRA-22578		B01	
WRA-22583		B01	
WRA-22625		B01	
WRA-22630		B01	
WRA-22641		B01	
WRA-22697		B01	
WRA-22708		B01	
WRA-22717		B01	
WRA-22724		B01	
WRA-22732		B01	
WRA-22768		B01	
WRA-22769		B01	
WRA-22883		W10	
WRA-22903		W16	
WRA-23020		B01 W05	
WRA22037		W05	
1305-00-0000000-A124 CTG 7.62MM TRACER M62			
ALL LOTS P0064		W21	
FA-18		B01	
FA-20		B01	
LC-L-12780		B01	
LC-10-10		B01	
LC-10-145		B01	
LC-10-150		B01	
LC-10-200	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
LC-10-210		B01	
LC-10-281		B01	
LC-10-65	SIU		DEMIL INDICATED COND CODE H

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A124 CTG 7.62MM TRACER M62			
LC-12008			DEMIL INDICATED COND CODE H
LC-12013		B01	
LC-12041		B01	
LC-12042		B01	
LC-12050		W09	
LC-12067		B01	
LC-12104			DEMIL INDICATED COND CODE H
LC-12117		B01	
LC-12123		B01	
LC-12155		B01	
LC-12167	SIU		DEMIL INDICATED COND CODE H
LC-12178	SIU		DEMIL INDICATED COND CODE H
LC-12189			DEMIL INDICATED COND CODE H
LC-12222	SIU		DEMIL INDICATED COND CODE H
LC-12270		B01	
LC-12283		B01	
LC-12292		B01	
LC-12298		B01	
LC-12325		B01	
LC-12396		B01	
LC-12434		B01	
LC-12644		B01 W05	
LC-12669		B01	
LC-12698		B01	
LC-12700		B01	
LC-12769		B01	
LC-12772	SIU		DEMIL INDICATED COND CODE H
LC-12817		B01	
LC-12839		B01	
LC-12844		B01	
LC-12860		B01	
LC-12874		B01	
LC-12937		B01	
LC-79H110-002		B01	
LC-79H110-007		B01	
LC-79M110-011		B01	
LC-83E111-112		B17 B20	
LC-84K111-263		B17 W09	
MS-2-13		B01	
RA-L-5606		B01	
RA-5042		B01	
RA-5105		B01	
RA-5106		B01	
RA-5111		W09	
RA-5130	SIU		DEMIL INDICATED COND CODE H
RA-5134	SIU		DEMIL INDICATED COND CODE H
RA-5136		B01	
RA-5140	SIU		DEMIL INDICATED COND CODE H
RA-5143		B01	
RA-5147		B01 W05	
RA-5154		B01 W21	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A124 CTG 7.62MM TRACER M62			
RA-5159		B01 W21	
RA-5162		B01	
RA-5163		B01 W21	
RA-5164		B01 W21	
RA-5291		B01	
RA-5351		B01	
RA-5389		B01	
RA-5417		B01	
RA-5419		B01	
RA-5424		B01	
RA-5448		W15	
RA-5450		B01	
RA-5471		B01 W05	
RA-5473		B01	
RA-5482		B01	
RA-5531		B01	
RA-5546		B01	
TW-18114		B01	
TW-18116		B01	
TW-18129		B01	
WCC-6027	SIU		DEMIL INDICATED COND CODE H
WCC-6029	SIU		DEMIL INDICATED COND CODE H
WCC-6031		B01	
WCC-6061	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A127 CTG 7.62MM LNK BALL & TRACER			
ALL LOTS P0064		W21	
ALL M59 BALL		W21	
FA-L-79003		B01	
FA-L-79034		B01	
LC-L-104002		B01	
LC-L-104021		B01	
LC-L-104023		B01	
LC-L-104037		W09	
LC-L-104085		B01	
LC-L-104133		B01	
LC-L-104246		B01	
LC-L-104251		B01	
LC-L-104257		B01	
RA-L-30-33		W14	
RA-L-85040		B01	
RA-L-85041		W05	
RA-L-85062		W21	
RA-L-85076		B01 B20	
RA-L-85082		B01	
RA-L-85083		B01	
RA-L-85088		B01 W21	
RHN-L-500-14		B01	
RHN-L-500-15		B01 W21	
RHN-L-500-16		B01 W21	
RHN-L-500-17		B01 W21	
RHN-L-500-18		B01 W21	

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1305-00-0000000-A127 CTG 7.62MM LNK BALL & TRACER			
	RHN-L-500-3		W05	
	RHN-L-500-9		B01 W21	
	SOG-L-500-100		W21	
	SOG-L-500-101		W21	
	SOG-L-500-102		W21	
	SOG-L-500-103		W21	
|	SOG-L-500-104	SIU		DEMIL INDICATED COND CODE H
	SOG-L-500-105		W21	
	SOG-L-500-106		W21	
	SOG-L-500-107		W21	
	SOG-L-500-125		B01	
	SOG-L-500-135		B01	
	SOG-L-500-82		W10	
	SOG77B001L005	SIU		DEMIL INDICATED COND CODE H
	SOG77B001L010		B01	
	SOG77B001L012	SIU		DEMIL INDICATED COND CODE H
	SOG77C001L015		B01 W10	
	SOG77C001L021		B01	
	SOG77C001L022		B01	
	SOG77C001L023		B01	
	SOG77C001L024		B01	
	SOG77D001L025		B01	
	SOG77D001L026		B01	
	SOG77D001L027		B01	
	SOG77E001L031		B01	
	SOG77E001L033		B01	
	SOG77E001L036		B01	
	SOG77E001L037		B01	
	SOG77E001L038		B01	
	SOG77E001L041		B01	
	SOG77F001L044		W10	
	SOG77F001L046		B01	
	SOG77L001L064		B01 W05	
	SOG77M001L065		W05	
	WCC-L-86027	SIU		DEMIL INDICATED COND CODE H
	WCC-L-86029	SIU		DEMIL INDICATED COND CODE H
	WCC-L-86031		B01	
	1305-00-0000000-A128 CTG 7.62MM M59 OR M80 BALL F/MG M60			
	ALL LOTS P0064		W21	
	ALL M59 BALL		W21	
	LC-1-318		W10	
	LC-12086		B01 W05	
	LC-13207		W10	
|	LC-82C101-127		W10	
	WRA-22096		B01	
	WRA-22099		B01	
|	WRA-22146	SIU		DEMIL INDICATED COND CODE H
	WRA-22216	SIU		DEMIL INDICATED COND CODE H
|	WRA-22277	SIU		DEMIL INDICATED COND CODE H
	WRA-22327		B01	
	WRA-22330		B01	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A128		CTG 7.62MM M59 OR M80 BALL F/MG M60	
WRA-22341		B01	
WRA-22345		B01	
WRA-22346		B01	
WRA-22350		B01	
WRA-22353		B01	
WRA-22354		B01	
WRA-22357		B01	
WRA-22358		B01	
WRA-22359		B01	
WRA-22369		B01	
WRA-22373		B01	
WRA-22390		B01	
WRA-22391		B01	
WRA-22423		B01	
WRA-22424		B01	
WRA-22425		B01	
WRA-22447		B01	
WRA-22454		B01	
WRA-22474		B01	
WRA-22504		B01	
WRA-22513		B01	
WRA-22519		B01	
WRA-22529		B01	
WRA-22534		B01	
WRA-22539		B01	
WRA-22562		B01	
WRA-22578		B01	
WRA-22583		B01	
WRA-22625		B01	
WRA-22630		B01	
WRA-22641		B01	
WRA-22697		B01	
WRA-22708		B01	
WRA-22717		B01	
WRA-22724		B01	
WRA-22732		B01	
WRA-22768		B01	
WRA-22769		B01	
1305-00-0000000-A130		CTG 7.62MM M80 OR M59 5 RD CLIP	
ALL LOTS P0064		W21	
ALL M59 BALL		W21	
FA-169		B10	
IVI-1-23			DEMIL INDICATED
IVI-44330		W29	
IVI-44351		B01 W05	
IVI-44359			DEMIL INDICATED
IVI-44373		B01	
LC-1-318		W10	
LC-12086		B01 W05	
LC-12288	SIU		RQR RELINKING ASSIGNED COND CODE F

```
  LOT NUMBER      LIMIT RESTRICTION          FIX     OR     REASON

 1305-00-0000000-A130  CTG 7.62MM M80 OR M59 5 RD CLIP
  LC-12318                  W05
  LC-13207                  W10
  LC-5-6                    B01
  LC-81G101-057    SIU                 DEMIL INDICATED COND CODE H
| LC-82C101-127             W10
  LC-83H101-309             B17 B20
  LC-83J101-325             B17 B20
  LC-83J151-052             B17 B20
  LC-84G101-478             B17 B20
  LC-84G101-480    SIU                 100% INSP FOR INVERTED PRIMER
                                       ASSIGNED COND CODE E
  RA-5037          SIU                 DEMIL INDICATED COND CODE H
  RA-5107                   W05
  RA-5277                   B01 W21
  RA-5642                   W10
  TW-18366                  W14
  WCC-6006         SIU                 DEMIL INDICATED COND CODE H
  WCC-6145         SIU                 DEMIL INDICATED COND CODE H
  WCC-6189                  W05
  WCC-6543         SIU                 DEMIL INDICATED COND CODE H
  WRA-12198        SIU                 DEMIL INDICATED COND CODE H
  WRA-22092        SIU                 DEMIL INDICATED COND CODE H
  WRA-22096                 B01
  WRA-22099                 B01 W10
  WRA-22130                 W10
| WRA-22144        SIU                 REQUIRES DELINKING
|                                      ASSIGNED COND CODE F
| WRA-22146        SIU                 DEMIL INDICATED COND CODE H
  WRA-22168        SIU                 DEMIL INDICATED COND CODE H
| WRA-22170        SIU                 REQUIRES DELINKING
|                                      ASSIGNED COND CODE F
  WRA-22213                 B01 W21
  WRA-22216        SIU                 DEMIL INDICATED COND CODE H
  WRA-22225        SIU                 DEMIL INDICATED COND CODE H
  WRA-22255        SIU                 DEMIL INDICATED COND CODE H
  WRA-22258                 W05
| WRA-22259        SIU                 REQUIRES DELINKING
|                                      ASSIGNED COND CODE F
| WRA-22277        SIU                 DEMIL INDICATED COND CODE H
| WRA-22278        SIU                 REQUIRES DELINKING
|                                      ASSIGNED COND CODE F
| WRA-22279        SIU                 REQUIRES DELINKING
|                                      ASSIGNED COND CODE F
| WRA-22280        SIU                 REQUIRES DELINKING
|                                      ASSIGNED COND CODE F
  WRA-22322                 W05
  WRA-22327                 B01
  WRA-22330                 B01
  WRA-22341                 B01
  WRA-22345                 B01
  WRA-22346                 B01
```

1305-00-0000000-A130 CTG 7.62MM M80 OR M59 5 RD CLIP

LOT NUMBER	LIMIT	RESTRICTION	FIX OR	REASON
WRA-22350		B01		
WRA-22353		B01		
WRA-22354		B01		
WRA-22357		B01		
WRA-22358		B01		
WRA-22359		B01		
WRA-22369		B01		
WRA-22373		B01		
WRA-22390		B01		
WRA-22391		B01		
WRA-22423		B01		
WRA-22424		B01		
WRA-22425		B01		
WRA-22447		B01		
WRA-22454		B01		
WRA-22474		B01		
WRA-22504		B01		
WRA-22513		B01		
WRA-22519		B01		
WRA-22529		B01		
WRA-22534		B01		
WRA-22539		B01		
WRA-22562		B01		
WRA-22578		B01		
WRA-22583		B01		
WRA-22625		B01		
WRA-22630		B01		
WRA-22641		B01		
WRA-22683		W21		
WRA-22697		B01		
WRA-22708		B01		
WRA-22717		B01		
WRA-22724		B01		
WRA-22732		B01		
WRA-22751	SIU			DEMIL INDICATED COND CODE H
WRA-22768		B01		
WRA-22769		B01		
WRA-22829		B01	W05	RELEASED WITH RESTRICTION
WRA-22852	SIU			REQUIRES DELINKING ASSIGNED COND CODE F
WRA-22853	SIU			REQUIRES DELINKING ASSIGNED COND CODE F
WRA-22919		W21		
WRA-22928		W21		
WRA-22929	SIU			DEMIL INDICATED COND CODE H
WRA-22949		W21		
WRA-22986		W21		
WRA-22991		W21		
WRA-22993		W21		
WRA-22994		W21		
WRA-23005		W21		

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A130		CTG 7.62MM M80 OR M59 5 RD CLIP	
WRA-23006		W21	
WRA-23007		W21	
WRA-23020		B01 W05	
WRA-23023		W21	
1305-00-0000000-A131		CTG 7.62MM LINKED BALL M80 & TRAC M62	
ALL LOTS P0064		W21	
ALL M59 BALL		W21	
HAW79H001L001		B01	
LC-L-104946		B01	
LC-L-139089		B01	
LC-L-139113		B01	
LC-L-139115		B01	
LC-L-139723		B01	
LC-L-139930		B01	
LC-L-140153		B01	
LC-79K600L004		B01	
LC-79M600L020		B01	
LC-80M600L060		W10	
LC-80M600L061		W10	
LC-80M600L062		W10	
LC-81E600L099		W10	
LC-81G600L114	SIU		REQ REMOVAL OF M80 BALL ROUNDS ASSIGNED COND CODE E
LC-83E600L326	SIU		ASSIGNED COND CODE E RQR 100% INSP F/BLANK ROUNDS
LC-84A600L475		B17 B20	
LC-84C600L525		B17 B20	
LC-84C600L526		B17 B20	
LC-84D600L527		B17 B20	
LC-84M600L656	SIU		ASSIGNED COND CODE E 100% INSP FOR INVERTED PRIMER
LC-84M600L657	SIU		ASSIGNED COND CODE E 100% INSP FOR INVERTED PRIMER
LC-85A600L665		B17 B20	
LC-85K600L806		B20	
LC-85K600L807		B20	
LC-85K600L808		B20	
LC-85K600L809		B20	
LC-85L601L002		B20	
LC-85L601L003		B20	
LC-85L601L004		B20	
LC-85L601L007		B20	
LC-85L601L008		B20	
MCA83F001L032		W12	
MCA83F001L033		W12	
MCA83F001L034		W12	
MCA83F001L035		W12	
MCA83F001L036		W12	
MCA83F001L038		W12	
MCA83F001L042		W12	
MCA83G001L043		W12	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A131 CTG 7.62MM LINKED BALL M80 & TRAC M62			
MCA83G001L045		W12	
MCA83G001L046		W12	
MCA83G001L047		W12	
MCA83G001L048		W12	
MCA83G001L049		W12	
MCA83H001L050		W12	
MCA83H001L051		W12	
MCA83H001L052		W12	
MCA83H001L053		W12	
MCA83H001L054		W12	
MCA83H001L055		W12	
MCA83H001L056		W12	
RA-L-30-7		B01	
RA-L-30-8		B01	
RA-L-85308		W10	
RA-L-85336		B01 W05	
RA-L-85338		B01	
RA-L-85400		W10	
RA-L-85422			DEMIL INDICATED
RHN-L-500-33		B01	
SFB-L-500-1		W12	
SFB-L-500-10		W12	
SFB-L-500-11		W12	
SFB-L-500-2		W12	
SFB-L-500-3		W12	
SFB-L-500-4		W12	
SFB-L-500-5		W12	
SFB-L-500-6		W12	
SFB-L-500-8		W12	
SFB-L-500-9		W12	
SOG-L-500-61	SIU		DEMIL INDICATED COND CODE H
SRD77E001L001		B01 W05	
TW-L-82167		B01	
TW-L-82182		B01	
TW-L-82273		B01	
1305-00-0000000-A132 CTG 7.62MM TRACER M62			
ALL LOTS P0064		W21	
LC-L-12780		B01	
LC-10-10		B01	
LC-10-145		B01	
LC-10-160		W10	
LC-10-200	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
LC-10-210		B01	
LC-10-281		B01	
LC-10-65	SIU		DEMIL INDICATED COND CODE H
LC-12041		B01	
LC-12042		B01	
LC-12167	SIU		DEMIL INDICATED COND CODE H
LC-12292		B01	
LC-12298		B01	

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1305-00-0000000-A132 CTG 7.62MM TRACER M62			
	LC-12700		B01	
	LC-12772	SIU		DEMIL INDICATED COND CODE H
	LC-12817		B01	
I	LC-12844		B01	
	LC-12860		B01	
	LC-12937		B01	
	LC-79H110-007		B01	
	LC-83E111-112		B17 B20	
	LC-84K111-263		B17 W09	
	RA-L-5606		B01	
	RA-5105		B01	
	RA-5147		B01 W05	
I	RA-5159		B01 W21	
	RA-5424		B01	
	RA-5546		B01	
	TW-18114		B01	
	1305-00-0000000-A136 CTG 7.62MM MATCH M118			
	LC-12033		B14	
	LC-20-15	SIU		DEMIL INDICATED COND CODE H
	LC-85B135-008		W13	RELEASED WITH RESTRICTION
	1305-00-0000000-A137 CTG 7.62MM TRACER M62			
	LC-L-12582		B01	
	LC-L-12780		B01	
	LC-10-10		B01	
	LC-10-145		B01	
	LC-10-200	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
	LC-10-210		B01	
	LC-10-281		B01	
	LC-10-65	SIU		DEMIL INDICATED COND CODE H
	LC-12041		B01	
	LC-12042		B01	
	LC-12167	SIU		DEMIL INDICATED COND CODE H
	LC-12292		B01	
	LC-12298		B01	
	LC-12700		B01	
	LC-12772	SIU		DEMIL INDICATED COND CODE H
	LC-12817		B01	
	LC-12827		B01 W14	
	LC-12839		B01	
	LC-12844		B01	
	LC-12860		B01	
	LC-12937		B01	
	LC-79H110-007		B01	
	LC-83E111-112		B17 B20	
	LC-84K111-263		B17 W09	
	RA-L-5606		B01	
	RA-5105		B01	
	RA-5147		B01 W05	
I	RA-5159		B01 W21	
	RA-5424		B01	

```
  LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

1305-00-0000000-A137  CTG 7.62MM TRACER M62
  RA-5473                B01
  RA-5546                B01
  TW-18114               B01
1305-00-0000000-A139  CTG 7.62MM BALL M59 F/MG M60 M73 & RIFLE M14
  ALL M59 BALL           W21
  WCC-6006          SIU            DEMIL INDICATED COND CODE H
1305-00-0000000-A140  CTG 7.62MM TRACER M62
  ALL LOTS P0064         W21
  LC-L-12780             B01
  LC-10-10               B01
  LC-10-145              B01
  LC-10-200         SIU            100% INSP FOR INVERTED PRIMER
                                   ASSIGNED COND CODE F
  LC-10-210              B01
  LC-10-281              B01
  LC-10-65          SIU            DEMIL INDICATED COND CODE H
  LC-12041               B01
  LC-12042               B01
  LC-12167          SIU            DEMIL INDICATED COND CODE H
  LC-12282               B01
  LC-12298               B01
  LC-12700               B01
  LC-12741          SIU            DEMIL INDICATED COND CODE H
  LC-12772          SIU            DEMIL INDICATED COND CODE H
  LC-12781               B01
  LC-12817               B01
  LC-12839               B01
  LC-12844               B01
  LC-12860               B01
  LC-12937               B01
  LC-79H110-007          B01
  LC-84A111-178     SIU            100% INSP FOR INVERTED PRIMER
                                   ASSIGNED COND CODE E
  LC-84K111-263          B17 W09
  RA-L-5606              B01
  RA-10-5                B01
  RA-5042                B01
  RA-5105                B01
  RA-5106                B01
  RA-5128                W21
  RA-5147                B01 W05
| RA-5159                B01 W21
  RA-5164                B01 W21
  RA-5424                B01
  RA-5473                B01
  RA-5546                B01
  TW-18114               B01
  TW-18129               B01
1305-00-0000000-A143  CTG 7.62MM BALL M59 & M80 F/MG M60 & M73 F/TRAINING
  ALL LOTS P0064         W21
  ALL M59 BALL           W21
```

```
 LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1305-00-0000000-A143  CTG 7.62MM BALL M59 & M80 F/MG M60 & M73 F/TRAINING
  LC-L-12272         SIU            RQR SEG AND DEMIL OF RDS IN PREV OPENED CANS
                                    ASSIGNED COND CODE E
  LC-1-318                 W10
  LC-12086                 B01 W05
  LC-5-6                   B01
| LC-82C101-127            W10
  LC-82K101-196            B17 B20
  LC-83A101-222            B17 B20
  LC-83A101-227            B17 B20
  LC-83H101-309            B17 B20
  LC-83J101-325            B17 B20
  LC-83M101-384            B17
  LC-84G101-487            B17 B20
  LC-85K101-716            B20
  LC-85K101-717            B20
  LC-85K101-718            B20
  LC-85K101-719            B20
  LC-85K101-720            B20
  LC-85K101-721            B20
  LC-85K101-722            B20
  LC-85L103-005            B20
  LC-85L103-006            B20
  LC87K103-364             B26
  TW-L-18368         SIU            RQR 100% INSP F/UNSVC CTG
                                    ASSIGNED COND CODE E
  WRA-L-22751        SIU            DEMIL INDICATED COND CODE H
  WRA-22129                B01
| WRA-22146          SIU            DEMIL INDICATED COND CODE H
  WRA-22216          SIU            DEMIL INDICATED COND CODE H
| WRA-22277          SIU            DEMIL INDICATED COND CODE H
  WRA-23020                B01 W05
1305-00-0000000-A145  CTG 7.62MM TRACER M62
  LC-L-12780               B01
  LC-10-10                 B01
  LC-10-145                B01
  LC-10-210                B01
  LC-10-281                B01
  LC-10-65           SIU            DEMIL INDICATED COND CODE H
  LC-12041                 B01
  LC-12042                 B01
  LC-12292                 B01
  LC-12298                 B01
  LC-12700                 B01
  LC-12772           SIU            DEMIL INDICATED COND CODE H
  LC-12817                 B01
  LC-12844                 B01
  LC-12860                 B01
  LC-12937                 B01
  LC-79H110-007            B01
  RA-L-5606                B01
  RA-5105                  B01
```

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1305-00-0000000-A145		CTG 7.62MM TRACER M62	
	RA-5147		B01 W05	
|	RA-5159		B01 W21	
	RA-5164		B01 W21	
	RA-5424		B01	
	RA-5546		B01	
	TW-18114		B01	
	1305-00-0000000-A146		CTG 7.62MM TRACER M62	
	ALL LOTS P0064		W21	
	FA-18		B01	
	FA-20		B01	
	LC-L-12850		B01	
	LC-L-12852		B01	
	LC-L-12881		B01	
	LC-10-10		B01	
	LC-10-145		B01	
	LC-10-150		B01	
	LC-10-281		B01	
	LC-10-65	SIU		DEMIL INDICATED COND CODE H
	LC-12041		B01	
	LC-12042		B01	
	LC-12067		B01	
	LC-12117		B01	
	LC-12155		B01	
	LC-12167	SIU		DEMIL INDICATED COND CODE H
	LC-12283		B01	
|	LC-12292		B01	
	LC-12298		B01	
	LC-12434		B01	
	LC-12700		B01	
|	LC-12772	SIU		DEMIL INDICATED COND CODE H
	LC-12817		B01	
	LC-12839		B01	
	LC-12844		B01	
	LC-12860		B01	
	LC-12937		B01	
	LC-79H110-002		B01	
	LC-79H110-007		B01	
	LC-79M110-011		B01	
	LC-81G111-028		B01 B20	
	LC-83C111-097		B01 B20	
	LC-83E111-112		B17 B20	
	LC-83F111-116		B01 B20	
	LC-85J111-403		B20	
	LC-85K111-404		B20	
	LC-85K111-405		B20	
	LC-85K111-406		B20	
	LC-85K111-407		B20	
	LC-85K111-408		B20	
	LC-85L112-003		B20	
	RA-L-5566		B01	
	RA-L-5606		B01	

```
   LOT NUMBER     LIMIT RESTRICTION       FIX    OR    REASON

  1305-00-0000000-A146  CTG 7.62MM TRACER M62
   RA-5105                B01
   RA-5147                B01 W05
|  RA-5159                B01 W21
   RA-5162                B01
   RA-5164                B01 W21
   RA-5424                B01
   RA-5473                B01
   RA-5546                B01
   TW-18114               B01
   TW-18116               B01
   WCC-6027         SIU             DEMIL INDICATED COND CODE H
   WCC-6029         SIU             DEMIL INDICATED COND CODE H
   WCC-6031               B01
  1305-00-0000000-A151  CTG 7.62MM 4 BALL M80/1 TRACER M62 (OVERHEAD FIRE)
   LC-L-104906            B22
   LC-L-104922            B22
   LC-L-139289            B22
   LC-L-139290            B22
   LC-L-139300            B22
   LC-83E600L337          B22
  1305-00-0000000-A157  CTG 7.62MM BALL M80 F/MINNI GUN
   ALL M59 BALL           W21
  1305-00-0000000-A163  CTG 7.62MM 9 BALL M80 1 TR M276 FOR MINNI GUN
   ALL IVI COMP LOT                 RQR RELINKING
   ALL LOTS P0064         W21
   WRA-22941              W21
  1305-00-0000000-A164  CTG 7.62MM BALL LINKED FOR MINIGUN
   ALL IVI COMP LOT                 RQR RELINKING
   ALL LOTS P0064         W21
   LC-L-1-431                       100% INSP FOR INVERTED PRIMER
   LC-5-25                W10
|  LC-82C101-127          W10
|  WRA-22146        SIU             DEMIL INDICATED COND CODE H
   WRA-22216        SIU             DEMIL INDICATED COND CODE H
|  WRA-22277        SIU             DEMIL INDICATED COND CODE H
   WRA-22829              B01 W05
   WRA-22883              W10
   WRA-23020              B01 W05
  1305-00-0000000-A165  CTG 7.62MM LKD 4 BALL M80 1 TR M62 F/MINNI GUN
   ALL IVI COMP LOT                 RQR RELINKING
   ALL LOTS P0064         W21
   AOY-L-500-12           B01
   AOY-L-500-20           B01
   AOY-L-500-24           B01
   AOY-L-500-3            B01
   AOY-L-500-8            B01
   AOY-L-500-13           B01
   LC-L-139142            B01
   LC-L-139204                      RQR RELINKING
   LC-L-139206                      REPL LINKS
   LC-L-139268            B01
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A165 CTG 7.62MM LKD 4 BALL M80 1 TR M62 F/MINNI GUN			
LC-L-139426	SIU		DEMIL INDICATED COND CODE H
LOD-L-570-1		B01	
LOD-L-570-19		W15	
LOD-L-570-20		W15	
POD-L-500-80		B01 W05	
POD-L-500-83		B01 W05	
SND-L-500-15		B01 W05	
SND-L-500-24		B01 W05	
SND-L-500-25		B01 W05	
SND-L-500-35		B01 W05	
SND-L-500-36		B01 W05	
SND-L-500-37		B01 W05	
SND-L-500-38		B01 W05	
SND-L-500-39		B01 W05	
SND-L-500-40		B01 W05	
SOD-L-500-20	SIU		DEMIL INDICATED COND CODE H
SOD-L-500-42		B01	
SOD-L-500-52		W16	
SOD-L-500-6	SIU		REPL TRACER ASSIGNED COND CODE F
UOD-L-500-14	SIU		REPL TRACER ASSIGNED COND CODE F
WCC-L-86386	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A166 CTG 7.62MM BALL M80			
ALL LOTS P0064		W21	
LC-1-23		B22	
LC-13206		B22	
LC-82C101-127		W10	
RA-5107		W05	
RA-5733		W10	
WRA-22146	SIU		DEMIL INDICATED COND CODE H
WRA-22216	SIU		DEMIL INDICATED COND CODE H
WRA-22258		W05	
WRA-22277	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A167 CTG 7.62MM TRACER M62			
ALL LOTS P0064		W21	
LC-L-12780		B01	
LC-10-10		B01	
LC-10-210		B01	
LC-10-281		B01	
LC-10-65	SIU		DEMIL INDICATED COND CODE H
LC-12041		B01	
LC-12042		B01	
LC-12298		B01	
LC-12700		B01	
LC-12817		B01	
LC-12844		B01	
LC-12860		B01	
LC-12937		B01	
LC-79H110-007		B01	
RA-5105		B01	

```
LOT NUMBER      LIMIT RESTRICTION        FIX     OR    REASON

1305-00-0000000-A167  CTG 7.62MM TRACER M62
  RA-5164                B01 W21
  RA-5424                B01
  RA-5546                B01
  TW-18114               B01
1305-00-0000000-A168  CTG 7.62MM LINKED 9 BALL M80 AND 1 TR M62
  ALL LOTS P0064         W21
  LC-L-139701            B01
  LC-L-139703            B01
  LC-L-139704            B01
  LC-L-139706            B01
  LC-L-139708            B01
  LC-L-139710            B01
  LC-L-139712            B01
  LC-L-139714            B01
  LC-L-139724            B01
  LC-L-139727            B01
  LC-L-139761            W10
  LC-L-139786            W10
  LC-L-139916      SIU              100% INSP FOR INVERTED PRIMER
                                    ASSIGNED COND CODE F
  LC-L-139917      SIU              100% INSP FOR INVERTED PRIMER
                                    ASSIGNED COND CODE F
  LC-L-139918      SIU              100% INSP FOR INVERTED PRIMER
                                    ASSIGNED COND CODE F
1305-00-0000000-A183  CTG CAL .30 CARBINE TRACER M27
  FA-18            SIU              DEMIL INDICATED COND CODE H
  FA-2             SIU              DEMIL INDICATED COND CODE H
1305-00-0000000-A201  CTG CAL .30 AP M2
  SL-7356                W10
1305-00-0000000-A202  CTG CAL.30-AP M2
  LC-13092         SIU              DEMIL INDICATED COND CODE H
  LC-13614               B01
  LC-13728               W10
1305-00-0000000-A209  CTG CAL.30 LINKED 4 AP M2 AND 1 TR M1
  LC-L-104523            W10
1305-00-0000000-A211  CTG CAL 30 BALL M2
  LC-42197               B01
  LC-42336               B01
  LC-42610               B01
  LC-42749               B01
  LC-42785               B01
1305-00-0000000-A212  CTG CAL 30 BALL M2
  LC-42197               B01
  LC-42336               B01
  LC-42610               B01
  LC-42749               B01
  LC-42785               B01
1305-00-0000000-A214  CTG CAL 30 BALL M2 CLIPPED
  LC-42197               B01
  LC-42336               B01
  LC-42610               B01
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A214	CTG CAL 30 BALL M2 CLIPPED		
LC-42749		B01	
LC-42785		B01	
1305-00-0000000-A216	CTG CAL 30 BALL M2 CLIPPED		
LC-42197		B01	
LC-42336		B01	
LC-42610		B01	
LC-42749		B01	
LC-42785		B01	
1305-00-0000000-A217	CTG CAL .30 BALL M2		
LC-L-39293		W10	
LC-42197		B01	
LC-42336		B01	
LC-42610		B01	
LC-42749		B01	
LC-42785		B01	
SL-9671		S03	
1305-00-0000000-A218	CTG CAL .30 LINKED 4 BALL M2 AND 1 TR M25		
LC-L-104728		B01	
LC-L-104800		B01	
LC-L-107571		B01	
LC-L-107637		B01	
LC-L-107661		B01	
LC-L-107916		B01	
LC-L-107919		B01	
LC-L-107923		B01	
LC-L-107924		B01	
LC-L-107928		B01	
1305-00-0000000-A220	CTG CAL .30 BALL FRANGIBLE M22		
ALL LOTS			RQR INSP FOR SVC RDS
1305-00-0000000-A224	CTG CAL .30 BLANK M1909		
LC-13479	SIU		DEMIL INDICATED COND CODE H
LC-13499	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A230	CTG CAL .30 TRACER M25		
WCC-6035		W10	
1305-00-0000000-A360	CTG. 9MM BALL		
TZZ82K002-001	SIU		FAILURE OF ROUND TO CHAMBER ASSIGNED COND CODE J
1305-00-0000000-A363	CTG 9MM BALL M882		
FC-86D001-021			BLOWN PRIMERS ASSIGNED COND CODE J
WCC87H014V023	SIU		BULLET STUCK IN BARREL
WCC87H014V024	SIU		BULLET STUCK IN BARREL
1305-00-0000000-A365	CTG 14.5MM M181		
DAG-1-69	SIU		DEMIL INDICATED COND CODE H
DAG-20-12	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A367	CTG 14.5MM M183		
DAG-1-15	SIU		DEMIL INDICATED COND CODE H
DAG-1-20	SIU		DEMIL INDICATED COND CODE H
DAG-1-39	SIU		DEMIL INDICATED COND CODE H
DAG-28-74	SIU		DEMIL INDICATED COND CODE H
DAG-29-74	SIU		DEMIL INDICATED COND CODE H

```
    LOT NUMBER     LIMIT RESTRICTION       FIX    OR    REASON

  1305-00-0000000-A397  CTG CAL .38 BALL SP PGU-12/B            B
    LC-80A090-008              B01     RELEASED WITH RESTRICTION
    LC-80E090-022              B01
    WCC81D041-033              B01     RELEASED WITH RESTRICTION
    WCC81F041-054                      INVERTED PRIMER
                                       ASSIGNED COND CODE N
    WCC81K041-068                      COCKED PRIMER
                                       ASSIGNED COND CODE N
  1305-00-0000000-A400  CTG CAL..38 SPECIAL BALL M41
    WCC-1-6013          SIU            DEMIL INDICATED COND CODE H
    WCC-1-6045          SIU            DEMIL INDICATED COND CODE H
    WCC-1-6071          SIU            DEMIL INDICATED COND CODE H
    WCC-1-6072          SIU            DEMIL INDICATED COND CODE H
    WCC-1-6081          SIU            DEMIL INDICATED
    WCC82L006-002              B01     RELEASED WITH RESTRICTION
  1305-00-0000000-A404  CTG CAL .38 SPEC WADCUTTER
|   OMA86L001-006       SIU            RQR 100% INSP FOR PRIMERS ABOVE FLUSH
|                                      ASSIGNED COND CODE E
  1305-00-0000000-A406  CTG CAL .38 SP BALL W/TRACER 120 GRAIN
    RA-5022                            DEMIL INDICATED COND CODE H
    RA-5025                            DEMIL INDICATED COND CODE H
  1305-00-0000000-A407  CTG CAL .38 MATCH CTG
    WCC-31-001          SIU            DEMIL INDICATED COND CODE H
  1305-00-0000000-A475  CTG CAL..45 BALL M1911
    RA-33085                   B01
    RA-33087                   B01
    RA-33088                   B01
    RA-33091                   B01
    RA-33093                   B01
    RA-33098                   B01
    RA-33099                   B01
    RA-33117                   B01
    RA-33134                   B01
    RA-33141                   B01
|   TZZ85F010-007       SIU            BLOWN WEAPON
    TZZ85F010-008              W17     RELEASED WITH RESTRICTION
    TZZ85F010-009              W17     RELEASED WITH RESTRICTION
    TZZ85G001-043       SIU            BULLET STUCK IN BARREL
    TZZ85H001-049       SIU            BULLET STUCK IN BARREL
|   TZZ86A002-008              W17
|   TZZ86A002-009              W17
    TZZ86C021-005                      RELEASED FROM TEMPORARY SUSPENSION
    TZZ86F022-003       SIU            DEMIL INDICATED COND CODE H
    TZZ86F022-004                      RELEASED FROM TEMPORARY SUSPENSION
    TZZ86G022-007                      RELEASED FROM TEMPORARY SUSPENSION
    TZZ86H022-010                      RELEASED FROM TEMPORARY SUSPENSION
    TZZ86K022-014                      RELEASED FROM TEMPORARY SUSPENSION
    TZZ87C022-023                      RELEASED FROM TEMPORARY SUSPENSION
    TZZ87C022-025                      RELEASED FROM TEMPORARY SUSPENSION
    TZZ87D022-027       SIU            100% INSP FOR INVERTED PRIMER
                                       ASSIGNED COND CODE E
    WCC-2-41            SIU            DEMIL INDICATED COND CODE H
    WCC-2-45                   B01
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A475 CTG CAL..45 BALL M1911			
WCC-2-74	SIU		DEMIL INDICATED COND CODE H
WCC81A006-013	SIU		DEMIL INDICATED COND CODE H
WCC81B006-017		B01	
WCC81C006-022		B01	
WCC82D008-002		B01	
WRA-22661		B01	
1305-00-0000000-A480 CTG CAL .45 HPT M1			
FA-74	SIU		DEMIL INDICATED COND CODE H
FA-75	SIU		DEMIL INDICATED COND CODE H
FA-77	SIU		DEMIL INDICATED COND CODE H
FA-79	SIU		DEMIL INDICATED COND CODE H
FA-80	SIU		DEMIL INDICATED COND CODE H
FA-81	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A482 CTG CAL 45 WADCUTTER 145 GR			
TZZ84M001-006	SIU		ERRATIC FLIGHT ASSIGNED COND CODE J
TZZ85F001-015	SIU		ERRATIC FLIGHT ASSIGNED COND CODE J
1305-00-0000000-A483 CTG CAL. .45 BALL M1911 MATCH GRADE			
FC-1979		C07	
WCC-20-8		C07	
WCC-21-15		C07	
WCC-21-18		B01	
WCC-21-19		C07	
WCC-21-20		C07	
WCC-21-22		C07	
WCC-22-001		C07	
WCC-6016		C07	
WCC-6026		C07	
WCC79K024-001		C07	
WCC80L025-001		C07	
WCC80L025-002		C07	
1305-00-0000000-A520 CTG CAL .50 LINKED 4 BALL M33/1 TRACER M17			
LC-80A610L011		B01	
LC-80A610L012		B01	
LC-80B610L015		B01	
LC-80B610L016		B01	
LC-80B610L017		B01	
LC-80C610L019		B01	
LC-82L610L258		B01	RELEASED WITH RESTRICTION
LC-86C611L038		B17	
LC-86C611L044		B17	
LC-86C611L045		B17	
LC-86D611L048		B17	
LC-86D611L050		B17	
LC-86LD811L051		B17	
1305-00-0000000-A525 CTG CAL .50 AP M2			
DM-L-86986		B01 W23	
DM-L-98013	SIU		DEMIL INDICATED COND CODE H
DM-L-96485	SIU		DEMIL INDICATED COND CODE H
LC-13007	SIU		DEMIL INDICATED COND CODE H

```
   LOT NUMBER      LIMIT RESTRICTION          FIX     OR     REASON

 1305-00-0000000-A525  CTG CAL .50 AP M2
   TW-18891          SIU             DEMIL INDICATED COND CODE H
   TW-18964               B01
   TW-18981          SIU             DEMIL INDICATED COND CODE H
   U-16528           SIU             DEMIL INDICATED COND CODE H
 1305-00-0000000-A526  CTG CAL .50 AP M2
   DM-L-96485        SIU             DEMIL INDICATED COND CODE H
   LC-13007          SIU             DEMIL INDICATED COND CODE H
   RA-5724                B01
   SL-8477           SIU             DEMIL INDICATED COND CODE H
   TW-18981          SIU             DEMIL INDICATED COND CODE H
   TW-19005               B01
   U-16528           SIU             DEMIL INDICATED COND CODE H
 1305-00-0000000-A527  CTG CAL .50 AP M2 LINKED
   DM-L-86913             W22 B01
 I DM-L-86986             B01
   DM-L-96049             W22 B01
   DM-L-96485        SIU             DEMIL INDICATED COND CODE H
   LC-13007          SIU             DEMIL INDICATED COND CODE H
   TW-18981          SIU             DEMIL INDICATED COND CODE H
   U-16528           SIU             DEMIL INDICATED COND CODE H
 1305-00-0000000-A528  CTG CAL .50 AP M2 LINKED
   CB-L-89100        SIU             DEMIL INDICATED COND CODE H
 I DM-L-86986             B01
   DM-L-96485        SIU             DEMIL INDICATED COND CODE H
   DM-20396          SIU             DEMIL INDICATED COND CODE H
   LC-13007          SIU             DEMIL INDICATED COND CODE H
   M-L-29612         SIU             DEMIL INDICATED COND CODE H
 I RA-5638           SIU             DEMIL INDICATED COND CODE H
   TW-18981          SIU             DEMIL INDICATED COND CODE H
   U-16528           SIU             DEMIL INDICATED COND CODE H
   WRA-L-22164       SIU             DEMIL INDICATED COND CODE H
 1305-00-0000000-A530  CTG CAL .50 LINKED 4 AP M2
   AOY-L-132108                      DEMIL INDICATED
 I DM-L-86986             B01
   DM-L-96485        SIU             DEMIL INDICATED COND CODE H
   LC-130007         SIU             DEMIL INDICATED COND CODE H
   RR-77G001L047          B01
   SR-L-120537       SIU             DEMIL INDICATED COND CODE H
   TW-18981          SIU             DEMIL INDICATED COND CODE H
   U-16528           SIU             DEMIL INDICATED COND CODE H
 1305-00-0000000-A531  CTG CAL .50 API M8
   BG-101107              B01
   BG-101112         SIU             DEMIL INDICATED COND CODE H
   DM-L-20538        SIU             DEMIL INDICATED COND CODE H
   DM-20229          SIU             DEMIL INDICATED COND CODE H
   DM-20262          SIU             DEMIL INDICATED COND CODE H
   DM-20419               B01
   DM-20500          SIU             DEMIL INDICATED COND CODE H
   DM-20529                          FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
   DM-20697          SIU             DEMIL INDICATED COND CODE H
   DM-21206          SIU             DEMIL INDICATED COND CODE H
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A531 CTG CAL .50 API M8			
FA-91		B01	
LC-L-12219	SIU		DEMIL INDICATED COND CODE H
LC-120704	SIU		DEMIL INDICATED COND CODE H
LC-12125	SIU		DEMIL INDICATED COND CODE H
LC-12133	SIU		DEMIL INDICATED COND CODE H
LC-84J522-093		B01 C14	
RA-5026		B01	
SL-7531	SIU		DEMIL INDICATED COND CODE H
SL-93702		B01	
TW-L-19496		B01	
TW-18003	SIU		DEMIL INDICATED COND CODE H
TW-18244	SIU		DEMIL INDICATED COND CODE H
TW-18257	SIU		DEMIL INDICATED COND CODE H
TW-18275		B01	
TW-18287	SIU		DEMIL INDICATED COND CODE H
TW-18550		B01	
TW-18556	SIU		DEMIL INDICATED COND CODE H
TW-18559		B01	
TW-18577		B01	
TW-18618	SIU		DEMIL INDICATED COND CODE H
TW-18685		B01	
TW-18803		B01	
TW-18957	SIU		DEMIL INDICATED COND CODE H
TW-18965	SIU		DEMIL INDICATED COND CODE H
TW-18986	SIU		DEMIL INDICATED COND CODE H
TW-19016	SIU		DEMIL INDICATED COND CODE H
TW-19033	SIU		DEMIL INDICATED COND CODE H
TW-19042		B01	
TW-19051	SIU		DEMIL INDICATED COND CODE H
TW-19201	SIU		DEMIL INDICATED COND CODE H
TW-19253	SIU		DEMIL INDICATED COND CODE H
TW-19388		B01	
TW-19397		B01	
TW-19416		B01	
TW-19419		B01	
TW-19496		B01	
TW-19552	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A532 CTG CAL .50 API M8			
BG-101112	SIU		DEMIL INDICATED COND CODE H
DM-L-20538	SIU		DEMIL INDICATED COND CODE H
DM-20420		B01	
DM-20500	SIU		DEMIL INDICATED COND CODE H
DM-20529			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
DM-21206	SIU		DEMIL INDICATED COND CODE H
DM21136		B01 W23	
FA-91		B01	
LC-L-12219	SIU		DEMIL INDICATED COND CODE H
LC-120704	SIU		DEMIL INDICATED COND CODE H
LC-84J522-093		B01 C14	
RA-5026		B01	
SL-7531	SIU		DEMIL INDICATED COND CODE H

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A532 CTG CAL .50 API M8			
TW-18003	SIU		DEMIL INDICATED COND CODE H
TW-18275		B01	
TW-18556	SIU		DEMIL INDICATED COND CODE H
TW-18618	SIU		DEMIL INDICATED COND CODE H
TW-18965	SIU		DEMIL INDICATED COND CODE H
TW-19397		B01	
TW-19415		B01	
TW-19420		B01	
TW-19554		B01	
1305-00-0000000-A533 CTG CAL..50 API M8			
BG-101107		B01	
DM-L-20151		B01	
DM-L-20453		B01	
DM-L-20538	SIU		DEMIL INDICATED COND CODE H
DM-L-20678		B01	
DM-20500	SIU		DEMIL INDICATED COND CODE H
DM-21823		B01	
FA-91		B01	
LC-L-12219	SIU		DEMIL INDICATED COND CODE H
LC-L-12692		B01	
LC-L-12699		B01	
LC-L-12702		B01	
LC-120704	SIU		DEMIL INDICATED COND CODE H
LC-12224		B01	
LC-84J522-093		B01 C14	
SL-L-93702		B01	
SL-7531	SIU		DEMIL INDICATED COND CODE H
SL-8112		B01	
TW-L-18287	SIU		DEMIL INDICATED COND CODE H
TW-L-18362		W23	
TW-L-18367		B01	
TW-L-18484		W23	
TW-L-18487		W23	
TW-L-18488	SIU		DEMIL INDICATED COND CODE H
TW-L-18550		B01	
TW-L-18558	SIU		DEMIL INDICATED COND CODE H
TW-L-18564		B01	
TW-L-18577		B01	
TW-L-18661	SIU		DEMIL INDICATED COND CODE H
TW-L-18803		B01	
TW-L-18930		B01	
TW-L-18966	SIU		DEMIL INDICATED COND CODE H
TW-L-19047	SIU		DEMIL INDICATED COND CODE H
TW-L-19074			DEMIL INDICATED COND CODE H
TW-L-19496		B01	
TW-18003	SIU		DEMIL INDICATED COND CODE H
TW-18490	SIU		DEMIL INDICATED COND CODE H
TW-18556	SIU		DEMIL INDICATED COND CODE H
TW-18685		B01	
TW-18930		B01	
TW-18965	SIU		DEMIL INDICATED COND CODE H

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A533 CTG CAL..50 API M8			
TW-19388		B01	
TW-19397		B01	
TW-19496		B01	
TW-19529		B01	
1305-00-0000000-A534 CTG CAL .50 API M8			
BG-101107		B01	
BG-101112	SIU		DEMIL INDICATED COND CODE H
DM-L-20151		B01	
DM-L-20538	SIU		DEMIL INDICATED COND CODE H
DM-L-20678		B01	
DM-20500	SIU		DEMIL INDICATED COND CODE H
DM-20529			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
DM-21206	SIU		DEMIL INDICATED COND CODE H
FA-91		B01	
LC-L-12219	SIU		DEMIL INDICATED COND CODE H
LC-120704	SIU		DEMIL INDICATED COND CODE H
LC-84J522-093		B01 C14	
SL-7531	SIU		DEMIL INDICATED COND CODE H
TW-L-19496		B01	
TW-18003	SIU		DEMIL INDICATED COND CODE H
TW-18556	SIU		DEMIL INDICATED COND CODE H
TW-18618	SIU		DEMIL INDICATED COND CODE H
TW-18685		B01	
TW-18965	SIU		DEMIL INDICATED COND CODE H
TW-19388		B01	
TW-19397		B01	
TW-19494		B01	
TW-19496		B01	
1305-00-0000000-A539 CTG CAL 50 LKD 4API M8 1TR M17			
SOD-L-88446		B01	
1305-00-0000000-A540 CTG CAL .50 LINKED 4 API M8/1 TRACER M1			
DM-L-86548			ASSIGNED COND CODE F REPL TRACER
DM-L-96025		B01	
POD-L-500-5		B01	
POD79K003L023			NO FIX AUTH. ASG COND CODE N.
POD80D003L020			NO FIX AUTH. ASG COND CODE N.
RHN-L-128181			REPL TRACER ASSIGNED COND CODE E
RHN-L-128182		B01	
RHN-L-128841		B01	
RR-81J003L007		B01	
RR-81M003L026		B01	
RR-82J004L020		B01	
RR-82M004L056		B01	
RR-83A004L080	SIU		DEMIL INDICATED COND CODE H
RR-83C004L102			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
RR-83D004L128			NO FIX AUTH. ASG COND CODE N.
RR-83D004L129			NO FIX AUTH. ASG COND CODE N.
RR-83G004L160			NO FIX AUTH. ASG COND CODE N.
RR-83G004L164			NO FIX AUTH. ASG COND CODE N.

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A540 CTG CAL .50 LINKED 4 API M8/1 TRACER M1			
RR-83L004L215	SIU		DEMIL INDICATED COND CODE H
RR-83M004L225	SIU		DEMIL INDICATED COND CODE H
RR-84A004L236	SIU		DEMIL INDICATED COND CODE H
RR-84G004L278	SIU		DEMIL INDICATED COND CODE H
RR-84M004L299			REPLACE API COND CODE N APPLIES
SND-L-100472	SIU		DEMIL INDICATED COND CODE H
SOD-L-88447	SIU		DEMIL INDICATED COND CODE H
TW-L-82448			ASSIGNED COND CODE F REPL TRACER
1305-00-0000000-A541 CTG CAL .50 API-T M20			
FA-101			NO FIX AUTH. ASG COND CODE N.
FA-118			DEMIL INDICATED COND CODE H
FA-123			DEMIL INDICATED COND CODE H
FA-131	SIU		DEMIL INDICATED COND CODE H
FA-139		B01	
FA-145		B01	
FA-150		B01	
FA-152			NO FIX AUTH. ASG COND CODE N.
FA-156			DEMIL INDICATED COND CODE H
FA-159		B01	
FA-161			NO FIX AUTH. ASG COND CODE N.
FA-164	SIU		DEMIL INDICATED COND CODE H
FA-240		B01	
LC-12106		B01	
LC-12108		B01	
LC-12132			NO FIX AUTH. ASG COND CODE N.
LC-12139			NO FIX AUTH. ASG COND CODE N.
LC-12143			NO FIX AUTH. ASG COND CODE N.
LC-12150			NO FIX AUTH. ASG COND CODE N.
LC-12167		B01	
LC-12169		B01	
LC-12182	SIU		DEMIL INDICATED COND CODE H
LC-12193		B01	
LC-12194	SIU		DEMIL INDICATED COND CODE H
LC-12222	SIU		DEMIL INDICATED COND CODE H
LC-84J531-118		B01 C14	
SL-7054			NO FIX AUTH. ASG COND CODE N.
SL-7058		B01	
SL-7065		B01	
SL-7073			NO FIX AUTH. ASG COND CODE N.
SL-7077			DEMIL INDICATED COND CODE H
SL-7078		B01	
SL-7079		B01	
SL-7083			DEMIL INDICATED COND CODE H
SL-7085	SIU		DEMIL INDICATED COND CODE H
TW-18070	SIU		DEMIL INDICATED COND CODE H
TW-18090		B01	
TW-18098			NO FIX AUTH. ASG COND CODE N.
TW-18104			NO FIX AUTH. ASG COND CODE N.
TW-18105			NO FIX AUTH. ASG COND CODE N.

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1305-00-0000000-A541 CTG CAL .50 API-T M20			
	TW-18106			NO FIX AUTH. ASG COND CODE N.
	TW-18110		B01	
	TW-18112		B01	
I	TW-18114	SIU		DEMIL INDICATED COND CODE H
	TW-18115		B01	
	TW-18121		B01	
	TW-18123	SIU		DEMIL INDICATED COND CODE H
	TW-18126	SIU		DEMIL INDICATED COND CODE H
	TW-18131	SIU		DEMIL INDICATED COND CODE H
	TW-18164		B01	
	TW-18176		B01	
	TW-18178		B01	
	TW-18184			NO FIX AUTH. ASG COND CODE N.
I	TW-18187	SIU		DEMIL INDICATED COND CODE H
	TW-18215			DEMIL INDICATED COND CODE H
	TW-18223		B01	
	TW-18239		B01	
	1305-00-0000000-A542 CTG CAL .50 API-T M20			
	FA-101			NO FIX AUTH. ASG COND CODE N.
	FA-118	SIU		DEMIL INDICATED COND CODE H
	FA-131	SIU		DEMIL INDICATED COND CODE H
	FA-139		B01	
	FA-145		B01	
	FA-152			NO FIX AUTH. ASG COND CODE N.
	FA-161			NO FIX AUTH. ASG COND CODE N.
	FA-164	SIU		DEMIL INDICATED COND CODE H
	LC-12106		B01	
	LC-12108		B01	
	LC-12132			NO FIX AUTH. ASG COND CODE N.
	LC-12150	SIU		DEMIL INDICATED COND CODE H
	LC-12157	SIU		DEMIL INDICATED COND CODE H
	LC-12167		B01	
	LC-12169		B01	
	LC-12193		B01	
I	LC-12194	SIU		DEMIL INDICATED COND CODE H
I	LC-12222	SIU		DEMIL INDICATED COND CODE H
	LC-84J531-118		B01 C14	
	SL-7054			NO FIX AUTH. ASG COND CODE N.
	SL-7058		B01	
	SL-7073			NO FIX AUTH. ASG COND CODE N.
	SL-7075		B01	
	SL-7079		B01	
	TW-18090		B01	
	TW-18091		B01	
	TW-18094	SIU		DEMIL INDICATED COND CODE H
	TW-18098			NO FIX AUTH. ASG COND CODE N.
	TW-18105			NO FIX AUTH. ASG COND CODE N.
	TW-18106			NO FIX AUTH. ASG COND CODE N.
	TW-18112		B01	
I	TW-18114	SIU		DEMIL INDICATED COND CODE H
	TW-18164		B01	

```
    PART1- TB 9-1300-385    MUNITIONS SUSPENDED OR RESTRICTED
    LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

   1305-00-0000000-A542  CTG CAL .50 API-T M20
     TW-18176                  B01
     TW-18178                  B01
     TW-18184                            NO FIX AUTH. ASG COND CODE N.
 |   TW-18187           SIU              DEMIL INDICATED COND CODE H
     TW-18223                  B01
     TW-18239                  B01
   1305-00-0000000-A543  CTG CAL .50 API-T M20
     FA-L-152                            NO FIX AUTH. ASG COND CODE N.
     FA-L-156           SIU              DEMIL INDICATED COND CODE H
     FA-L-161                            NO FIX AUTH. ASG COND CODE N.
     FA-L-170                  B01
     FA-L-175                  B01
     FA-L-45            SIU              DEMIL INDICATED COND CODE H
     FA-L-90                   B01
     FA-L-91                   B01
     FA-101                              NO FIX AUTH. ASG COND CODE N.
     FA-118             SIU              DEMIL INDICATED COND CODE H
     FA-131             SIU              DEMIL INDICATED COND CODE H
     FA-139                    B01
     FA-145                    B01
 |   FA-152                              NO FIX AUTH. ASG COND CODE N.
 |   FA-161                              NO FIX AUTH. ASG COND CODE N.
     FA-164             SIU              DEMIL INDICATED COND CODE H
     FAL-L-133                 B01
     LC-L-12132                          NO FIX AUTH. ASG COND CODE N.
     LC-L-12139                          NO FIX AUTH. ASG COND CODE N.
     LC-L-12143                          NO FIX AUTH. ASG COND CODE N.
     LC-12106                  B01
     LC-12108                  B01
     LC-12132                            NO FIX AUTH. ASG COND CODE N.
     LC-12150           SIU              DEMIL INDICATED COND CODE H
     LC-12157           SIU              DEMIL INDICATED COND CODE H
     LC-12167                  B01
     LC-12169                  B01
     LC-12193                  B01
 |   LC-12194           SIU              DEMIL INDICATED COND CODE H
 |   LC-12222           SIU              DEMIL INDICATED COND CODE H
     LC-84J531-118             B01 C14
     SL-L-7025                 B01
     SL-L-7078                 B01
     SL-L-7083          SIU              DEMIL INDICATED COND CODE H
     SL-L-7085                 B01
     SL-7054                             NO FIX AUTH. ASG COND CODE N.
     SL-7058                   B01
     SL-7073                             NO FIX AUTH. ASG COND CODE N.
     SL-7079                   B01
     TW-L-18098                          NO FIX AUTH. ASG COND CODE N.
     TW-L-18104                          NO FIX AUTH. ASG COND CODE N.
     TW-L-18105                          NO FIX AUTH. ASG COND CODE N.
     TW-L-18106                          NO FIX AUTH. ASG COND CODE N.
     TW-L-18107                B01
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A543 CTG CAL .50 API-T M20			
TW-L-18110		B01	
TW-L-18111		B01	
TW-L-18112		B01	
TW-L-18116		B01	
TW-L-18121		B01	
TW-L-18152		B01	
TW-L-18153		B01	
TW-L-18159		B01	
TW-L-18184			NO FIX AUTH. ASG COND CODE N.
TW-L-18247		B01	
TW-18094	SIU		DEMIL INDICATED COND CODE H
TW-18098			NO FIX AUTH. ASG COND CODE N.
TW-18106			NO FIX AUTH. ASG COND CODE N.
TW-18112		B01	
TW-18114	SIU		DEMIL INDICATED COND CODE H
TW-18164		B01	
TW-18176		B01	
TW-18178		B01	
TW-18184			NO FIX AUTH. ASG COND CODE N.
TW-18187	SIU		DEMIL INDICATED COND CODE H
TW-18223		B01	
TW-18239		B01	
1305-00-0000000-A544 CTG CAL .50 API-T M20			
FA-L-100		B01 W22	
FA-101			NO FIX AUTH. ASG COND CODE N.
FA-118	SIU		DEMIL INDICATED COND CODE H
FA-131	SIU		DEMIL INDICATED COND CODE H
FA-139		B01	
FA-145		B01	
FA-152			NO FIX AUTH. ASG COND CODE N.
FA-161			NO FIX AUTH. ASG COND CODE N.
FA-164	SIU		DEMIL INDICATED COND CODE H
LC-12106		B01	
LC-12108		B01	
LC-12132			NO FIX AUTH. ASG COND CODE N.
LC-12150	SIU		DEMIL INDICATED COND CODE H
LC-12157			DEMIL IMMEDIATELY COND CODE H
LC-12167		B01	
LC-12169		B01	
LC-12193		B01	
LC-84J531-118		B01 C14	
SL-7054			NO FIX AUTH. ASG COND CODE N.
SL-7058		B01	
SL-7073			NO FIX AUTH. ASG COND CODE N.
SL-7079		B01	
TW-18094	SIU		DEMIL INDICATED COND CODE H
TW-18098			NO FIX AUTH. ASG COND CODE N.
TW-18106			NO FIX AUTH. ASG COND CODE N.
TW-18112		B01	
TW-18164		B01	
TW-18176		B01	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A544 CTG CAL .50 API-T M20			
TW-18178		B01	
TW-18184			NO FIX AUTH. ASG COND CODE N.
TW-18223		B01	
TW-18239		B01	
1305-00-0000000-A545 CTG CAL .50 API M8			
BG-101107		B01	
BG-101112	SIU		DEMIL INDICATED COND CODE H
DM-L-20151		B01	
DM-L-20538	SIU		DEMIL INDICATED COND CODE H
DM-L-20678		B01	
DM-20500	SIU		DEMIL INDICATED COND CODE H
DM-20529			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
DM-21206	SIU		DEMIL INDICATED COND CODE H
DM-21736			NO FIX AUTH. ASG COND CODE N.
FA-91		B01	
LC-L-12219	SIU		DEMIL INDICATED COND CODE H
LC-L-12700	SIU		DEMIL INDICATED COND CODE H
LC-120704	SIU		DEMIL INDICATED COND CODE H
SL-7120			NO FIX AUTH. ASG COND CODE N.
SL-7531	SIU		DEMIL INDICATED COND CODE H
TW-L-18829	SIU		DEMIL INDICATED COND CODE H
TW-L-19496		B01	
TW-18003	SIU		DEMIL INDICATED COND CODE H
TW-18554			NO FIX AUTH. ASG COND CODE N.
TW-18556	SIU		DEMIL INDICATED COND CODE H
TW-18618	SIU		DEMIL INDICATED COND CODE H
TW-18685		B01	
TW-18965	SIU		DEMIL INDICATED COND CODE H
TW-19388		B01	
TW-19496		B01	
1305-00-0000000-A546 CTG CAL .50 BALL M2			
DM-L-96485	SIU		DEMIL INDICATED COND CODE H
LC-13007	SIU		DEMIL INDICATED COND CODE H
RA-L-5942			DEMIL INDICATED COND CODE H
U-16528	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A547 CARTRIDGE CAL .50 API M8			
BG-101112	SIU		DEMIL INDICATED COND CODE H
DM-L-20151		B01	
DM-L-20538	SIU		DEMIL INDICATED COND CODE H
DM-L-20678		B01	
DM-20500	SIU		DEMIL INDICATED COND CODE H
DM-20529			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
DM-21206	SIU		DEMIL INDICATED COND CODE H
FA-91		B01	
LC-L-12219	SIU		DEMIL INDICATED COND CODE H
LC-120704	SIU		DEMIL INDICATED COND CODE H
SL-7531	SIU		DEMIL INDICATED COND CODE H
TW-18003	SIU		DEMIL INDICATED COND CODE H
TW-18556	SIU		DEMIL INDICATED COND CODE H
TW-18618	SIU		DEMIL INDICATED COND CODE H
TW-18965	SIU		DEMIL INDICATED COND CODE H

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A549 CTG CAL .50 2 API M8/2 INCD M1/1 TRAC M10			
TW-L-92581	SIU		DEMIL INDICATED COND CODE H
TW-L-92711	SIU		DEMIL INDICATED COND CODE H
TW-L-92712	SIU		DEMIL INDICATED COND CODE H
TW-L-92713	SIU		DEMIL INDICATED COND CODE H
TW-L-92714	SIU		DEMIL INDICATED COND CODE H
TW-L-92775	SIU		DEMIL INDICATED COND CODE H
TW-L-92776	SIU		DEMIL INDICATED COND CODE H
TW-L-92777	SIU		DEMIL INDICATED COND CODE H
TWL-92529			DEMIL INDICATED COND CODE H
1305-00-0000000-A551 CTG CAL .50 LINKED 2 API M8/1 API-T M20/2 INCD M1			
GL-22-C-52			DEMIL INDICATED COND CODE H
GL-85-C-53	SIU		DEMIL INDICATED COND CODE H
NADC-L-245-69			DEMIL INDICATED COND CODE H
NADC-L-250-69			DEMIL INDICATED COND CODE H
NADC-L-252-69			DEMIL INDICATED COND CODE H
NADC-L-268-69	SIU		DEMIL INDICATED COND CODE H
NADC-L-302-69			DEMIL INDICATED COND CODE H
NADC-L-306-69			DEMIL INDICATED COND CODE H
NADC-L-308-69	SIU		DEMIL INDICATED COND CODE H
NADC-L-372-69	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A552 CTG CAL .50 BALL M33			
LC-12151			DEMIL INDICATED
1305-00-0000000-A553 CTG CAL .50 BALL M2 OR M33			
FA-S-16		B01	
FA-S-18		B01	
LM-S-31131		S03	
LM-S-31134		S03	
1305-00-0000000-A555 CTG CAL.50 BALL M33			
LC-83J504-250	SIU		DEMIL INDICATED COND CODE H
LC-84J504-342		B01	
LC-86C505-024		B17	
LC-86C505-027		B17	
1305-00-0000000-A556 CTG CAL .50 LINKED 4 BALL M2/1 TRACER M17			
SND-L-100242			DEMIL INDICATED COND CODE H
1305-00-0000000-A557 CTG CAL .50 LINKED 4 BALL M33 AND 1 TR M17			
LC-84J610L563		B01	
LC-84K610L564		B01	
LC-84K610L565		B01	
LC-85G610L651	SIU		DEMIL INDICATED COND CODE H
LC-86C611L046	SIU		CIRCUMFERENTIAL CARTRIDGE CASE RUPTURES ASSIGNED COND CODE J
LC86D611L047	SIU		CIRCUMFERENTIAL CARTRIDGE CASE RUPTURES ASSIGNED COND CODE J
1305-00-0000000-A559 CTG CAL.50 BLANK M1			
LC-L-12035	SIU		DEMIL INDICATED COND CODE H
LC-L-90715	SIU		DEMIL INDICATED COND CODE H
LC-L-90744	SIU		DEMIL INDICATED COND CODE H
LC-L-95900	SIU		DEMIL INDICATED COND CODE H
LC-L-95920		T12	
LC-L-97220	SIU		DEMIL INDICATED COND CODE H
LOD85D001H001		T12	
TW-L-92784	SIU		DEMIL INDICATED COND CODE H

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A562 CTG CAL 50 INCD M1			
TW-18637			DEMIL INDICATED COND CODE H
TW-19435	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A563 CTG CAL .50 INCD M23			
TW-18637			DEMIL INDICATED COND CODE H
TW-19193	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A565 CTG CAL .50 INCD M23			
TW-18637			DEMIL INDICATED COND CODE H
1305-00-0000000-A570 CTG CAL 50 TRAC M1/M10/M17			
	SIU		DEMIL INDICATED COND CODE H
DM-20819	SIU		DEMIL INDICATED COND CODE H
LC-10-138			NO FIX AUTH. ASG COND CODE N.
LC-10-191			NO FIX AUTH. ASG COND CODE N.
LC-12073		C07	
LC-12224	SIU		DEMIL INDICATED COND CODE H
LC-12245	SIU		DEMIL INDICATED COND CODE H
LC-12246	SIU		DEMIL INDICATED COND CODE H
LC-12254		B01	
RA-5108		B01	
SL-9128	SIU		DEMIL INDICATED COND CODE H
TW-18184	SIU		DEMIL INDICATED COND CODE H
TW-18203	SIU		DEMIL INDICATED COND CODE H
TW-18214	SIU		DEMIL INDICATED COND CODE H
TW-18628			DEMIL INDICATED COND CODE H
TW-18876			DEMIL INDICATED COND CODE H
1305-00-0000000-A571 CTG CAL .50 TRACER M10			
DM-20819	SIU		DEMIL INDICATED COND CODE H
FA-L-23	SIU		DEMIL INDICATED COND CODE H
FA-21		B01	
FA-23		B01	
LC-10-138			NO FIX AUTH. ASG COND CODE N.
LC-10-191			NO FIX AUTH. ASG COND CODE N.
LC-12224	SIU		DEMIL INDICATED COND CODE H
LC-12246	SIU		DEMIL INDICATED COND CODE H
LC-12254		B01	
LC-83M511-218		B01	
RA-5108		B01	
1305-00-0000000-A572 CTG CAL .50 TRACER M17			
LC-12243		B01	
LC-12246	SIU		DEMIL INDICATED COND CODE H
LC-85K511-392		B17	
LC-85K511-393		B17	
LC-85L512-001		B17	
LC-85L512-002		B17	
LC-85L512-003		B17	
LC-85L512-004		B17	
LC-85M512-005		B17	
RA-5152		B01	
RA-5159	SIU		DEMIL INDICATED COND CODE H
WRA-22531		B01	
1305-00-0000000-A573 CTG CAL 50 TR M17 LINKED			
LC-12246	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A574 CTG CAL .50 SPOTTER TR M48			

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A574 CTG CAL .50 SPOTTER TR M48			
ALL LOTS P0172	SIU		DEMIL INDICATED COND CODE H
FA-18	SIU		DEMIL INDICATED COND CODE H
FA-3	SIU		DEMIL INDICATED COND CODE H
FA-4	SIU		DEMIL INDICATED COND CODE H
FA-8	SIU		DEMIL INDICATED COND CODE H
LC-12005	SIU		DEMIL INDICATED COND CODE H
LC-12006		B01	
LC-12007	SIU		DEMIL INDICATED COND CODE H
LC-12008		B01	
LC-12018	SIU		DEMIL INDICATED COND CODE H
LC-12019	SIU		DEMIL INDICATED COND CODE H
LC-12043	SIU		DEMIL INDICATED COND CODE H
LC-12045	SIU		DEMIL INDICATED COND CODE H
LC-12105		B01	
LC-12204	SIU		DEMIL INDICATED COND CODE H
LC-12273	SIU		DEMIL INDICATED COND CODE H
LC-12369		B01	
LC-12419	SIU		DEMIL INDICATED COND CODE H
LC-12423	SIU		DEMIL INDICATED COND CODE H
LC-12473	SIU		DEMIL INDICATED COND CODE H
LC-12485	SIU		DEMIL INDICATED COND CODE H
LC-12503	SIU		DEMIL INDICATED COND CODE H
LC-12506	SIU		DEMIL INDICATED COND CODE H
LC-12537		B01	
LC-12571	SIU		DEMIL INDICATED COND CODE H
LC-21-130		B01	
LC-21-16		B01	
LC-21-39		B01	
LC-21-42		B01	
LC-21-53	SIU		DEMIL INDICATED COND CODE H
LC-21-54		B01	
LC-21-6	SIU		DEMIL INDICATED COND CODE H
LC-21-9		B01	
LC-21-95	SIU		DEMIL INDICATED COND CODE H
TW-18018	SIU		DEMIL INDICATED COND CODE H
TW-18023		B01	
TW-18038	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A575 CTG CAL 50 HPT M1			
FA-130	SIU		DEMIL INDICATED COND CODE H
1305-00-0000000-A576 CTG CAL .50 LNKD 4 API M8 1 API-T M20 B			
FA-L-79284			NO FIX AUTH. ASG COND CODE N.
HAW82G001L006	SIU		DEMIL INDICATED COND CODE H
HI-L-123502			NO FIX AUTH. ASG COND CODE N.
LC-L-104270	SIU		DEMIL INDICATED COND CODE H
LC-L-104286			NO FIX AUTH. ASG COND CODE N.
LC-L-104290			NO FIX AUTH. ASG COND CODE N.
LC-L-104293	SIU		DEMIL INDICATED COND CODE H
LC-L-104297	SIU		DEMIL INDICATED COND CODE H
LC-L-104302	SIU		DEMIL INDICATED COND CODE H
LC-84G620L124	SIU		DEMIL INDICATED COND CODE H
LC-84J620L138		B01 C14	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A576	CTG CAL .50 LNKD 4 API M8 1 API-T M20 B		
LC-84J620L139		B01 C14	
LC-84J620L140		B01 C14	
LC-84J620L141		B01 C14	
LC-84J620L142		B01 C14	
LC-87B621L090			REQUIRE ENGINEERING EVALUATION
LC-87C621L091			REQUIRE ENGINEERING EVALUATION
LC-87C621L092			REQUIRE ENGINEERING EVALUATION
LC-87C621L093			REQUIRE ENGINEERING EVALUATION
LOD-L-102463			NO FIX AUTH. ASG COND CODE N.
LOD-L-102464			NO FIX AUTH. ASG COND CODE N.
LOD-L-102465		B01	
LOD-L-102799		B01	
LOD-L-102801		B01	
RA-L-110018	SIU		DEMIL INDICATED COND CODE H
RA-L-110022			NO FIX AUTH. ASG COND CODE N.
RHN-L-128009		B01	
RHN-L-128762		B01	
RHN-L-500-2		B01	
RHN-L-500-3		B01	
SL-L-106263		B01	
TW-L-115075		B01	
TW-L-115228	SIU		ASSIGNED COND CODE F REPL SUSPENDED COMPONENT LOT
TW-L-115258			NO FIX AUTH. ASG COND CODE N.
UOD-L-87379		B01	
UOD-L-87380		B01	
UOD-L-87381		B01	
UOD-L-87382		B01	
UOD-L-87383		B01	
UOD-L-87384		B01	
UOD-L-87385		B01	
UOD-L-87389		B01	
UOD-L-87396		B01	
UOD-L-87397		B01	
UOD-L-87398		B01	
UOD-L-87399		B01	
UOD-L-87400	SIU		DEMIL INDICATED COND CODE H
UOD-L-87405		B01	
1305-00-0000000-A577	CTG CAL..50 LINKED 4 API M8 1 API-T M20		
LOD-L-102437		B01	
LOD-L-102441		B01	
LOD-L-102446			NO FIX AUTH. ASG COND CODE N.
LOD-L-102449			NO FIX AUTH. ASG COND CODE N.
LOD-L-102839		B01	
NAV-L-111243		B01	
RHN-L-500-10		B01	
SL-L-106204		B01	
SL-L-89983		B01	
TW-L-115056		B01	
TW-L-115057		B01	
TW-L-115074		B01	

```
   LOT NUMBER      LIMIT RESTRICTION          FIX     OR     REASON

  1305-00-0000000-A577  CTG CAL..50 LINKED 4 API M8 1 API-T M20
    TW-L-115110                       NO FIX AUTH. ASG COND CODE N.
    TW-L-115112                       NO FIX AUTH. ASG COND CODE N.
    TW-L-115113                       NO FIX AUTH. ASG COND CODE N.
    TW-L-115115                       NO FIX AUTH. ASG COND CODE N.
    TW-L-115232             B01
    TW-L-115240             B01
  1305-00-0000000-A580  CTG CAL .50 TRACER M1
    DM-20203                          DEMIL INDICATED COND CODE H
    LC-12580                          DEMIL INDICATED COND CODE H
    RA-L-5147        SIU              DEMIL INDICATED COND CODE H
    TW-18846                          DEMIL INDICATED COND CODE H
    U-16344                           DEMIL INDICATED COND CODE H
  1305-00-0000000-A581  CTG CAL 50 TRACER M10 (DETERIORATED)
    DM-20198         SIU              DEMIL INDICATED COND CODE H
  1305-00-0000000-A585  CTG CAL .50 API-T M20 LKD
    FA-101                            NO FIX AUTH. ASG COND CODE N.
    FA-131           SIU              DEMIL INDICATED COND CODE H
    FA-164           SIU              DEMIL INDICATED COND CODE H
    LC-12150         SIU              DEMIL INDICATED COND CODE H
    LC-12157                          DEMIL IMMEDIATELY  COND CODE H
    LC-12167                B01
    LC-12169                B01
|   LC-12194         SIU              DEMIL INDICATED COND CODE H
|   LC-12222         SIU              DEMIL INDICATED COND CODE H
    LC-82A531-006           R20
    SL-7054                           NO FIX AUTH. ASG COND CODE N.
    SL-7073                           NO FIX AUTH. ASG COND CODE N.
    TW-L-18246       SIU              DEMIL INDICATED COND CODE H
    TW-L-18249       SIU              DEMIL INDICATED COND CODE H
    TW-L-18261              B01
    TW-18094         SIU              DEMIL INDICATED COND CODE H
|   TW-18114         SIU              DEMIL INDICATED COND CODE H
|   TW-18187         SIU              DEMIL INDICATED COND CODE H
    TW-18239                B01
  1305-00-0000000-A586  CTG CAL .50 TRACER M17
    LC-12246         SIU              DEMIL INDICATED COND CODE H
    LC-83M511-218           B17
  1305-00-0000000-A587  CTG CAL .50 LNKD 4 API M8 1 API-T M20    B
    LC-L-104253             B01
    LC-L-104254             B01
    LC-L-104270             T04
    LC-L-104279                       NO FIX AUTH. ASG COND CODE N.
    LC-L-104305                       NO FIX AUTH. ASG COND CODE N.
    LC-L-104316             B01
    RA-L-110028                       NO FIX AUTH. ASG COND CODE N.
    RA-L-110032             B01
    RHN-L-500-10            B01
    SL-L-106246                       NO FIX AUTH. ASG COND CODE N.
    SL-L-89983              B01
    SOD-L-88437                       REPL TRACER
                                      COND CODE N APPLIES
```

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1305-00-0000000-A587	CTG CAL .50 LNKD 4 API M8 1 API-T M20		B
	SR-L-120080		B01	
	SUD-L-108420		B01	
	SUD-L-108425		B01	
	SUD-L-108429		B01	
	TW-L-115056		B01	
	TW-L-115057		B01	
	TW-L-115070	SIU		DEMIL INDICATED COND CODE H
	TW-L-115112		B01	
	TW-L-115161		B01	
	1305-00-0000000-A589	CTG CAL .50 LNKD 4 API M8 1 API-T M20		B
	LC-L-104320		B01	
	LOD-L-102755			DEMIL INDICATED COND CODE H
	LOD-L-102767			DEMIL INDICATED COND CODE H
	LOD-L-102785			DEMIL INDICATED COND CODE H
	LOD-L-102791			DEMIL INDICATED COND CODE H
	LOD-L-102792			DEMIL INDICATED COND CODE H
	LOD-L-102821			DEMIL INDICATED COND CODE H
	LOD-L-102827		B01	
	MCA-L-500-1			DEMIL INDICATED COND CODE H
	MCA-L-500-1-72			DEMIL INDICATED COND CODE H
|	MCA-L-500-8	SIU		DEMIL INDICATED COND CODE H
	RHN-L-128011	SIU		DEMIL INDICATED COND CODE H
	RHN-L-128311			NO FIX AUTH. ASG COND CODE N.
	RHN-L-128312			NO FIX AUTH. ASG COND CODE N.
	RHN-L-128315			DEMIL INDICATED COND CODE H
	RHN-L-128316			DEMIL INDICATED COND CODE H
	RHN-L-128317			DEMIL INDICATED COND CODE H
	RHN-L-128421	SIU		DEMIL INDICATED COND CODE H
	RHN-L-128538	SIU		DEMIL INDICATED COND CODE H
	RHN-L-128558			DEMIL INDICATED COND CODE H
	RHN-L-128559			DEMIL INDICATED COND CODE H
	RHN-L-128576	SIU		DEMIL INDICATED COND CODE H
|	RHN-L-128578			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	RHN-L-128579		B01	
|	RHN-L-128580			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	RHN-L-128601			DEMIL INDICATED COND CODE H
	RHN-L-128615		B01	
	RHN-L-128616		B01	
	RHN-L-128618		B01	
|	RHN-L-128622			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	RHN-L-128628		B01	
	RHN-L-128632		B01	
	RHN-L-128636		B01	
	RHN-L-128642		B01	
	RHN-L-128645			DEMIL INDICATED COND CODE H
	RHN-L-128647			DEMIL INDICATED COND CODE H
	RHN-L-128648			DEMIL INDICATED COND CODE H
	RHN-L-128650			DEMIL INDICATED COND CODE H
	RHN-L-128651			DEMIL INDICATED COND CODE H
	RHN-L-128654			DEMIL INDICATED COND CODE H
	RHN-L-128656		B01	

```
 LOT NUMBER      LIMIT RESTRICTION         FIX     OR     REASON

1305-00-0000000-A589  CTG CAL .50 LNKD 4 API M8 1 API-T M20     B
  RHN-L-128672      SIU            DEMIL INDICATED COND CODE H
  RHN-L-128675                     DEMIL INDICATED COND CODE H
  RHN-L-128689      SIU            DEMIL INDICATED COND CODE H
  RHN-L-128699      SIU            DEMIL INDICATED COND CODE H
  RHN-L-128701           B01
  RHN-L-128702           B01
  RHN-L-128703           B01
  RHN-L-128705           B01
  RHN-L-128706           B01
  RHN-L-128707           B01
! RR-L-501-43       SIU            DEMIL INDICATED COND CODE H
  RR-L-501-48                      DEMIL INDICATED COND CODE H
  SND-L-500-107          B01
  SND-L-500-37                     DEMIL INDICATED COND CODE H
  SND-L-500-38                     DEMIL INDICATED COND CODE H
  SND-L-500-56                     DEMIL INDICATED COND CODE H
  SND-L-500-6            B01
  SND-L-500-72           B01
  SND-L-500-97      SIU            DEMIL INDICATED COND CODE H
  SND-L-500-98      SIU            DEMIL INDICATED COND CODE H
  SOD-L-500-28      SIU            DEMIL INDICATED COND CODE H
  SOD-L-500-54      SIU            DEMIL INDICATED COND CODE H
  SOD-L-88632            B01
  SOD-L-88683       SIU            DEMIL INDICATED COND CODE H
1305-00-0000000-A590  CTG CAL .50 LNKD 4 API M8 1 TR M17        B
  POD80G003L038     SIU            DEMIL INDICATED COND CODE H
  POD80H003L039     SIU            DEMIL INDICATED COND CODE H
1305-00-0000000-A591  CTG CAL .50 TRACER M1 (DETERIORATED TRACER)
  DM-20835               B01
1305-00-0000000-A592  CTG CAL 50 API M8 TR M1 LINKED
  DM-L-86667        SIU            DEMIL INDICATED COND CODE H
  DM-L-86668        SIU            DEMIL INDICATED COND CODE H
1305-00-0000000-A593  CTG CAL .50 LNKD 4 AP M2 1 TR M17         B
  AOY-L-500-1            B01
  AOY-L-500-7            B01
  RR-L-500-97            B01
  RR-L-501-10                      DEMIL INDICATED
  RR-L-501-4             B17
  RR-80A001H064          B01
  RR-80A001H065          B01
  RR-80A001H066          B01
  RR-80A001H067          B01
  RR-80B001H070          B01
  SRD77A001L005          B01
  TOD77E001L004          B01
  TOD78F002L008          B01
  TOD78G002L012          B01
  TOD78G002L013          B01
  TOD78H002L016          B01
  TOD79J001L003          B01
  TOD79K001L005          B01
```

```
LOT NUMBER      LIMIT RESTRICTION       FIX    OR    REASON

1305-00-0000000-A593  CTG CAL .50 LNKD 4 AP M2 1 TR M17       B
  TOD79L001L007          B01
  TOD79L001L008          B01
1305-00-0000000-A596  CTG CAL .50 LINKED 4 AP M2/1 TRACER M1
  AOY-L-132121A    SIU              DEMIL INDICATED COND CODE H
  TOD-L-500-48                      ASSIGNED COND CODE F
                                    REPL TRACER
  TOD-L-500-73                      ASSIGNED COND CODE F
                                    REPL TRACER
1305-00-0000000-A605  CTG CAL .50 LINKED BALL M33
  FA-L-527               B01
  LC-84J504-342          B01
1305-00-0000000-A647  LINK CTG METALLIC BELT CAL .50 M15A2
  WM-2-048         SIU              DEMIL INDICATED COND CODE H
1305-00-0000000-A651  CTG 20MM TP-T M220
  LC-25-168        SIU              DEMIL INDICATED COND CODE H
1305-00-0000000-A652  CTG 20MM TP-T M220 LINKED
                   SIU              DEMIL INDICATED COND CODE H
  LC-81D222-018                     RELEASED FROM TEMPORARY SUSPENSION
  LC-84G222-140          W06
  LC-84G222-141          W06
  LC-84G222-142          W06
  LC-84L222-158    SIU              DEMIL INDICATED COND CODE H
  LC-84L222-159    SIU              DEMIL INDICATED COND CODE H
  LC-84L222-160    SIU              DEMIL INDICATED COND CODE H
  LC-85D222-177    SIU              RQR 100% INSP FOR MISIDENTIFIED CONTAINERS
                                    ASSIGNED COND CODE E
| LC-85G222-188                     RELEASED FROM TEMPORARY SUSPENSION
  LC-86A223-005          C11
  LC-86A223-006          C11
  LC-86B223-007          C11
  LC-86B223-008          C11
  LC-86B223-009          C11
  LC-86C223-010          C11
  LC-86C223-011          C11
1305-00-0000000-A653  CTG 20MM 4 HEI M56A3/1 TP-T M220
  LC-L-10-282                       NO FIX AUTH. ASG COND CODE N.
  LC-L-10-318      SIU              DEMIL INDICATED COND CODE H
  LC-L-10-319      SIU              DEMIL INDICATED COND CODE H
  LC-L-10-325                       ASSIGNED COND CODE F
                                    REPL CTG CASES
  LC-L-10-391      SIU              DEMIL INDICATED COND CODE H
  LCL-10-095             C05
  LCL-10-377                        NO FIX AUTH. ASG COND CODE N.
1305-00-0000000-A654  CTG 20MM LINKED 7 TP M55A2 AND 1 TP-T M220
  LC-L-1-274       SIU              DEMIL INDICATED COND CODE H
1305-00-0000000-A655  CTG 20MM 7 HEI M56A3/1 TP-T M220
  LC-L-10-330                       ASSIGNED COND CODE F
                                    REPL CTG CASES
  LC-L-10-611      SIU              RQRS 100% REMOVAL OF HEI COMP LOT
                                    RQR REPACK
                                    ASSIGNED COND CODE E
```

```
LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

 1305-00-0000000-A655  CTG 20MM 7 HEI M56A3/1 TP-T M220
   LC-L-10-642       SIU           DEMIL INDICATED COND CODE H
   LC-L-10-659       SIU           DEMIL INDICATED COND CODE H
   LCL-10-121             B01
   LCL-10-122             B01
   LCL-10-123             B01
   LCL-10-124             B01
   POD81M002L029                   RELEASED FROM TEMPORARY SUSPENSION
   POD84A003L003                   NO FIX AUTH. ASG COND CODE N.
   POD84B003L006                   NO FIX AUTH. ASG COND CODE N.
   POD84C003L020     SIU           RQRS 100% REMOVAL OF HEI COMP LOT
                                   ASSIGNED COND CODE E
 1305-00-0000000-A661  CTG 20MM TP M55 SERIES
   LC-85H201-367          W13      RELEASED WITH RESTRICTION
 1305-00-0000000-A662  CTG 20MM HEI M56A1
|  LC-28-155         SIU           DEMIL INDICATED COND CODE H
   LC-30-478         SIU           DEMIL INDICATED COND CODE H
 1305-00-0000000-A664  CTG 20MM TP-T M55A2 LNKD W/TP-T M220
   LCL-1-152         SIU           DEMIL INDICATED COND CODE H
 1305-00-0000000-A672  CTG 20MM LKD  TP M204 &  AP-T M95
   MCA80A001L001     SIU           RQR RELINKING
                                   ASSIGNED COND CODE E
   MCA80B001L002     SIU           REQUIRES DELINKING
                                   ASSIGNED COND CODE E
 1305-00-0000000-A675  CTG 20MM DS MK149-1
   OL-82K000S007     SIU           DEMIL INDICATED COND CODE H
 1305-00-0000000-A680  CTG SUBCAL 22MM M744
   ALL EWC P0180          R19
 1305-00-0000000-A681  CTG SUBCAL 22MM M745
   ALL EWC P0180          R19
 1305-00-0000000-A682  CTG SUBCAL 22MM M746
   ALL EWC P0180          R19
 1305-00-0000000-A683  CTG SUBCAL 22MM M747
   ALL EWC P0180          R19
 1305-00-0000000-A747  CTG 20MM HEI M97
   ALL LOTS ASSEMBL SIU            DEMIL INDICATED
   ED W M75 FUZES
 1305-00-0000000-A748  CTG 20MM HEI M97
   ALL LOTS ASSEMBL SIU            DEMIL INDICATED
   ED W M75 FUZES
 1305-00-0000000-A765  CTG 20MM AP-T M95
   KOP-34-536        SIU           DEMIL INDICATED COND CODE H
   KOP-87-14              B01
   KOP-87-19         SIU           DEMIL INDICATED COND CODE H
|  LC-2-4                          RELEASED FROM TEMPORARY SUSPENSION
 1305-00-0000000-A767  CTG 20MM HEI M97
   ALL LOTS ASSEMBL SIU            DEMIL INDICATED
   ED W M75 FUZES
 1305-00-0000000-A768  CTG 20MM HEI M97
   ALL LOTS ASSEMBL SIU            DEMIL INDICATED
   ED W M75 FUZES
 1305-00-0000000-A769  CTG 20MM HEI M97
```

```
  LOT NUMBER     LIMIT RESTRICTION       FIX    OR    REASON

1305-00-0000000-A769  CTG 20MM HEI M97
  ALL LOTS ASSEMBL SIU          DEMIL INDICATED
  ED W M75 FUZES
1305-00-0000000-A770  CTG 20MM HEI M97
  ALL LOTS ASSEMBL SIU          DEMIL INDICATED
  ED W M75 FUZES
1305-00-0000000-A775  CTG 20MM HEI M97
  ALL LOTS ASSEMBL SIU          DEMIL INDICATED
  ED W M75 FUZES
1305-00-0000000-A778  CTG 20MM AP-T M95
  KOP-34-563       SIU          DEMIL INDICATED COND CODE H
1305-00-0000000-A788  CTG 20MM TP-T M206A1
  LC-33-001             B01
1305-00-0000000-A792  CTG 20MM HEI-T SD M246 LINKED
  LC-L-29-31            B01
  LC-L-29-34            B01
  LC-L-29-4             C16
  LC-L-31-25       SIU          DEMIL INDICATED COND CODE H
| LC-L-41-010           B01
| LC-L-41-010A          B01
  LC-80B280-011    SIU          DEMIL INDICATED COND CODE H
  LC-82G281-003         B01
  LC-82J281-013    SIU          DEMIL INDICATED COND CODE H
  LC-82L281-018    SIU          FAILURE TO FUNCTION ON PROPER IMPACT
  LCL-SP-870       SIU          DEMIL INDICATED COND CODE H
1305-00-0000000-A806  CTG 20MM API MK107
  ZR-10-HMC-54     SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
  ZR-11-HMC-54     SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
  ZR-12-HMC-54     SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
  ZR-12-MCA-58     SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
  ZR-13-BPC-55     SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
  ZR-17-AER-54     SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
  ZR-19-BPC-55     SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
  ZR-23-MCA-58     SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
  ZR-6-MCA-57      SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
  ZR-8-AER-54      SIU          100% INSP FOR BULGING PROJ AND EXUDING INCENDIARY FILLER
                                ASSIGNED COND CODE F
1305-00-0000000-A837  CTG 20MM HEI M97
  ALL LOTS ASSEMBL SIU          DEMIL INDICATED
  ED W M75 FUZES
1305-00-0000000-A838  CTG 20MM HEI M97
  ALL LOTS ASSEMBL SIU          DEMIL INDICATED
  ED W M75 FUZES
  LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

1305-00-0000000-A845  CTG 20MM HEI M97
 ALL LOTS ASSEMBL SIU          DEMIL INDICATED
 ED W M75 FUZES
1305-00-0000000-A848  CTG 20MM AP-T M95
 KOP-34-536      SIU           DEMIL INDICATED COND CODE H
1305-00-0000000-A849  CTG 20MM HEI M97
 ALL LOTS ASSEMBL SIU          DEMIL INDICATED
 ED W M75 FUZES
1305-00-0000000-A852  CTG 20MM HEI M56
| LC-28-155       SIU           DEMIL INDICATED COND CODE H
 LC-28-270       SIU           DEMIL INDICATED COND CODE H
 LCL-28-47       SIU           CTG CASE SEPARATION
1305-00-0000000-A857  CTG 20MM LINKED 7TPM55A2 1TP-TM220
 LC-86A671L006       C11
 LC-86A671L007       C11
 LC-86B671L008       C11
 LC-86B671L009       C11
 LC-86B671L010       C11
 LC-86B671L011       C11
1305-00-0000000-A862  CTG 20MM LINKED 1 AP-T M95/4 HEI M210
 HAW78K001L001   SIU           RQR SCREENING
                               ASSIGNED COND CODE F
 HAW83G001H001       B01
 HAW83G001H002       B01
1305-00-0000000-A867  CTG 20MM HEI M97
 ALL LOTS ASSEMBL SIU          DEMIL INDICATED COND CODE H
 ED W M75 FUZES
1305-00-0000000-A868  CTG 20MM HEI M97
 ALL LOTS ASSEMBL SIU          DEMIL INDICATED
 ED W M75 FUZES
1305-00-0000000-A889  CTG 20MM TP M55A2 SE      INKED       B
 LC-L-22-978         W13
 LC-82B201-085       W19
 TOD78A002L002       B21
1305-00-0000000-A890  CTG 20MM HEI M56 SERIES
 E-NWM-1-44      SIU           ASSIGNED COND CODE E
 LC-L-30-520     SIU           DEMIL INDICATED COND CODE H
 LC-28-105           C05
 LC-28-155       SIU           DEMIL INDICATED COND CODE H
 LC-30-642       SIU           DEMIL INDICATED COND CODE H
 LC-83M241-052       B01       RELEASED WITH RESTRICTION
 LC-85J255-030   SIU           DEMIL INDICATED COND CODE H
 LCL-28-105          C05
 LCL-30-522                    NO FIX AUTH. ASG COND CODE N.
1305-00-0000000-A891  CTG 20MM TP M55A2
 ALL LC82B201-080    W26
 AND THRU L-
 C-82E201-104
 LC-L-24-702A        W02
 LC-L-24-705A        W02
 LC-SL-38-219    SIU           DEMIL INDICATED COND CODE H
 LC-82H201-120                 DEMIL INDICATED COND CODE H
| LC-83D201-195   SIU           DEMIL INDICATED COND CODE H
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1305-00-0000000-A891 CTG 20MM TP M55A2			
LC-83G201-248		W20	
LC-83G201-249		W20	
LC-83G201-250		W20	
LC-83G201-251		W20	
LC-86C202-044	SIU		BLOWN WEAPON
LC-86D202-053	SIU		WEAPON STOPPAGE
LCS-38-216		W19	
1305-00-0000000-A896 CTG 20MM LINKED 4 TP M55A2 1 TP-T M220E1			
ALL LC82B630L034 AND THRU L-C-83C630L044		W26	
LC-86A631L008		C11	
LC-86A631L010		C11	
LC-86A631L011		C11	
LC-86A631L013		C11	
LC-86B631L014		C11	
LC-86B631L015		C11	
1305-00-0000000-A897 CTG 20MM TP M55A2			
LC-83G201-248		W20	
LC-83G201-249		W20	
LC-83G201-250		W20	
LC-83G201-251		W20	
1305-00-0000000-A919 CTG 20MM HEI M56A3			
LC-L-28-455	SIU		DEMIL INDICATED COND CODE H
LC-L-30-483			ASSIGNED COND CODE F REPL CTG CASES
LC-L-30-519		B01	
LC-L-30-520	SIU		DEMIL INDICATED COND CODE H
LC-28-105		C05	
LC-28-155	SIU		DEMIL INDICATED COND CODE H
LC-30-514	SIU		DEMIL INDICATED COND CODE H
LCL-28-105		C05	
1305-00-0000000-A926 CTG 20MM TP M55A2 LINKED			
KO-L-10-114		B01	
LC-L-SP-963	SIU		DEMIL INDICATED COND CODE H
LC-L-24-702A		W02	
LC-L-24-705A		W02	
LC-L-34-356	SIU		DEMIL INDICATED COND CODE H
LC-L-34-356A	SIU		DEMIL INDICATED COND CODE H
LC-SL-38-090	SIU		DEMIL INDICATED
LC-SL-38-219	SIU		DEMIL INDICATED COND CODE H
LC-SL-38-283			UNDETERMINED AT THIS TIME ASSIGNED COND CODE F
LC-SL-38-312	SIU		ASSIGNED COND CODE E RQR APPL OF DRY LUBRICANT TO CTG CASE SHOULDER
LC-81F210-001	SIU		DEMIL INDICATED COND CODE H
LC-81J210-012	SIU		DEMIL INDICATED COND CODE H
LC-81J210-014			DEMIL INDICATED COND CODE H
LC-81M201-077		B28	
LC-82B210-042		B01	RELEASED WITH RESTRICTION
LC-82B210-043		C02	

```
  LOT NUMBER      LIMIT RESTRICTION        FIX     OR     REASON

 1305-00-0000000-A926  CTG 20MM TP M55A2 LINKED
   LC-82C210-046            C02
   LCSL-38-202              W13
 1305-00-0000000-A974  CARTRIDGE 25MM HVAPD      91
|  AJD85J001-012                      RELEASED FROM TEMPORARY SUSPENSION
|  AJD85K001-014                      RELEASED FROM TEMPORARY SUSPENSION
|  HJA84J090-A974           B01
   HJA84L090-009                      ERRATIC FLIGHT
                                      ASSIGNED COND CODE J
|  HJA85C090-013                      RELEASED FROM TEMPORARY SUSPENSION
|  HJA85D090-014            B01       RELEASED WITH RESTRICTION
   PFC81K005-004                      RQR INSP FOR PROPER CRIMP
                                      ASSIGNED COND CODE E
|  PFC81L005-005                      RELEASED FROM TEMPORARY SUSPENSION
 1305-00-0000000-A975  CTG 25MM HEI-T M792
|  ALL LOTS W/SOO     SIMU            CONTAINS SUSPENDED FUZE LOT
|  FUZES INCL
|  AJD87K021-001
|  AJD87L021-002
|  AJD87M021-003
|  AJD88A021-004
|  AJD88B021-005
|  PFC86A205-008
|  PFC86B205-009
|  PFC86C206-010
|  PFC86C206-001
|  PFC86C206-002
   HJA85Q122-025            B01       RELEASED WITH RESTRICTION
   PFC82D203-006                      RQR 100% INSP FOR MISIDENTIFIED CONTAINERS
                                      ASSIGNED COND CODE E
   PFC84C205-002                      RQR 100% INSP FOR MISIDENTIFIED CONTAINERS
                                      ASSIGNED COND CODE E
|  PFC84G205-004                      RELEASED FROM TEMPORARY SUSPENSION
|  PFC85L205-007                      DEFECTIVE METAL PARTS
   PFC86A205-008      SIU             BLOWN WEAPON
                                      ASSIGNED COND CODE J
   PFC86B205-009      SIU             REQUIRE ENGINEERING EVALUATION
                                      ASSIGNED COND CODE J
|  PFC86C206-002      SIU             BLOWN WEAPON
 1305-00-0000000-A976  CTG 25MM TP-T M793
|  HJA83H154-003                      RELEASED FROM TEMPORARY SUSPENSION
   HJA83K154-007                      RQR 100% INSP FOR MISIDENTIFIED CONTAINERS
                                      ASSIGNED COND CODE E
   HJA84F154-015                      RQR 100% INSP FOR MISIDENTIFIED CONTAINERS
                                      ASSIGNED COND CODE E
|  HJA84J154-023A                     RELEASED FROM TEMPORARY SUSPENSION
|  HJA84K154-027                      RELEASED FROM TEMPORARY SUSPENSION
|  HJA84K154-028                      RELEASED FROM TEMPORARY SUSPENSION
|  HJA85B155-002                      RELEASED FROM TEMPORARY SUSPENSION
   PFC82D126-008                      RQR 100% INSP FOR MISIDENTIFIED CONTAINERS
                                      ASSIGNED COND CODE E
   PFC82E126-010                      RQR 100% INSP FOR MISIDENTIFIED CONTAINERS
```

```
LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1305-00-0000000-A976  CTG 25MM TP-T M793
                                   ASSIGNED COND CODE E
1305-00-0000000-B103  CTG 30MM HEI PGU-13A/B API PGU-14A/B
  HJA86A044-063     SIU            CRACKED PENETRATORS
                                   ASSIGNED COND CODE J
  HJA86A044-064     SIU            CRACKED PENETRATORS
                                   ASSIGNED COND CODE J
1305-00-0000000-B116  CTG 30MM TP PGU-15/B
  HJA85A004-035     SIU            RQR 100% INSP FOR MISIDENTIFIED CONTAINERS
1305-00-0000000-B118  CTG 30MM TP M788
  HJA84A411-001     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
  HJA84B410-004     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
  HJA84B411-002     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
  HJA84C410-005     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
| HJA84F412-002                    REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
| HJA84G412-003                    REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
| HJA84G412-004                    REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
| HJA84H412-005                    REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
| HJA84H412-006                    REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
| HJA85A412-007                    REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
  HJA85B412-008     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
  HJA85C412-009     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
  HJA85D412-010     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
  HJA85D412-011     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
  HJA85D412-012     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
  HJA85K413-001     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
1305-00-0000000-B119  CTG 30MM TP M788
  HJA84A411-001     SIU            SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
  HJA84B410-004     SIU            SUSPECTED EXCESSIVE PRESSURE
```

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	1305-00-0000000-B119 CTG 30MM TP M788		
			ASSIGNED COND CODE J
	HJA84B411-002	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	HJA84C410-005	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
|	HJA84F412-002		REPL PRIMERS
|			REPL UNSVC PROP
|			COND CODE N APPLIES
|	HJA84G412-003		REPL PRIMERS
|			REPL UNSVC PROP
|			COND CODE N APPLIES
|	HJA84G412-004		REPL PRIMERS
|			REPL UNSVC PROP
|			COND CODE N APPLIES
|	HJA84H412-005		REPL PRIMERS
|			REPL UNSVC PROP
|			COND CODE N APPLIES
|	HJA84H412-006		REPL PRIMERS
|			REPL UNSVC PROP
|			COND CODE N APPLIES
|	HJA85A412-007		REPL PRIMERS
|			REPL UNSVC PROP
|			COND CODE N APPLIES
	HJA85B412-008	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	HJA85C412-009	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	HJA85D412-010	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	HJA85D412-011	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	HJA85D412-012	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	HJA85K413-001	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	1305-00-0000000-B120 CTG 30MM TP M788		
	HJA84A411-001	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	HJA84B410-004	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	HJA84B411-002	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
	HJA84C410-005	SIU	SUSPECTED EXCESSIVE PRESSURE
			ASSIGNED COND CODE J
|	HJA84F412-002		REPL PRIMERS
|			REPL CTG CASES
|			COND CODE N APPLIES
|	HJA84G412-003		REPL PRIMERS
|			REPL CTG CASES
|			COND CODE N APPLIES
|	HJA84G412-004		REPL PRIMERS

```
LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

 1305-00-0000000-B120  CTG 30MM TP M788
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
|   HJA84H412-005                  REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
|   HJA84H412-006                  REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
|   HJA85A412-007                  REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
    HJA85B412-008     SIU          SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
    HJA85C412-009     SIU          SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
    HJA85D412-010     SIU          SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
    HJA85D412-011     SIU          SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
    HJA85D412-012     SIU          SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
    HJA85K413-001     SIU          SUSPECTED EXCESSIVE PRESSURE
                                   ASSIGNED COND CODE J
 1305-00-0000000-B129  CTG 30MM HEDP M789
|   HJA84F431-001                  REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
|   HJA84G431-002                  REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
|   HJA84M431-003                  REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
 1305-00-0000000-B130  CTG 30MM HEDP M789
|   HJA84F431-001                  REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
|   HJA84G431-002                  REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
|   HJA84M431-003                  REPL PRIMERS
|                                  REPL CTG CASES
|                                  COND CODE N APPLIES
    HJA85A431-032                  REQUIRE ENGINEERING EVALUATION
                                   ASSIGNED COND CODE N
    HJA86E432-006     SIU          CARTRIDGE CASE RUPTURED
                                   ASSIGNED COND CODE J
|   OL-88K110-009     SIU          CLOSE IN PREMATURE
 1305-00-0000000-B131  CTG 30MM HEDP M789
|   HJA84F431-001                  REPL PRIMERS
|                                  REPL CTG CASES
```

```
   LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

  1305-00-0000000-B131  CTG 30MMM HEDP M789
|                                   COND CODE N APPLIES
|   HJA84G431-002                   REPL PRIMERS
|                                   REPL CTG CASES
|                                   COND CODE N APPLIES
|   HJA84M431-003                   REPL PRIMERS
|                                   REPL CTG CASES
|                                   COND CODE N APPLIES
  1305                  DRAWING # 11820609 REV B   FUZE F/25MM PDSD M758
|   ALL LOTS SOO                    REQUIRE ENGINEERING EVALUATION
|   INCL
|   S0085G003-003
|   S0085J003-005
|   S0085K003-006
|   S0088L006-001
  1305-00-0000000-2500  SPEC # MIL-C-46931     CTG  7.62MM BALL M80
    RA-5186                         DEMIL INDICATED
    RA-5755                         DEMIL INDICATED
  1310-00-0000000-B470  CTG 40MM HE M384
    MA-90-1 THRU      SIU           DEMIL INDICATED COND CODE H
    MA-342-18
|   MA-344-12                       100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|   MA-344-13                       100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|   MA-344-16                       100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
    MA-344-23                       DEMIL INDICATED COND CODE H
|   MA-344-24                       100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|   MA-344-26                       100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|   MA-344-28                       100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|   MA-344-32                       100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|   MA-344-39                       100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|   MA-344-4                        100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|   MA-344-45                       100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
```

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1310-00-0000000-B470 CTG 40MM HE M384		
MA-344-47		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-58		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-64		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-65		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-66		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-68		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-71		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-72		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-73		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-78		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
1310-00-0000000-B481 CTG 40MM LNKD 1 HE M384 W/1 HE M684		
MA-1-1	SIU	DEMIL INDICATED COND CODE H
MA-1-2	SIU	DEMIL INDICATED COND CODE H
MA-344-12		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-13		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-16		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-24		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-26		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-28		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1310-00-0000000-B481 CTG 40MM LNKD 1 HE M384 W/1 HE M684			
MA-344-32			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-39			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-4			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-45			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-47			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-58			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-64			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-65			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-66			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-68			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-71			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-72			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-73			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-78			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
1310-00-0000000-B504 CTG 40MM GREEN STAR PRCHT M661			B
LOW78M012-002		B01	
1310-00-0000000-B509 CTG 40MM YELLOW SMK M716			
PB-80C023-004	SIU		RQR 100% INSP FOR PRIMERS ABOVE FLUSH ASSIGNED COND CODE E
1310-00-0000000-B518 TRACER PROJ MK11 MOD 0			
1314-M THRU 1399-M	SIU		DEMIL INDICATED COND CODE H
1684-M THRU	SIU		DEMIL INDICATED COND CODE H

```
 1310-00-0000000-B516  TRACER PROJ MK11 MOD 0
|  1782H
|  1-106-LOW      SIU              DEMIL INDICATED COND CODE H
|  1-116-LOW      SIU              DEMIL INDICATED COND CODE H
|  1-119-LOW      SIU              DEMIL INDICATED COND CODE H
|  1-123-LOW      SIU              DEMIL INDICATED COND CODE H
|  1-124-LOW      SIU              DEMIL INDICATED COND CODE H
|  1-133-LOW      SIU              DEMIL INDICATED COND CODE H
|  1-134-LOW      SIU              DEMIL INDICATED COND CODE H
|  1-135-LOW      SIU              DEMIL INDICATED COND CODE H
|  1-80-LOW       SIU              DEMIL INDICATED COND CODE H
|  1-82-LOW       SIU              DEMIL INDICATED COND CODE H
|  1409-M         SIU              DEMIL INDICATED COND CODE H
|  1410-M         SIU              DEMIL INDICATED COND CODE H
|  1463-M         SIU              DEMIL INDICATED COND CODE H
|  1485-M         SIU              DEMIL INDICATED COND CODE H
 1310-00-0000000-B519  CTG 40MM PRACTICE M781
   ALL AMN LOTS MFG      C04
   P0183
|  ALL KMF LOTS                    REQUIRE ENGINEERING EVALUATION
|  W/INTERFIX
|  004 005 006 OR
|  007 MFG P0988
   AMN82D002-017  SIU              DEMIL INDICATED COND CODE H
   AMN83H004-003         W28
   AMN83H004-004         W28
   AMN83K004-009  SIU              DEMIL INDICATED COND CODE H
   AMN83K004-010  SIU              DEMIL INDICATED COND CODE H
   AMN84E004-018  SIU              DEMIL INDICATED COND CODE H
   JA-31-3B                        NO FIX AUTH. ASG COND CODE N.
|  KMF86G002-014                   FAILED TO IGNITE
|                                  CARTRIDGE CASE DISINTEGRATION
   KMF86L003-010                   SHORT ROUND
|  KMF86L003-011                   PROJ MPTS BREAKUP
   KMF86M003-020                   SHORT ROUND
   MAI85J003-004  SIU              EXCESSIVE MISFIRES
                                   ASSIGNED COND CODE J
   MAI85L003-007  SIU              BULLET STUCK IN BARREL
                                   ASSIGNED COND CODE J
   MAI86B003-010  SIU              BULLET STUCK IN BARREL
                                   ASSIGNED COND CODE J
|  MAI88D005-006                   REQS 100 % SCREENING OF OGIVES
|                                  RQR 100% INSP FOR PRIMERS ABOVE FLUSH
|                                  ASSIGNED COND CODE E
   MEI80H001-006  SIU              DEMIL INDICATED COND CODE H
   MEI81A051-002  SIU              100% SCREENING FOR LOOSE OGIVES AND/OR CRACKS EXPOSING DYE
                                   100% SCREENING FOR PISTONS FREE TO MOVE IN AXIAL DIRECTION
                                   ASSIGNED COND CODE E
   MEI81K006-006  SIU              100% SCREENING FOR LOOSE OGIVES AND/OR CRACKS EXPOSING DYE
                                   RQR INSP FOR UNSVC CTG CASES
                                   ASSIGNED COND CODE E
   MEI82G009-009         C04
```

1310-00-0000000-B527 CTG 40MM HE M384

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
MA-344-12		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-13		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-16		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-24		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-26		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-28		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-32		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-39		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-4		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-45		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-47		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-58		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-64		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-65		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-66		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-68		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-71		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-72		100 PERCENT INSP FOR MISSING CLOSURE CUP

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1310-00-0000000-B527 CTG 40MM HE M384		
		RQR X-RAY COND CODE N APPLIES
MA-344-73		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-78		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
1310-00-0000000-B529 CTG 40MM HE M383		
MA-203-14		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-17A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-17B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-18A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-2		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-22B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-23A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-3		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-3A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-3B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-6B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-1A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-1B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-10		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES

1310-00-0000000-B529 CTG 40MM HE M383

LOT NUMBER	LIMIT RESTRICTION FIX OR REASON
MA-204-10A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-11	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-12A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-13A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-14	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-15A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-15B	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-16	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-17	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-18	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-18A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-18B	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-19	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-19A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-2	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-2A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-2B	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1310-00-0000000-B529 CTG 40MM HE M383		
MA-204-20		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-26A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-27		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-27A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-27B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-28		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-28A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-29		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-29A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-29B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-29C		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-3		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-3A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-30A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-31A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-33A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-34		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES

1310-00-0000000-B529 CTG 40MM HE M383

LOT NUMBER	LIMIT RESTRICTION FIX OR REASON
MA-204-34A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-35	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-35A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-35B	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-36A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-4	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-4A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-5	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-8A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-205-1	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-205-2	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-82J206-001A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-82K206-002A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-82K206-003A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-82M206-004A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-82M206-005A	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83A206-006	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES

1310-00-0000000-B529 CTG 40MM HE M383

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
MA-83A206-006A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83A206-013A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83B206-007		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83B206-007A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83B206-008		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83B206-008A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83C206-009		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83C206-009A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83C206-010		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83C206-010B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83D-206-011A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83D206-011		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83D206-011B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83E206-012		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83E206-012A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83E206-012B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-83E206-013		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES

```
    LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

   1310-00-0000000-B529  CTG 40MM HE M383
|   MA-83E206-013A                 100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                  RQR X-RAY
|                                  COND CODE N APPLIES
|   MA-83E206-014                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                  RQR X-RAY
|                                  COND CODE N APPLIES
|   MA-83E206-014A                 100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                  RQR X-RAY
|                                  COND CODE N APPLIES
|   MA-83G206-015                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                  RQR X-RAY
|                                  COND CODE N APPLIES
|   MA-83G206-016A                 100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                  RQR X-RAY
|                                  COND CODE N APPLIES
|   MA-83G216-015A                 100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                  RQR X-RAY
|                                  COND CODE N APPLIES
   1310-00-0000000-B534  CTG 40MM MP M576
    MA-402-13              B01
|   MA-404-102             B01
|   MA-406-3               B01
   1310-00-0000000-B535  CTG 40MM WHITE STAR PRCHT M583A1        B
    KC-4-41                B01
    LOW-3-14               B01     RELEASED WITH RESTRICTION
    LOW-3-19               B01
    LOW-4-14               B01
    LOW-4-15               B01
    LOW-4-20               B01
    LOW-5-1                B01
|   LOW-5-2                B01
|   LOW-5-6                B01
    LOW-6-13               B01
    LOW-6-15               B01
    LOW-6-16               B01
    LOW-6-17               B01
|   LOW-6-5                B01
    LOW-6-9                B01
   1310-00-0000000-B536  CTG 40MM WHITE STAR CLUSTER M585
    KC-10-2                B01
    PA-321-13        SIU           DEMIL INDICATED COND CODE H
    PA-321-5               B01
|   PA-321-8               B01
    TAC-1-24         SIU           DEMIL INDICATED COND CODE H
    TAC-1-37         SIU           DEMIL INDICATED COND CODE H
   1310-00-0000000-B537  CTG 40MM TACTICAL RIOT CONTROL CS M674
    PBA-1-26         SIU           DEMIL INDICATED COND CODE H
    PBA-1-8          SIU           DEMIL INDICATED COND CODE H
    PBA-3-10         SIU           DEMIL INDICATED COND CODE H
    PBA-3-100        SIU           DEMIL INDICATED COND CODE H
    PBA-3-101                      DEMIL INDICATED COND CODE H
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1310-00-0000000-B537 CTG 40MM TACTICAL RIOT CONTROL CS M674			
PBA-3-103	SIU		DEMIL INDICATED COND CODE H
PBA-3-107		B01	
PBA-3-108		B01	
PBA-3-110	SIU		DEMIL INDICATED COND CODE H
PBA-3-16	SIU		DEMIL INDICATED COND CODE H
PBA-3-18			DEMIL INDICATED COND CODE H
PBA-3-20			DEMIL INDICATED COND CODE H
PBA-3-21	SIU		DEMIL INDICATED COND CODE H
PBA-3-22	SIU		DEMIL INDICATED COND CODE H
PBA-3-24	SIU		DEMIL INDICATED COND CODE H
PBA-3-25		B01	
PBA-3-27	SIU		DEMIL INDICATED COND CODE H
PBA-3-28		B01	
PBA-3-29A	SIU		DEMIL INDICATED COND CODE H
PBA-3-31	SIU		DEMIL INDICATED COND CODE H
PBA-3-32		B01	
PBA-3-33	SIU		DEMIL INDICATED COND CODE H
PBA-3-37			DEMIL INDICATED COND CODE H
PBA-3-38		B01	
PBA-3-44	SIU		DEMIL INDICATED COND CODE H
PBA-3-44A	SIU		DEMIL INDICATED COND CODE H
PBA-3-52	SIU		DEMIL INDICATED COND CODE H
PBA-3-55	SIU		DEMIL INDICATED COND CODE H
PBA-3-56			RQR INSP FOR LOOSE OR HIGH PRIMERS
PBA-3-56B	SIU		DEMIL INDICATED COND CODE H
PBA-3-60	SIU		DEMIL INDICATED COND CODE H
PBA-3-61	SIU		DEMIL INDICATED COND CODE H
PBA-3-62		B01	
PBA-3-67	SIU		DEMIL INDICATED COND CODE H
PBA-3-68		B01	
PBA-3-69	SIU		DEMIL INDICATED COND CODE H
PBA-3-7	SIU		DEMIL INDICATED COND CODE H
PBA-3-71	SIU		DEMIL INDICATED COND CODE H
PBA-3-72	SIU		DEMIL INDICATED COND CODE H
PBA-3-73		B01	
PBA-3-74	SIU		DEMIL INDICATED COND CODE H
PBA-3-80		B01	
PBA-3-9			DEMIL INDICATED COND CODE H
PBA-3-91	SIU		DEMIL INDICATED COND CODE H
PBA-3-92		B01	
PBA-3-94	SIU		DEMIL INDICATED COND CODE H
PBA-3-98		B01	
PBA-3-99	SIU		DEMIL INDICATED COND CODE H
PBA-4-11			DEMIL INDICATED COND CODE H
PBA-4-16	SIU		DEMIL INDICATED COND CODE H
PBA-4-5	SIU		DEMIL INDICATED COND CODE H
1310-00-0000000-B538 CTG 40MM RED SMOKE M675			
PBA-1-2	SIU		DEMIL INDICATED COND CODE H
PBA-2-12		B01	
PBA-2-14	SIU		DEMIL INDICATED COND CODE H
PBA-2-15	SIU		DEMIL INDICATED COND CODE H

```
   LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

  1310-00-0000000-B538  CTG 40MM RED SMOKE M675
   PBA-2-2          SIU           DEMIL INDICATED COND CODE H
   PBA-2-4                 B01
   PBA-2-6          SIU           DEMIL INDICATED COND CODE H
   PBA-2-9                        RQR INSP FOR LOOSE OR HIGH PRIMERS
   PBA-2-9B         SIU           DEMIL INDICATED COND CODE H
  1310-00-0000000-B542  CTG 40MM HEDP M430
|  MA-83K001-001                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-83K002-001                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-84A003-001                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
   MA-84B003-002    SIU           DEMIL INDICATED COND CODE H
|  MA-84C003-003                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-84G000E995                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-84H001E008                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-84K001E028                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-85B004-001                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-85C004-002                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-85C004-003                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-85E005-001                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-85E005-002                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-85E005-003                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-85E005-004                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
|                                 COND CODE N APPLIES
|  MA-85E005-005                  100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                 RQR X-RAY
```

LOT NUMBER	LIMIT RESTRICTION FIX OR REASON
1310-00-0000000-B542 CTG 40MM HEDP M430	
MA-85E005-006	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85F005-007	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85F005-008	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85F005-010	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85H006-001	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85H006-002	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85H006-003	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85H006-004	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85H006-005	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85H006-006	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85H006-007	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85H006-008	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85H006-009	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85J006-010	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85J006-011	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85J006-013	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85J006-014	COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1310-00-0000000-B542 CTG 40MM HEDP M430		
MA-85J006-015		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85J006-016		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85J006-017		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85K001E185		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85K006-018		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85K006-019		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85K006-020		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85K006-021		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85K006-022		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85K006-023		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85K006-024		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85K006-025		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85L006-026		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85L006-028		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85L006-029		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85L006-030		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY
MA-85L006-031		COND CODE N APPLIES 100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY

```
LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1310-00-0000000-B542  CTG 40MM HEDP M430
                                     COND CODE N APPLIES
|  MA-85L006-032                     100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                    RQR X-RAY
|                                    COND CODE N APPLIES
|  MA-85L006-033                     100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                    RQR X-RAY
|                                    COND CODE N APPLIES
|  MA-86B006-041           S25 S04
   MA-86B006-042           S16
|  MA-86C006-043           S25 S04
|  MA-86C006-044           S25 S04
|  MA-87K022-001           S25 S04
|  MA-87K022-002           S25 S04
 1310-00-0000000-B546  CTG 40MM HE DP M433
   ALL LOTS P0487                    FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
   MA-154-100        SIU             INBORE PREMATURE
                                     ASSIGNED COND CODE J
   MA-154-6          SIU             DEMIL INDICATED COND CODE H
   MA-83F164-003     SIU             DEMIL INDICATED COND CODE H
 1310-00-0000000-B552  CTG 40MM AP-T M81A1
   UD-32-MCA-55                      DEMIL INDICATED
   WC-5-43                 S19
 1310-00-0000000-B557  CTG 40MM HEI SD
|  UK-335-U-45       SIU             DEMIL INDICATED COND CODE H
 1310-00-0000000-B558  CTG 40MM FIXED HEIT-NSD P/N 14015241
   UL-122-U-45       SIU             RQR 100% INSP FOR LOOSE/MISSING PRIMER PROTECTION IN CNTR LID
                                     ASSIGNED COND CODE F
   UL-59-U-45        SIU             RQR INSP FOR CRITICAL DEFECTS
                                     ASSIGNED COND CODE F
   UL-6-U-45         SIU             RQR 100% INSP FOR LOOSE/MISSING PRIMER PROTECTION IN CNTR LID
                                     ASSIGNED COND CODE F
   UL-8-U-45         SIU             RQR 100% INSP FOR LOOSE/MISSING PRIMER PROTECTION IN CNTR LID
                                     ASSIGNED COND CODE F
   UL-99-U-45        SIU             RQR INSP FOR CRITICAL DEFECTS
                                     ASSIGNED COND CODE F
 1310-00-0000000-B559  CTG 40MM HEI-T SD MK2
   ALL ARMY LOTS     SIU             ASSIGNED COND CODE F
                                     REPL FUZE-TRACER-BRASS CTG CASE AND PRIMER.
                                     (APPLIES TO ARMY LOTS W/FZ PD MK27 MOD 0)

   TOD83A001G025           B01
   TOD83A001G026           B01
   TOD83B001G027           B01
   TOD83B001G028           B01
   TOD83B001G029           B01
   TOD83B001G030           B01
   TOD83B001G031           B01
   TOD83B001G032           B01
   TOD84D001-001           B01
   TOD84D001-002           B01
   TOD84D001-003           B01
   TOD84D001-004           B01
```

1310-00-0000000-B559 CTG 40MM HEI-T SD MK2

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
UG-117-U-45A		B01	
UG-124-HA-56	SIU		REPL UNSVC CTG CASE LOT
UG-167-MCA-55			REPL UNSVC CTG CASE LOT
UG-168-MCA-55			RQR RECASING
UG-171-MCA-55			REPL UNSVC CTG CASE LOT
UG-172-MCA-55			RQR RECASING
UG-173-MCA-55			REPL UNSVC CTG CASE LOT
UG-176-MCA-55			REPL UNSVC CTG CASE LOT
UG-178-MCA-55			RQR REWORK IAW DMWR
UG-178-MCA-55A		B01	
UG-179-MCA-55			REPL UNSVC CTG CASE LOT
UG-183-MCA-55			REPL UNSVC CTG CASE LOT
UG-183-MCA-55A		B01	
UG-194-MCA-55			REPL UNSVC CTG CASE LOT
UG-195-MCA-55			REPL UNSVC CTG CASE LOT
UG-195-MCA-55A		B01	
UG-196-MCA-55			REPL UNSVC CTG CASE LOT
UG-197-MCA-55			REPL UNSVC CTG CASE LOT
UG-199-MCA-55			REPL UNSVC CTG CASE LOT
UG-199-MCA-55A		B01	
UG-200-MCA-55			REPL UNSVC CTG CASE LOT
UG-202-MCA-54	SIU		RQR X-RAY OF PROJ METAL PARTS
UG-203-MCA-55			REPL UNSVC CTG CASE LOT
UG-206-MCA-54	SIU		RQR INSP FOR UNSVC CTG CASES REQ INSP OF FUZE
UG-211-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-215-MCA-55			REPL UNSVC CTG CASE LOT
UG-216-HA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-217-MCA-53A		B01	
UG-218-HA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-219-HA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-220-HA-54		B01	
UG-220-MCA-53A		B01	
UG-222-TEI-45A		B01	
UG-235-HA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-238-HA-54		B01	
UG-246-HA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-246-MCA-54B		R19	
UG-248-HA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-248-MCA-54A		B01	
UG-250-HA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-251-HA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F

1310-00-0000000-B559 CTG 40MM HEI-T SD MK2

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
UG-252-HA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-253-HA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-254-HA-54	B01	
UG-255-HA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-256-HA-54	B01	
UG-257-HA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-259-HA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-260-HA-54	B01	
UG-261-HA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-261-MCA-53A	B01	
UG-262-HA-54	SIU	REPL TRACER
UG-263-HA-54	SIU	REPL TRACER
UG-263-HA-54A	B01	
UG-266-HA-54	B01	
UG-273-MCA-53	B01	
UG-276-MCA-53	B01	
UG-298-HA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-318-U-45		NO FIX AUTHORIZED
UG-321-HA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-322-HA-54A	B01	
UG-323-HA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-323-HA-54B	SIU	DEMIL INDICATED COND CODE H
UG-326-MCA-54A	B01	
UG-34-HA-55A	B01	
UG-377-TEI-44A	B01	
UG-38-HA-55B	B01	
UG-39-MCA-54	B01	
UG-398-MCA-54		REPL PRIMERS
UG-398-MCA-54B	B01	
UG-40-MCA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-42-MCA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-43-MCA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-44-MCA-54A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-44-MCA-54B	R19	
UG-440-MCA-54		RQR RECASING
UG-54-HA-55A	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-54-HA-55B	SIU	100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH

1310-00-0000000-B559 CTG 40MM HEI-T SD MK2

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
			ASSIGNED COND CODE F
UG-6-MCA-55A		B01	
UG-60-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-60-MCA-54B	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-64-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-68MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-69-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-7-MCA-54B		R19	
UG-70-MCA-54		B01	
UG-705-TEI-45	SIU		NO FIX AUTHORIZED
UG-71-MCA-54A		B01	
UG-72-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-76-MCA-54B		R19	
UG-77-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-77-MCA-54B	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-77-MCA-54C	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-77-MCA054A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-78-MCA-54B		R19	
UG-79-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-791-TEI-45A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-81-MCA-54A		B01	
UG-82-MCA-54	SIU		REPL CTG CASES
UG-83-MCA-54	SIU		REPL TRACER
UG-84-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UG-89-MCA-54	SIU		REPL UNSVC CTG CASE LOT
UG-89-MCA-54A		B01	
UG-99-TEI-45	SIU		NO FIX AUTHORIZED
UGR-110-MCA-55A		B01	
UGR-124-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UGR-124-MCA-54B	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UGR-128-MCA-54A	SIU		100% X-RAY SCREENING FOR BASE SEPARATION IN EXCESS OF 1/16 INCH ASSIGNED COND CODE F
UGR-133-MCA-54B		R19	
UGR-134-MCA-54A	SIU		REPL CTG CASES ASSIGNED COND CODE F
UGR-136-MCA-53	SIU		NO FIX AUTHORIZED

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1310-00-0000000-B559 CTG 40MM HEI-T SD MK2			
UGR-136-MCA-54B		R19	
UGR-137-MCA-54B		R19	
1310-00-0000000-B562 CTG 40MM HE-T SD MK2			
ALL LOTS		S20	
LS-18-34A		B01	
LS-18-35A		B01	
LS-500-12A		B01	
MA-500-5A		B01	
MA-500-5	SIU		REPL CTG CASES
POD-500-10	SIU		RQR 100% INSP FOR PRIMERS ABOVE FLUSH ASSIGNED COND CODE E
TOD85E001-001		B01	
TOD85E001-004		B01	
UB-19-MR-55A		B01	
UB-25-MR-55A		B01	
UB-329-TEI-44A		B01	
UB-350-U-44A		B01	
UB-605-U-44A		B01	
UB-631-U-44A		B01	
UB-654-U-44A		B01	
UB-934-U-44A		B01	
UB-984-TEI-44A		B01	
UBR-10-MCA-53A		B01	
WC-35-4	SIU		REPL CTG CASES
WC-9-12	SIU		REPL CTG CASES
WC-9-21	SIU		REPL CTG CASES
1310-00-0000000-B564 CTG 40MM TP-T M91 W/FUZE DUMMY M69			
UE-25-MCA-55			DEMIL INDICATED
1310-00-0000000-B567 CTG 40MM CS XM651E1			
NCI-3-37-2	SIU		DEMIL INDICATED COND CODE H
NCI-3-46	SIU		DEMIL INDICATED COND CODE H
TKL-1-47	SIU		DEMIL INDICATED COND CODE H
TKL-1-66	SIU		DEMIL INDICATED COND CODE H
TKL-1-67			DEMIL INDICATED COND CODE H
TKL-1-79	SIU		DEMIL INDICATED COND CODE H
TKL-1-80	SIU		DEMIL INDICATED COND CODE H
TKL-1-82	SIU		DEMIL INDICATED COND CODE H
TKL-1-86			DEMIL INDICATED COND CODE H
TKL-1-87	SIU		DEMIL INDICATED COND CODE H
2011-81-1011	SIU		DEMIL INDICATED COND CODE H
1310-00-0000000-B568 CTG 40MM HE M406 W/FUZE PD M551			
JA-11-1		B01	
JA-11-2		B01	
JA-11-3		B01	
JA-11-4		B01	
JA-11-8		B01	
MA-103-26		B01	
MA-103-32		B01	
MA-105-39B		B01	
MA-105-39C		B01	
MA-107-5		B01	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1310-00-0000000-B568 CTG 40MM HE M406 W/FUZE PD M551			
MA-11-10		B01	
MA-117-45	SIU		RQR INSP FOR UNSVC PROJ METAL PARTS ASSIGNED COND CODE E
MA-119-73		B01	
MA-12-30		B01	
MA-17-4	SIMU		RQR X-RAY OF FUZE
PA-250-2		B01	
1310-00-0000000-B569 CTG 40MM HE M397			
MA-80-11	SIU		DEMIL INDICATED COND CODE H
MA-81-21		B01	
MA-81-33	SIU		DEMIL INDICATED COND CODE H
MA-81-37	SIU		DEMIL INDICATED COND CODE H
MA-81-46			DEMIL INDICATED
MA-81-52			DEMIL INDICATED COND CODE H
MA-81-9		B01	RELEASED WITH RESTRICTION
MA-83-2			DEMIL INDICATED COND CODE H
1310-00-0000000-B571 CTG 40MM HE M383 LINKED			
MA-203-10	SIU		DEMIL INDICATED
MA-203-11	SIU		DEMIL INDICATED
MA-203-14			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-17A			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-17B			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-18A			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-2			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-22B			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-23A			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-3			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-3A			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-3B			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-203-6B			100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1310-00-0000000-B571 CTG 40MM HE M383 LINKED		COND CODE N APPLIES
MA-203-8	SIU	DEMIL INDICATED
MA-203-9	SIU	DEMIL INDICATED
MA-204-1A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-1B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-10		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-10A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-11		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-12A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-13A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-14		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-15A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-15B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-16		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-17		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-18		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-18A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-18B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-19		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES

1310-00-0000000-B571 CTG 40MM HE M383 LINKED

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
MA-204-19A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-2		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-2A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-2B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-20		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-26A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-27		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-27A		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-27B		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-204-28	SIU	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR INSP FOR UNSVC CTG CASES ASSIGNED COND CODE F
MA-204-28A	SIU	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR INSP FOR UNSVC CTG CASES ASSIGNED COND CODE F
MA-204-28B	SIU	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR INSP FOR UNSVC CTG CASES ASSIGNED COND CODE F
MA-204-29	SIU	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR INSP FOR UNSVC CTG CASES ASSIGNED COND CODE F
MA-204-29A	SIU	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR INSP FOR UNSVC CTG CASES ASSIGNED COND CODE F
MA-204-29B	SIU	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR INSP FOR UNSVC CTG CASES ASSIGNED COND CODE F
MA-204-29C	SIU	100 PERCENT INSP FOR MISSING CLOSURE CUP RQR INSP FOR UNSVC CTG CASES ASSIGNED COND CODE F
MA-204-29D	SIU	RQR INSP FOR UNSVC CTG CASES ASSIGNED COND CODE E
MA-204-3		100 PERCENT INSP FOR MISSING CLOSURE CUP

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1310-00-0000000-B571 CTG 40MM HE M383 LINKED		
		RQR X-RAY
		COND CODE N APPLIES
MA-204-3A		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-30A		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-31A		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-33A		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-34		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-34A		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-35		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-35A		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-35B		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-36A		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-4		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-4A		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-5		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-204-6		DEMIL INDICATED COND CODE H
MA-204-6A	SIU	DEMIL INDICATED COND CODE H
MA-204-8A		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-205-1		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY
		COND CODE N APPLIES
MA-205-2		100 PERCENT INSP FOR MISSING CLOSURE CUP
		RQR X-RAY

```
LOT NUMBER      LIMIT RESTRICTION        FIX     OR     REASON

 1310-00-0000000-B571  CTG 40MM HE M383 LINKED
|                                   COND CODE N APPLIES
|  MA-82J206-001A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-82K206-002A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-82K206-003A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-82M206-004A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-82M206-005A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83A206-006                    100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83A206-006A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83A206-013A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83B206-007                    100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83B206-007A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83B206-008                    100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83B206-008A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
   MA-83B206-008B                   RELEASED FROM TEMPORARY SUSPENSION
|  MA-83C206-009                    100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83C206-009A                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83C206-010                    100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83C206-010B                   100 PERCENT INSP FOR MISSING CLOSURE CUP
|                                   RQR X-RAY
|                                   COND CODE N APPLIES
|  MA-83D-206-011A                  100 PERCENT INSP FOR MISSING CLOSURE CUP
```

```
LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

1310-00-0000000-B571  CTG 40MM HE M383 LINKED
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83D206-011                         100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83D206-011B                        100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83E206-012                         100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83E206-012A                        100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83E206-012B                        100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83E206-013                         100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83E208-013A                        100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83E208-014                         100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83E206-014A                        100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83G206-015                         100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83G206-016A                        100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-83G216-015A                        100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
1310-00-0000000-B572  CTG 40MM HE M384 W/FUZE PD M533 LINKED
 MA-90-1 THRU       SIU                DEMIL INDICATED COND CODE H
 MA-342-18
 MA-344-12                             100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-344-13                             100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-344-16                             100 PERCENT INSP FOR MISSING CLOSURE CUP
                                       RQR X-RAY
                                       COND CODE N APPLIES
 MA-344-24                             100 PERCENT INSP FOR MISSING CLOSURE CUP
```

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1310-00-0000000-B572 CTG 40MM HE M384 W/FUZE PD M533 LINKED		
		RQR X-RAY COND CODE N APPLIES
MA-344-26		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-28		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-32		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-39		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-4		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-45		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-47		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-58		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-64		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-65		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-66		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-68		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-71		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-72		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-73		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
MA-344-78		100 PERCENT INSP FOR MISSING CLOSURE CUP RQR X-RAY COND CODE N APPLIES
PA-293-23	S10	

```
  LOT NUMBER     LIMIT RESTRICTION       FIX    OR    REASON

1310-00-0000000-B574  CTG 40MM HE XM386E1
  JA-7-2                B01
  MA-1-10               B01
  MA-1-16               B01
  MA-1-2                B01
  MA-1-20               B01
  MA-1-26               B01
  MA-1-27               B01
  MA-1-28               B01
  MA-1-3                B01
  MA-1-32               B01
  MA-1-37               B01
  MA-1-42               B01
  MA-1-5                B01
  MA-1-66A              B01
  MA-1-9                B01
  MA-3-1                B01
  PA-268-3              B01
1310-00-0000000-B575  CTG 40MM HE M441 W/FUZE PD M552
  JA-5-4                          DEMIL INDICATED
1310-00-7248163-B575  CTG 40MM HE M441 W/FUZE PD M552
  ALL LOTS         SIMU           DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                  ASSIGNED COND CODE H
1310-00-0000000-B576  CTG 40MM PRACTICE M385 LINKED
  AJD-1-7          SIU            DEMIL INDICATED COND CODE H
  MA-351-1         SIU            DEMIL INDICATED COND CODE H
  MA-351-14        SIU            DEMIL INDICATED COND CODE H
  MA-351-15        SIU            DEMIL INDICATED COND CODE H
  MA-351-23        SIU            DEMIL INDICATED COND CODE H
  MA-351-27        SIU            DEMIL INDICATED COND CODE H
  MA-351-3         SIU            DEMIL INDICATED COND CODE H
  MA-85A358-009         W13
  PA-309-20             B19
1310-00-0000000-B584  CTG 40MM TP M918
  MA-88D003-001         S16
1310-00-0000000-B586  CTG 57MM HE M306A1 W/FUZE PD M503 OR M503A1
  JA-9-12A              B01
  LOP-13-70             B01
  LOP-22-12                       RQ 100% INSP FOR LEAKING PROP BAGS
                                  ASSIGNED COND CODE E
  LOP-22-9                        RQR 100 % INSP AND SEGREGATION FOR LEAKING PROP
                                  ASSIGNED COND CODE E
  LOP-5-14B             B01
  PA-72-5A              B01
1310-00-0000000-B610  LAUNCHER 35MM CTG 16 TUBE E8 CS FILLED
  2011-74-1004          S04 R09
  2011-75-1005          S04 R09
  2011-75-1006          S04 R09
  2011-75-1007          S04 R09
  2011-84-1036          S04 R09
  2011-84-1038          S04 R09
1310-00-0000000-B620  CTG IGNITION M5A2
  GOI-4-57              R02
```

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1310-00-0000000-B620 CTG IGNITION M5A2			
	SGK-4-36			DEMIL INDICATED COND CODE H
	1310-00-0000000-B627 CTG 60MM ILLUMINATING M83A3			
	LOW-62-60		B01	
	LOW-65-17A		B01 R22	
	LOW-65-18A		R22	
	LOW-65-3A		B01	
	LOW-68-10		B01	
	LOW-68-29		B01	
	LOW-68-46		B01	
	LOW-68-8		B01	
	LOW-68-9		B01	
	LOW-70-6		B01	
	MSO-1-10A		B01	
	PXC-1-59		B01	
|	PXC-2-12	SIU		DEMIL INDICATED COND CODE H
|	PXC-2-12A	SIU		DEMIL INDICATED COND CODE H
	PXC-4-11		B01	
	PXC-4-19		B01	
	PXC-4-7		B01	
	1310-00-0000000-B630 CTG 60MM SMK WP W/FUZE PD			
	MA-3-60	SIU		REPL FUZE ASSIGNED COND CODE F
|	MA-3-71			REPL FUZE COND CODE N APPLIES
	MA-3-72	SIU		REPL IGN SYS AND REFUZE REPL UNSVC PROP ASSIGNED COND CODE F
	MA-3-72A			DEMIL INDICATED COND CODE H
	MA-4-24			REPL FUZE COND CODE N APPLIES
	MA-4-25	SIU		REPL FUZE ASSIGNED COND CODE F
|	MA-4-26			REPL FUZE COND CODE N APPLIES
	PB-1-1	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
	PB-1-10	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
	PB-1-11	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
	PB-1-12	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
	PB-1-14	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
	PB-1-15	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
	PB-1-16	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
	PB-1-2	SIU		100% INSP FOR INVERTED PRIMER ASSIGNED COND CODE F
|	PB-1-4A	SIU		REPL FUZE

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1310-00-0000000-B630 CTG 60MM SMK WP W/FUZE PD			
|				ASSIGNED COND CODE F
	PB-1-7	SIU		REPL FUZE
	PB-1-7A	SIU		REPL FUZE
	PB-1-7B	SIU		REPL FUZE
	PB-1-8	SIU		100% INSP FOR INVERTED PRIMER
				ASSIGNED COND CODE F
	PB-1-9	SIU		100% INSP FOR INVERTED PRIMER
				ASSIGNED COND CODE F
	PB-3-9			100% INSP FOR MISSING PROPELLANT INCREMENTS
				ASSIGNED COND CODE E
	1310-00-0284931-B630 CTG 60MM SMK WP M302 W/FUZE PD 82 OR M52B1E5			
	ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
	1310-00-0284949-B630 CTG 60MM SMK WP M302 W/FUZE PD M82A1			
	ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
	1310-00-0000000-B632 CTG 60MM HE M49 SERIES W/FUZE PD			
	AOY-500-4A		S22	
	MA-E-212		S22	
	MA-1-509A	SIU		DEMIL INDICATED COND CODE H
	MA-11-149		B01	
	MA-11-249			REPL PRIMER IGN CTG & PROP INCR
	MA-12-255A			DEMIL INDICATED
	MA-12-263			REPL FUZE
				COND CODE N APPLIES
	MA-14-355			DEMIL INDICATED COND CODE H
	MA-14-359			DEMIL INDICATED COND CODE H
	MA-14-365			DEMIL INDICATED COND CODE H
	MA-14-366			DEMIL INDICATED COND CODE H
	MA-14-381			DEMIL INDICATED COND CODE H
	MA-14-442			REPL FUZE
				COND CODE N APPLIES
	MA-14-500			REPL FUZE
				COND CODE N APPLIES
	MA-18-1	SIU		REPL PROPELLANT
				ASSIGNED COND CODE F
|	MA-18-4	SIU		REPL FUZE
|				ASSIGNED COND CODE F
	MA-19-102			REPL FUZE
				COND CODE N APPLIES
	MA-19-103			REPL FUZE
				COND CODE N APPLIES
	MA-19-104			REPL FUZE
				COND CODE N APPLIES
|	MA-19-106			REPL FUZE
|				COND CODE N APPLIES
|	MA-19-25			RELEASED FROM TEMPORARY SUSPENSION
	MA-19-32			ASSIGNED COND CODE J
				MISSING PROPELLANT INCREMENT
|	MA-19-35			REPL FUZE
|				COND CODE N APPLIES
|	MA-19-36			RELEASED FROM TEMPORARY SUSPENSION
	MA-19-38			RELEASED FROM TEMPORARY SUSPENSION

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1310-00-0000000-B632 CTG 60MM HE M49 SERIES W/FUZE PD			
MA-19-57			REPL FUZE COND CODE N APPLIES
MA-19-59			REPL FUZE COND CODE N APPLIES
MA-19-60			REPL FUZE COND CODE N APPLIES
MA-19-61			REPL FUZE COND CODE N APPLIES
MA-19-64			REPL FUZE COND CODE N APPLIES
MA-19-65			REPL FUZE COND CODE N APPLIES
MA-19-72	SIU		REPL FUZE ASSIGNED COND CODE F
MA-19-75			REPL FUZE COND CODE N APPLIES
MA-19-76			REPL FUZE COND CODE N APPLIES
MA-19-77			REPL FUZE COND CODE N APPLIES
MA-19-78			REPL FUZE COND CODE N APPLIES
MA-19-79			REPL FUZE COND CODE N APPLIES
MA-19-80			REPL FUZE COND CODE N APPLIES
MA-19-81			REPL FUZE COND CODE N APPLIES
MA-19-82			REPL FUZE COND CODE N APPLIES
MA-19-83			REPL FUZE COND CODE N APPLIES
MA-19-84			REPL FUZE COND CODE N APPLIES
MA-19-87			REPL FUZE COND CODE N APPLIES
MA-19-92	SIU		ASSIGNED COND CODE E 100% INSP FOR MISSING PROPELLANT INCREMENTS
PA-2-2			RQR INSP FOR CRITICAL DEFECTS ASSIGNED COND CODE E
PA-2-9	SIU		REPL IGN CTG & PROP ASSIGNED COND CODE F
PA-2-9A	SIU		REPL IGN CTG & PROP ASSIGNED COND CODE F
WOD-504-1		B01	
1310-00-0284927-B632 CTG 60MM HE M49A2 W/FUZE PD M52A1			
ALL LOTS			REPL FUZE COND CODE N APPLIES
1310-00-0284943-B632 CTG 60MM HE M49A2 W/FUZE PD M52A2			
ALL LOTS			REPL FUZE COND CODE N APPLIES

```
    LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

  1310-00-0284944-B632  CTG 60MM HE M49A2 W/FUZE PD M52A2
    ALL LOTS                            REPL FUZE
                                        COND CODE N APPLIES
  1310-00-9269428-B632  CTG 60MM HE M49A4 W/FUZE PD M717
    ALL LOTS                            ASSIGNED COND CODE F
                                        REPL FUZE
  1310-00-9359132-B632  CTG 60MM HE M49A4 W/FUZE PD M717
    ALL LOTS                            ASSIGNED COND CODE F
                                        REPL FUZE
  1310-00-0963078-B634  CTG 60MM TP M50A2 W/FUZE PD M52A2
    ALL LOTS                            REPL TETRYL BOOSTER W/BLACK POWDER CHG
  1310-00-0000000-B638  PROJ 64MM RIOT CON KINETIC ENERGY M743 W/CTG M755
    BLJ81C002-001          B09
    BLJ81D002-004          B09
    BLJ81E002-005          B09
    BLJ81E002-006          B09
    BLJ81F002-007          B09
    BLJ81F002-008          B09
    BLJ81F002-009          B09
  1310-00-0000000-B642  CTG 60MM HE M720 W/FUZE MO M734
    LS-81C001-001A         B01
|   MA-80M023-001     SIU              DEMIL INDICATED COND CODE H
    MA-81E024-001          B01
    MA-81E024-001A         B01
    MA-81H024-002          B01
    MA-81H024-002A         B01
    MA-82L026-001          B01
    MA-83B026-002          B01
    MA-83B026-003          B01
    MA-83B026-004          B01
    MA-83C026-005          B01
    MA-83C026-006          B01
    MA-83D026-007          B01
    MA-83D026-009          B01
    MA-83E026-010          B01
|   MA-84B026-016     SIU              REPL UNSERV IGN CTG
|                                      ASSIGNED COND CODE F
  1310-00-0000000-B643  CTG 60MM HE M888
|   MA-84H035-001                      REPL UNSERV IGN CTG
|                                      COND CODE N APPLIES
|   MA-84L035-006                      REPL UNSERV IGN CTG
|                                      COND CODE N APPLIES
|   MA-87L037-006          B01
  1310-00-6715128-0000  CTG 40MM TRACER MKII MOD 0
    SGK79J001-002          R19
    SGK79M001-005          R19
    SGK79M005-005          R19
    SGK80A001-006          R19
  1310-01-0508896-0000  CHARGE PROPELLING M204
    IND80D160-001     SIU              DEMIL IMMEDIATELY   COND CODE H
    IND80F160-002     SIU              DEMIL IMMEDIATELY   COND CODE H
    IND80H160-004     SIU              DEMIL IMMEDIATELY   COND CODE H
    IND80J160-006     SIU              DEMIL IMMEDIATELY   COND CODE H
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1310-01-0508896-0000 CHARGE PROPELLING M204			
IND80K160-007	SIU		DEMIL IMMEDIATELY COND CODE H
IND80L160-003	SIU		DEMIL IMMEDIATELY COND CODE H
IND80L160-008	SIU		DEMIL IMMEDIATELY COND CODE H
IND80L160-009	SIU		DEMIL IMMEDIATELY COND CODE H
LS-80F004-001	SIU		DEMIL IMMEDIATELY COND CODE H
1315-00-0000000-C009 CTG IGNITION M285			
GOI-1-30			SUSPENSION APPLIES TO BULK STOCKS ONLY. DEMIL INDICATED COND CODE H
GOI-1-34			SUSPENSION APPLIES TO BULK STOCKS ONLY. DEMIL INDICATED COND CODE H
PAL-1-8			DEMIL INDICATED COND CODE H
1315-00-0000000-C015 FIN ASSY M170			
AFQ-1-25		B01	
AFQ-1-3		B01	
RMK-12-16	SIU		DEMIL INDICATED
WMZ-1-3	SIU		DEMIL INDICATED
WMZ-2-5			DEMIL INDICATED COND CODE H
WMZ-4-10			DEMIL INDICATED COND CODE H
WMZ-4-11	SIU		DEMIL INDICATED
WMZ-4-12	SIU		DEMIL INDICATED
WMZ-4-14	SIU		DEMIL INDICATED
WMZ-5-10			RQR X-RAY RQR INSP OF THREADS
WMZ-5-21	SIU		RQR INSP OF THREADS
WMZ-6-3			REQ 100% X-RAY FOR PROPER FIN THREADING ASSIGNED COND CODE F
1315-00-0000000-C025 CTG 75MM BLANK M337 OR M337A1			
PA-200-4		S07	
PA-200-7		S07	
1315-00-0000000-C051 CTG 75MM HE M309 SERIES W/FUZE PD M557			
JA-6-40		B01 F02	
JA-9-31		B01 F02	
JA-9-32	SIU		DEMIL INDICATED COND CODE H
SOD-1-64	SIU		DEMIL IMMEDIATELY COND CODE H
SOD-1-64A	SIU		DEMIL IMMEDIATELY COND CODE H
SOD-1-65	SIU		DEMIL IMMEDIATELY COND CODE H
SOD-1-65A	SIU		DEMIL IMMEDIATELY COND CODE H
SOD-1-75D			ASSIGNED COND CODE F REPL UNSVC FUZE LOT
1315-00-0000000-C052 CTG 75MM HEAT-T COMP B M310A1W/F BD M90 SERIES			
IOP-1-9		W07	
1315-00-0000000-C054 CTG 75MM TP M309A1 W/FUZE PD M51A5			
IOP-4-1		B01 F02	
IOP-4-10		B01 F02	
IOP-4-11		B01 F02	
IOP-4-12		B01 F02	
IOP-4-13		B01 F02	
IOP-4-14		B01 F02	
IOP-4-15		B01 F02	
IOP-4-16		B01 F02	
IOP-4-17		B01 F02	

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C054 CTG 75MM TP M309A1 W/FUZE PD M51A5		
IOP-4-18	B01 F02	
IOP-4-19	B01 F02	
IOP-4-2	B01 F02	
IOP-4-20	B01 F02	
IOP-4-21	B01 F02	
IOP-4-22	B01 F02	
IOP-4-23	B01 F02	
IOP-4-24	B01 F02	
IOP-4-25	B01 F02	
IOP-4-26	B01 F02	
IOP-4-27	B01 F02	
IOP-4-28	B01 F02	
IOP-4-29	B01 F02	
IOP-4-3	B01 F02	
IOP-4-30	B01 F02	
IOP-4-31	B01 F02	
IOP-4-32	B01 F02	
IOP-4-33	B01 F02	
IOP-4-34	B01 F02	
IOP-4-35	B01 F02	
IOP-4-36	B01 F02	
IOP-4-37	B01 F02	
IOP-4-38	B01 F02	
IOP-4-39	B01 F02	
IOP-4-4	B01 F02	
IOP-4-40	B01 F02	
IOP-4-41	B01 F02	
IOP-4-42	B01 F02	
IOP-4-43	B01 F02	
IOP-4-44	B01 F02	
IOP-4-45	B01 F02	
IOP-4-46	B01 F02	
IOP-4-47	B01 F02	
IOP-4-48	B01 F02	
IOP-4-49	B01 F02	
IOP-4-5	B01 F02	
IOP-4-50	B01 F02	
IOP-4-51	B01 F02	
IOP-4-52	B01 F02	
IOP-4-53	B01 F02	
IOP-4-54	B01 F02	
IOP-4-55	B01 F02	
IOP-4-56	B01 F02	
IOP-4-57	B01 F02	
IOP-4-58	B01 F02	
IOP-4-6	B01 F02	
IOP-4-7	B01 F02	
IOP-4-8	B01 F02	
IOP-4-9	B01 F02	
1315-00-0000000-C098 CTG 76MM TP-T M340A1 STL CASE		
IOP-1-8XC		REPL UNSVC CTG CASE LOT

best copy available

```
 LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1315-00-0000000-C106  CTG 76MM HVAP-T M93A1
 ALL LOTS P0060          S21
1315-00-0000000-C120  CTG 76MM AP-T M339
 ALL LOTS P0060          S21
1315-00-0000000-C125  CTG 76MM HVAP-T M331A1 & M331A2
 ALL LOTS                S21
1315-00-0000000-C127  CTG 76MM TP-T M344
 ALL LOTS                S21
1315-00-0000000-C128  CTG 76MM SMK WP M361 T140 STL CASE W/FUZE PD M48A3
 OAP-5-15X                          RQR INSP FOR CRITICAL DEFECTS
 OAP-5-41X                          RQR INSP FOR CRITICAL DEFECTS
 OAP-6-1X                           RQR INSP FOR CRITICAL DEFECTS
 OPA-5-26X          SIU             DEMIL INDICATED COND CODE H
1315-00-0000000-C222  CTG 81MM HE M362 W/FUZE PD
 ALL LOTS W/M71                     REPL PRIMER IGN CTG & PROP INCR
 AND M71E1 PRIMER
 JA-1-10J                B01
 JA-1-14D                B01
 JA-1-19D                B01
 JA-1-23D                           DEMIL INDICATED COND CODE H
 JA-1-23M           SIU             REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 JA-1-3H                 B01
 JA-1-9F                 B01
 LS-1-4A                 B01
 LS-1-8H                 B01
 LS-13-3                            RQR INSTL OF PRESSURE PLATE
 LS-9-4                             RQR INSTL OF PRESSURE PLATE & REPL IGN SYS
 MA-17-11A                          RQR INSTL OF PRESSURE PLATE & REPL IGN SYS
 MA-17-19C                          DEMIL INDICATED COND CODE H
 MA-17-19G                          DEMIL INDICATED COND CODE H
 MA-17-19H                          DEMIL INDICATED COND CODE H
 MA-17-19J                          DEMIL INDICATED COND CODE H
 MA-17-19P                          DEMIL INDICATED COND CODE H
 MA-17-19Q                          DEMIL INDICATED COND CODE H
 MA-17-20           SIU             REPL FUZE
                                    REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 MA-17-20A          SIU             REPL FUZE
                                    REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 MA-17-20B          SIU             REPL FUZE
                                    REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 MA-17-20C          SIU             REPL FUZE
                                    REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 MA-17-20D          SIU             REPL FUZE
                                    REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 MA-17-20G          SIU             REPL FUZE
                                    REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 MA-17-20H          SIU             REPL FUZE
                                    REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 MA-17-21           SIU             REPL FUZE
                                    REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 MA-17-21A          SIU             REPL FUZE
                                    REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
 MA-17-21B          SIU             REPL FUZE
```

1315-00-0000000-C222 CTG 81MM HE M362 W/FUZE PD

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
			REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-17-24			RQR PRESSURE PLATE & REHEADING OF FUZE OR REFUZING
MA-17-24B			RQR PRESSURE PLATE & REHEADING OF FUZE OR REFUZING
MA-17-24G			RQR PRESSURE PLATE & REHEADING OF FUZE OR REFUZING
MA-17-24H			RQR PRESSURE PLATE & REHEADING OF FUZE OR REFUZING
MA-17-24R		B01	
MA-17-26A			RQR PRESSURE PLATE & REHEADING OF FUZE OR REFUZING
MA-17-26B			RQR PRESSURE PLATE & REHEADING OF FUZE OR REFUZING
MA-17-26F			RQR PRESSURE PLATE & REHEADING OF FUZE OR REFUZING
MA-17-32	SIU		REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68 REPL PRIMER IGN CTG & PROP INCR
MA-17-32A	SIU		REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68 REPL PRIMER IGN CTG & PROP INCR
MA-17-32C	SIU		REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68 REPL PRIMER IGN CTG & PROP INCR
MA-17-37A			RQR PRESSURE PLATE & REHEADING OF FUZE OR REFUZING
MA-17-45A	SIU		RQR REHEADING OF FUZE OR REFUZING REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-17-45B	SIU		RQR REHEADING OF FUZE OR REFUZING REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-17-45C	SIU		RQR REHEADING OF FUZE OR REFUZING REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-17-45D	SIU		RQR REHEADING OF FUZE OR REFUZING REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-17-45G	SIU		RQR REHEADING OF FUZE OR REFUZING REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-17-7P			RQR PRESSURE PLATE & REHEADING OF FUZE OR REFUZING
MA-19-1K		B01	
MA-19-1L		B01	
MA-19-1M		B01	
MA-19-2			REPL IGN CTG HOUSING RQR REHEADING OF FUZE OR REFUZING
MA-19-2A			REPL IGN CTG HOUSING RQR REHEADING OF FUZE OR REFUZING
MA-19-2B			REPL IGN CTG HOUSING RQR REHEADING OF FUZE OR REFUZING
MA-19-2C			REPL IGN CTG HOUSING RQR REHEADING OF FUZE OR REFUZING
MA-19-2D			REPL IGN CTG HOUSING RQR REHEADING OF FUZE OR REFUZING
MA-19-2F			REPL IGN CTG HOUSING RQR REHEADING OF FUZE OR REFUZING
MA-19-2H			REPL IGN CTG HOUSING RQR REHEADING OF FUZE OR REFUZING
MA-19-2S		B01	
MA-20-2H		B01	
MA-20-3	SIU		REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68 REPL FUZE
MA-20-3A	SIU		REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68 REPL FUZE
MA-20-3B	SIU		REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C222 CTG 81MM HE M362 W/FUZE PD			REPL FUZE
MA-20-7	SIU		RQR REHEADING OF FUZE OR REFUZING REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-20-7A	SIU		RQR REHEADING OF FUZE OR REFUZING REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-20-7B	SIU		RQR REHEADING OF FUZE OR REFUZING REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-20-7C	SIU		RQR REHEADING OF FUZE OR REFUZING REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68
MA-20-8F			DEMIL INDICATED
MA-21-33A		B01	
MA-21-4			RQR INSTL OF PRESSURE PLATE & REPL IGN SYS REPL UNSVC FUZE LOT
MA-21-5			REPL UNSVC FUZE LOT
MA-25-2G		B01	
MA-25-2H		B01	
MA-25-2J		B01	
MA-25-3G		B01	
MA-25-3H		B01	
MA-25-3J		B01	
MA-25-4G		B01	
MA-25-4H		B01	
MA-25-4K		B01	
MA-25-4L		B01	
MA-25-4M			DEMIL INDICATED
MA-25-5G		B01	
MA-25-5H		B01	
MA-27-2A			RQR INSTL OF PRESSURE PLATE & REPL IGN SYS
MA-27-2B			RQR INSTL OF PRESSURE PLATE & REPL IGN SYS
MA-27-2C			RQR INSTL OF PRESSURE PLATE & REPL IGN SYS
MA-27-4			RQR INSTL OF PRESSURE PLATE
MA-27-8A		B01	
MA-30-5			RQR INSTL OF PRESSURE PLATE & REPL IGN SYS
1315-00-0285004-C222 CTG 81MM HE M362 W/FUZE PD M519			
ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
1315-00-1167027-C222 CTG 81MM HE M362 W/FUZE PD M716			
ALL LOTS			ASSIGNED COND CODE F REPL FUZE
1315-00-0000000-C223 CTG 81MM HE M362 W/O FUZE			
ALL LOTS W/M71 AND M71E1 PRIMER			REPL PRIMER IGN CTG & PROP INCR
JA-1-2J			RQR 100% INSP FOR MISSING OR TORN PROP INCREMENTS ASSIGNED COND CODE E
JA-1-22A	SIU		REPL PRIMERS REPL PROP SYS ASSIGNED COND CODE F
JA-1-3A	SIU		DEMIL INDICATED
JA-1-4	SIU		REPL PRIMERS REPL PROP SYS ASSIGNED COND CODE F
JA-1-5	SIU		REPL PRIMERS

```
 LOT NUMBER      LIMIT RESTRICTION       FIX    OR    REASON

1315-00-0000000-C223  CTG 81MM HE M362 W/O FUZE
                                    REPL PROP SYS
                                    ASSIGNED COND CODE F
  JA-2-1                            REPL PRIMERS
                                    ASSIGNED COND CODE F
  JA-2-1C                   B01
  JA-2-2            SIU             REPL PRIMERS
                                    REPL PROP SYS
                                    ASSIGNED COND CODE F
  JA-3-4                            REPL PRIMERS
                                    ASSIGNED COND CODE F
  LS-1-10D          SIU             REPL PRIMERS
                                    REPL PROP SYS
                                    ASSIGNED COND CODE F
  LS-1-2                            REPL PRIMERS
                                    ASSIGNED COND CODE F
  LS-1-2C                   B01
  LS-1-3                            REPL PRIMERS
                                    ASSIGNED COND CODE F
  LS-1-3B                   B01
  LS-1-5A                           REPL PRIMERS
                                    ASSIGNED COND CODE F
  LS-1-5D                   B01
  LS-1-6                            DEMIL INDICATED COND CODE H
  LS-1-7C           SIU             REPL PRIMERS
                                    REPL PROP SYS
                                    ASSIGNED COND CODE F
  MA-17-17F                         DEMIL INDICATED COND CODE H
  MA-17-22C                         REPL PRIMERS
                                    ASSIGNED COND CODE F
  MA-17-24D                         REPL PRIMERS
                                    ASSIGNED COND CODE F
  MA-20-12L                         REPL PRIMERS
                                    ASSIGNED COND CODE F
  MA-20-12M                 B01
  MA-20-13J                         DEMIL INDICATED COND CODE H
  MA-22-7                           DEMIL INDICATED COND CODE H
  MA-25-2B                          REPL PRIMERS
  MA-25-2K          SIU             REPL PRIMERS
                                    REPL PROP SYS
                                    ASSIGNED COND CODE F
  MA-25-4C                          REPL PRIMERS
  MA-25-4F                  B01
  MA-25-5C                          REPL PRIMERS
1315-00-0284968-C225  CTG 81MM HE M43A1 OR M43A1B1 W/FUZE PD M52A
  ALL LOTS                          RQR REHEADING OF FUZE OR REFUZING
1315-00-0284970-C225  CTG 81MM HE M43A1 W/FUZE PD M52A2B1
  ALL LOTS                          RQR REHEADING OF FUZE OR REFUZING
1315-00-3011792-C225  CTG 81MM HE M43A1 W/FUZE PD M52A1B1
  ALL LOTS                          RQR REHEADING OF FUZE OR REFUZING
1315-00-5851739-C225  CTG 81MM HE M43A1 OR M43A1B1 W/FUZE PD M525A1
  ALL LOTS                  B01
```

1315-00-0000000-C226 CTG 81MM ILLUM M301

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
BER-1-28A		B01	
BER-1-32		B01	
BER-2-10		B01	
LOW-80-162			DEMIL INDICATED COND CODE H
LOW-80-184	SIU		REPL UNSVC FIN ASSY ASSIGNED COND CODE F
LOW-80-233			DEMIL INDICATED COND CODE H
LOW-80-258	SIU		REPL UNSVC FUZE LOT
LOW-80-260		B01	
LOW-80-261		B01	
LOW-80-262		B01	
LOW-80-263		B01	
LOW-80-9			DEMIL INDICATED COND CODE H
LOW-83-130	SIU		100% GAGING OF ADAPTER AND FIN ASSY THREADS
LOW-83-130B		B01	
LOW-83-164	SIU		REPL UNSVC PROP
LOW-83-17			ASSIGNED COND CODE F REPL FUZE
LOW-83-2	SIU		REPL PROP SYS & REPACK REPL UNSVC FUZE LOT
LOW-83-2B		B01	
LOW-85-43			DEMIL INDICATED COND CODE H
LOW-85-70			DEMIL INDICATED COND CODE H
LOW-90-5		B01	
LOW-91-2		B01	
LOW-96-8A		B01	
LOW-99-2		B01	
LOW83C102-004		B01	
LOW83C102-005		B01	RELEASED WITH RESTRICTION
LOW83D102-006		B01	
LOW83D103-001		B01	
LOW83E103-002		B01	
LOW84D106-003			EXCESSIVE MISFIRES
LOW84E108-002			EXCESSIVE MISFIRES ASSIGNED COND CODE J
LOW87H109-004		B01	
SA-500-1-73			DEMIL INDICATED COND CODE H
TKL-1-21A		B01	
TKL-4-18		B01	
TKL-4-19		B01	
TKL-4-2		B01	
TKL-4-20		B01	
TKL-4-23		B01	
TKL-4-24		B01	
TKL-4-25	SIU		REQ 100% INSP AND GAGING
TKL-4-25A		B01	
TKL-4-25B		B01	
TKL-4-25C		B01	
TKL-4-28		B01	
TKL-4-29		B01	
TKL-4-30		B01	
TKL-4-31		B01	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C226		CTG 81MM ILLUM M301	
TKL-4-4		B01	
TKL-4-7		B01	
TKL-5-9			ASSIGNED COND CODE E BEND INCREMENT HOLDERS TO 45 DEGREES.
1315-00-0000000-C227		CTG 81MM TP M43A1 W/FUZE PD M52B10	
AOY-502-1		B01	
AOY-502-2		B01	
MA-10-1B		B01	
1315-00-0284998-C227		CTG 81MM TP M43A1 W/FUZE PD M52B1	
ALL LOTS			REPL TETRYL BOOSTER W/BLACK POWDER CHG
1315-00-0285000-C227		CTG 81MM M43A1 W/FUZE PD M52A2	
ALL LOTS			REPL TETRYL BOOSTER W/BLACK POWDER CHG
1315-00-0285001-C227		CTG 81MM TP M43A1 W/FUZE PD M52A2	
ALL LOTS			REPL TETRYL BOOSTER W/BLACK POWDER CHG
1315-00-0285002-C227		CTG 81MM TP M43A1 W/FUZE PD M52A2	
ALL LOTS			REPL TETRYL BOOSTER W/BLACK POWDER CHG
1315-00-5092972-C227		CTG 81MM TP W/FUZE PD M52 SERIES	
ALL LOTS			REPL TETRYL BOOSTER W/BLACK POWDER CHG
1315-00-0000000-C230		CTG 81MM SMK WP M57A1 W/FUZE PD	
OAP-4-4J		B01	
RD-3-36F		B01	
RD-4-32J		B01	
RD-4-69D			REPL PROP AND TAIL ASSY RQR PULL TEST
RD-5-39C		B01	
RD-5-51H		B01	
RD-5-57L	SIU		DEMIL INDICATED
RD-7-33F			DEMIL INDICATED COND CODE H
RD-7-38A			DEMIL INDICATED
RYC-501-1		B01	
RYC-501-2		B01	
RYC-501-3		B01	
RYC-501-4		B01	
RYC-501-5		B01	
SRD-504-1	SIU		DEMIL INDICATED
1315-00-0284976-C230		CTG 81MM WP M57 W/FUZE PD M52A1	
ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
1315-00-0284985-C230		CTG 81MM WP M57 W/FUZE PD M52A1	
ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
1315-00-0284987-C230		CTG 81MM WP M57A1 W/FUZE PD M52A1	
ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
1315-00-0284988-C230		CTG 81MM WP M57A1 W/FUZE PD M52A1	
ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
1315-00-0284992-C230		CTG 81MM SMOKE WP M57 W/FZ PD	
ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
1315-00-0284999-C230		CTG 81MM WP M57 W/FUZE PD M52A2	
ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
1315-00-3011808-C230		CTG 81MM WP M57 W/FUZE PD M52 SERIES	
ALL LOTS			RQR REHEADING OF FUZE OR REFUZING
1315-00-5851741-C230		CTG 81MM WP M57 W/FUZE PD M525A1	
ALL LOTS			RQR REHEADING OF FUZE OR REFUZING

```
LOT NUMBER      LIMIT RESTRICTION         FIX     OR     REASON

1315-00-6824627-C230  CTG 81MM SMOKE WP M57 SERIES W/FZ PD
 ALL LOTS               B01
1315-00-7296566-C230  CTG 81MM SMOKE WP M57 SERIES W/FZ PD
 ALL LOTS          SIU          DEMIL INDICATED COND CODE H
1315-00-9359209-C230  CTG 81MM WP M57A1 W/FUZE PD M717
 ALL LOTS                       ASSIGNED COND CODE F
                                REPL FUZE
1315-00-9359210-C230  CTG 81MM WP M57 W/FUZE PD M717
 ALL LOTS                       ASSIGNED COND CODE F
                                REPL FUZE
1315-00-9650860-C230  CTG 81MM WP M57A1 W/FUZE PD M525A1
 ALL LOTS               B01
1315-00-0284984-C231  CTG 81MM M57 W/FUZE TSQ M77
 ALL LOTS          SIU          REPL FUZE
1315-00-0284989-C231  CTG 81MM WP M57 W/FUZE TSQ M77
 ALL LOTS          SIU          REPL FUZE
1315-00-8924101-C234  CTG 81MM M370  W/FUZE PD M524
 ALL LOTS          SIMU         DEMIL INDICATED COND CODE H
1315-00-0000000-C236  CTG 81MM HE M374 W/O FUZE
 MA-1-5A                        100% INSP FOR MISSING IGNITION CTGS
                                100% INSP FOR MISSING PROPELLANT INCREMENTS
                                ASSIGNED COND CODE E
 MA-14-62B              B01
 MA-140-1                       REPL PRIMERS
                                ASSIGNED COND CODE F
 MA-140-1A                      REPL PRIMERS
                                ASSIGNED COND CODE F
 MA-140-1B                      REPL PRIMERS
                                ASSIGNED COND CODE F
 MA-140-1C              B01
 MA-2-43B                       ASSIGNED COND CODE F
                                REPL UNSVC FIN ASSY
                                REPL UNSVC PROP
 MA-2-43D               B01
 MA-3-1A                B01
 MA-4-4                 B01
 MA-4-5                 B01
 MA-4-6                 B01
 MA-4-8                         ASSIGNED COND CODE F
                                REPL PRIMERS
 MA-4-8A                B01
1315-00-8265404-C239  CHG PROP INC M2A1
 HPC-36352         SIU          DEMIL IMMEDIATELY  COND CODE H
1315-00-0000000-C240  CHG PROPELLING M1A1 81MM
 RAD-33942         SIU          DEMIL INDICATED
1315-00-0000000-C243  CTG IGNITION M3
 WRA-1                          DEMIL INDICATED COND CODE H
 WRA-10                         DEMIL INDICATED COND CODE H
 WRA-11                         DEMIL INDICATED COND CODE H
 WRA-12                         DEMIL INDICATED COND CODE H
 WRA-13                         DEMIL INDICATED COND CODE H
 WRA-14                         DEMIL INDICATED COND CODE H
 WRA-15                         DEMIL INDICATED COND CODE H
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C243 CTG IGNITION M3			
WRA-16			DEMIL INDICATED COND CODE H
WRA-17			DEMIL INDICATED COND CODE H
WRA-18			DEMIL INDICATED COND CODE H
WRA-19			DEMIL INDICATED COND CODE H
WRA-2			DEMIL INDICATED COND CODE H
WRA-20			DEMIL INDICATED COND CODE H
WRA-21			DEMIL INDICATED COND CODE H
WRA-22			DEMIL INDICATED COND CODE H
WRA-23			DEMIL INDICATED COND CODE H
WRA-3			DEMIL INDICATED COND CODE H
WRA-4			DEMIL INDICATED COND CODE H
WRA-5			DEMIL INDICATED COND CODE H
WRA-6			DEMIL INDICATED COND CODE H
WRA-7			DEMIL INDICATED COND CODE H
WRA-8			DEMIL INDICATED COND CODE H
WRA-9			DEMIL INDICATED COND CODE H
1315-00-0000000-C255 CTG 81MM HE M374 W/FUZE PD M526			
MA-120-6			REPL IGN CTG HOUSING
MA-120-8			REPL IGN CTG HOUSING
1315-00-0000000-C256 CTG 81MM HE W/FUZE			
C-500-14	SIU		REPL IGN CTG HOUSING W/HOUSING MFG AFTER 2-68, INSTALL DELRIN BAND
HAW87G001-018		B01 C17	RELEASED WITH RESTRICTION
IOP-10-10G			RELEASED FROM TEMPORARY SUSPENSION
KN-14-1		B01	
KN-19-10		B01	
KN-19-11		B01	
KN-19-3		B01 C17	RELEASED WITH RESTRICTION
KN-19-6		B01	
KN-19-7		B01	
KN-19-8		B01	
KN-19-9		B01	
KN-22-21		B01	
KN-22-22		B01	
KN-22-23			RQR X-RAY OF PROJ BODY ADAPTER THREADS
KN-22-23B		S28	
KN-22-30	SIU		REPL IGN CTG HOUSING
KN-22-9	SIU		REPL UNSVC FIN ASSY
KN-22-9B		B01 R23	
KN-23-1			RQR INSP OF PRIMERS
			ASSIGNED COND CODE E
KN-23-5			100% SCREENING FOR REPL OF SUSP FIN ASSY
KN-23-5C		B01 R23	
KN-27-21B		B01	
KN-28-1	SIU		RQR REMOVAL OF IGN CTG HOUSING DOUBLE THREADED IN FWD END
KN-9-79F		B01 R23	
KN-9-81G		B01 R23	
LS-16-3	SIU		RQR INSP & REPL OF FUZES
LS-24-11			REPL IGN CTG HOUSING W/HOUSING MFG AFTER FEB 1968
LS-28-46			REPL IGN CTG HOUSING W/HOUSING MFG AFTER FEB 1968
LS-28-5			REPL IGN CTG HOUSING W/HOUSING MFG AFTER FEB 1968
LS-3-146	SIU		RQR 100% SCREENING FOR CORRECT INCREMENTS

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1315-00-0000000-C256 CTG 81MM HE W/FUZE			
				ASSIGNED COND CODE F
	LS-51-18			RQR INSP FOR LOOSE OR HIGH PRIMERS
	LS-51-2A		B01	
	LS-51-27		B01	
	LS-51-3A		B01	
	LS-52-7			RQR SCREENING
				RQR REMOVAL OF IGN CTG HOUSING DOUBLE THREADED IN FWD END
	LS-54-11		B01	
	LS-54-12		B01	
	LS-54-13		B01	
	LS-54-20			ASSIGNED COND CODE F
				RQR 100% X-RAY F/DOUBLE THREADED BODIES
				RQR INSP FOR PROPER THREADS
	LS-54-4		B01 C17	RELEASED WITH RESTRICTION
	LS-58-3	SIU		RQR X-RAY OF FUZE
				ASSIGNED COND CODE F
	LS-58-4	SIU		RQR X-RAY
				RQR 100% ULTRASONIC INSP
				ASSIGNED COND CODE F
	LS-58-5	SIU		REQ X-RAY FOR EXPLOSIVES CAVITATION
				ASSIGNED COND CODE F
	LS-58-6	SIU		RQR X-RAY OF FUZE
				ASSIGNED COND CODE F
	LS-61-1	SIU		REQ X-RAY FOR EXPLOSIVES CAVITATION
				ASSIGNED COND CODE F
	LS-67-135			RQR X-RAY
				RQR INSP OF THREADS
	LS-67-136			RQR X-RAY
				RQR INSP OF THREADS
	LS-67-137			RQR X-RAY
				RQR INSP OF THREADS
|	LS-67-137A	SIU		RQR 100% SCREENING FOR CORRECT INCREMENTS
|				ASSIGNED COND CODE E
	LS-67-139	SIU		RQ 100% INSP FOR LEAKING PROP BAGS
				ASSIGNED COND CODE E
	LS-70-3		B01	
	LS-70-5		B01	
	MA-100-5			REPL IGN CTG HOUSING
	MA-101-57			REPL IGN CTG HOUSING W/HOUSING MFG AFTER FEB 1968
	MA-102-40			REPL IGN CTG HOUSING W/HOUSING MFG AFTER FEB 1968
	MA-102-6			REPL IGN CTG HOUSING W/HOUSING MFG AFTER FEB 1968
|	MA-105-80		F02	
	MA-105-76		B01	
	MA-105-77		B01	
	MA-105-78		B01	
	MA-105-81		B01	
	MA-11-63	SIU		REPL PRIMER IGN CTG & PROP INCR
				INSTALL SPLIT RING OBTURATOR
				RQR REPACK
	MA-123-15A	SIU		REPL UNSVC FIN ASSY
	MA-13-6	SIU		REPL PRIMER IGN CTG & PROP INCR

1315-00-0000000-C256 CTG 81MM HE W/FUZE

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
			INSTALL SPLIT RING OBTURATOR RQR REPACK
MA-131-133		B01	
MA-131-133B		B01 R23	
MA-131-134		B01	
MA-131-134B		B01 R23	
MA-131-147		B01	
MA-131-179			REPL FUZE REPL UNSVC FIN ASSY ASSIGNED COND CODE F
MA-131-179A			REPL FUZE ASSIGNED COND CODE F
MA-131-180	SIU		REPL FUZE ASSIGNED COND CODE F
MA-131-181	SIU		REPL FUZE ASSIGNED COND CODE F
MA-131-181A	SIU		REPL FUZE ASSIGNED COND CODE F
MA-131-182	SIU		REPL FUZE ASSIGNED COND CODE F
MA-131-47	SIU		REPL UNSVC FIN ASSY
MA-131-5			REQ 100% X-RAY FOR PROPER FIN THREADING
MA-131-5A		B01 R23	
MA-131-5B		B01 R23	
MA-131-5C		B01 R23	
MA-135-1			REQ X-RAY FOR EXPLOSIVES CAVITATION
MA-135-1A			ASSIGNED COND CODE F RQR 100% X-RAY FROM 2 PLANES FOR MPTS DEFECTS AND THIN WALLS
MA-136-31			ASSIGNED COND CODE F REPL UNSVC FIN ASSY
MA-136-32			ASSIGNED COND CODE F REPL UNSVC FIN ASSY
MA-136-43	SIU		REPL UNSVC FIN ASSY
MA-136-43F		B01 C17	RELEASED WITH RESTRICTION
MA-136-73		B01	
MA-136-74		B01	
MA-136-75		B01	
MA-137-1			ASSIGNED COND CODE F REPL PRIMERS
MA-138-15A		B17	
MA-138-17A		B17	
MA-138-32			ASSIGNED COND CODE F REPL PRIMERS
MA-138-40			ASSIGNED COND CODE F REPL PRIMERS
MA-138-42			ASSIGNED COND CODE F REPL UNSVC PRIMER LOT
MA-138-43			ASSIGNED COND CODE F REPL UNSVC PRIMER LOT
MA-138-44			ASSIGNED COND CODE F REPL UNSVC PRIMER LOT

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C256 CTG 81MM HE W/FUZE			
MA-138-45			ASSIGNED COND CODE F REPL UNSVC PRIMER LOT
MA-138-46			ASSIGNED COND CODE F REPL PRIMER LOT MA-6-73A
MA-138-47			ASSIGNED COND CODE F REPL PRIMERS
MA-14-5			REPL PROP SYS & REPACK
MA-14-6			REPL PROP SYS & REPACK
MA-16-1C		B01	
MA-4-5A		B01	
MA-80C145-012	SIU		EXCESSIVE DUDS ASSIGNED COND CODE J
MA-80C145-013	SIU		EXCESSIVE DUDS ASSIGNED COND CODE J
MA-80E145-021	SIU		CONTAINS SUSPENDED FUZE LOT
MA-80E145-022	SIU		CONTAINS SUSPENDED FUZE LOT
MA-80K146-001			EXCESSIVE MISFIRES EXCESSIVE DUDS ASSIGNED COND CODE N
MA-80K146-003			EXCESSIVE MISFIRES EXCESSIVE DUDS ASSIGNED COND CODE N
MA-80L146-005			EXCESSIVE MISFIRES EXCESSIVE DUDS ASSIGNED COND CODE N
MA-80L146-007			EXCESSIVE MISFIRES ASSIGNED COND CODE J
MA-81B146-015	SIU		CONTAINS SUSPENDED FUZE LOT
MA-81E147-005			REQ 100% X-RAY FOR PROPER FIN THREADING ASSIGNED COND CODE F
MA-81E147-006			REQ 100% X-RAY FOR PROPER FIN THREADING ASSIGNED COND CODE F
MA-81E147-006C		B17	
MA-81E147-007			REQ 100% X-RAY FOR PROPER FIN THREADING ASSIGNED COND CODE F
MA-82E152-001		B01	
MA-82E152-002		B01	
MA-82E152-003		B01	
MA-82F153-001		B01	
MA-82F153-002		B01	
MA-82G153-003		B01	
MA-82M154-005		B01	
MA-83C153-008		B01 C17	
MA-83C153-009		B01 C17	
MA-83C153-010		B01 C17	
MA-83D153-011		B01 C17	
MA-83D153-012		B01 C17	
MA-83E153-013		B01 C17	
MA-83E153-014	SIU		REPL UNSERV IGN CTG ASSIGNED COND CODE F
MA-83G154-012			REPL UNSVC FIN ASSY

```
  LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

1315-00-0000000-C256  CTG 81MM HE W/FUZE
                                REPL UNSERV IGN CTG
                                COND CODE N APPLIES
  MA-83G154-013         B01 C17
  MA-83G154-015         B01 C17
  MA-83H153-015         B01 C17
  MA-83H153-016    SIU          REPL UNSERV IGN CTG
                                ASSIGNED COND CODE F
  MA-83H154-014         B01
  RVA-500-19B           B01
  RVA-500-23B      SIU          REPL PRIMERS
                                REPL UNSERV IGN CTG
                                ASSIGNED COND CODE F
1315-00-7825544-C256  CARTRIDGE 81MM HE M374 W/FUZE PD
  ALL LOTS         SIU          REPL PRIMER IGN CTG PROP INC FUZES REPACK IN JUNGLE PACK AND RETEST
1315-00-7825547-C256  CTG 81MM HE M374 W/FUZE PD M524E5
  ALL LOTS         SIU          REPL PRIMER IGN CTG PROP INC FUZES REPACK IN JUNGLE PACK AND RETEST
1315-00-9261906-C256  CTG 81MM HE M374 FUZE PD M524A4
  ALL LOTS         SIU          REPL PRIMER IGN CTG PROP INC FUZES REPACK IN JUNGLE PACK AND RETEST
1315-00-9351932-C256  CTG 81MM HE M374A2 W/FUZE PD M716
  ALL LOTS                      ASSIGNED COND CODE F
                                REPL FUZE
1315-00-9356008-C256  CTG 81MM HE M374 W/FUZE PD M716
  ALL LOTS                      ASSIGNED COND CODE F
                                REPL FUZE
1315-00-9356011-C256  CTG 81MM HE M374 W/FUZE M716
  ALL LOTS                      ASSIGNED COND CODE F
                                REPL FUZE
1315-00-9356030-C256  CTG 81MM HE M374 W/FUZE PD M716
  ALL LOTS                      ASSIGNED COND CODE F
                                REPL FUZE
1315-00-9359215-C256  CTG 81MM HE M374A1 W/FUZE PD M716
  ALL LOTS                      ASSIGNED COND CODE F
                                REPL FUZE
1315-00-0000000-C258  CTG 90MM SMOKE WP M313C
  OAP-1-43D                     ASSIGNED COND CODE N
                                CONTAINS SUSPENDED FUZE LOT
  SOG82K001G056    SIU          DEMIL INDICATED COND CODE H
  SOG82L001G057                 ASSIGNED COND CODE N
                                CONTAINS SUSPENDED FUZE LOT
1315-00-3011744-C265  CTG 90MM HE M71 W/FUZE MT M43A3 OR M43A4
  ALL LOTS         SIU          REPL FUZE
1315-00-3011745-C265  CTG 90MM HE M71 W/FZ MT
  ALL LOTS         SIU          REPL FUZE
1315-00-0000000-C273  CTG 90MM SMK WP M313 W/FUZE PD M48A3
  OAP-1-12                      RQR INSP FOR CRITICAL DEFECTS
  OAP-1-20                      RQR INSP FOR CRITICAL DEFECTS
  OAP-3-3                       RQR INSP FOR CRITICAL DEFECTS
  OAP-4-50                      RQR INSP FOR CRITICAL DEFECTS
  OAP-4-58                      REPL UNSVC CTG CASE LOT
  OAP-4-63                      RQR INSP FOR CRITICAL DEFECTS
1315-00-0000000-C275  CTG 90MM APERS-T XM580E1
```

```
  LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

 1315-00-0000000-C275  CTG 90MM APERS-T XM580E1
   IOP-3-17                        AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
   IOP-3-22                        AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
   IOP-3-23                        AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
   IOP-3-24                        AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
   IOP-3-25                        AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
 1315-00-0000000-C276  CTG 81MM WP M375A2 W/FUZE PD M524A6
   LS-17-1G                        DEMIL INDICATED COND CODE H
|  LS-29-19        SIU             REPL PRIMERS
|                                  REPL FUZE
|                                  ASSIGNED COND CODE F
   LS-29-21                        REPL UNSVC FIN ASSY
   LS-29-23                        REPL UNSVC FIN ASSY
   LS-33-7         SIU             DEMIL INDICATED COND CODE H
|  LS-51-33             B01
   LS-53-4              B01
   MA-51-9                         REPL PROP SYS & REPACK
   MA-53-6         SIU             INSTALL SPLIT RING OBTURATOR
                                   REPL PROP SYS & REPACK
   MA-55-3A                        REPL PROP SYS & REPACK
   PB-1-6          SIU             REPL FUZE
                                   ASSIGNED COND CODE F
|  PB-5-11              B01
   PB-7-3               B01
 1315-00-9351929-C276  CTG 81MM WP M375A1 W/FUZE PD M716
   ALL LOTS                        ASSIGNED COND CODE F
                                   REPL FUZE
 1315-00-9356034-C276  CTG 81MM WP M375 W/FUZE PD M716
   ALL LOTS                        ASSIGNED COND CODE F
                                   REPL FUZE
 1315-00-9356162-C276  CTG 81MM WP M375 W/FUZE PD M716
   ALL LOTS                        ASSIGNED COND CODE F
                                   REPL FUZE
 1315-00-9359221-C276  CTG 81MM WP M375A1 W/FUZE PD M716
|  ALL LOTS                        REPL FUZE
|                                  ASSIGNED COND CODE F
 1315-00-0000000-C280  CTG 90MM HE-T M71A1 W/FUZE PD
   JA-19-2X             F02
   JA-19-3B             F02
   JA-19-3X             F02
   JA-19-4X             F02
   JA-8-14B             F02
   JA-8-15XA            F02
   JA-8-16XC            F02
   JA-8-3B              F02
   KOP-51-44B           F02
   KOP-51-71A           F02
   KOP-51-76A           F02
   KOP-52-150D          F02
   KOP-52-152B          F02
   KOP-52-158B          F02
   KOP-52-164XB         F02
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C280	CTG 90MM HE-T M71A1 W/FUZE PD		
KOP-52-168XF		F02	
KOP-52-169XF		F02	
KOP-52-171C		F02	
KOP-52-174XB		F02	
KOP-52-59XA		F02	
KOP-52-70D		F02	
KOP-52-70XA		F02	
KOP-52-70XF		F02	
KOP-52-73XA		F02	
KOP-52-90XB		F02	
KOP-52-93XC		F02	
KOP-52-94XD		F02	
MCA-500-1		F02	
RVA-30-48XA		F02	
RVA-30-51XA		F02	
RVA-30-53D		F02	
RVA-30-53XA		F02	
RVA-30-58XA		F02	
RVA-30-59XA		F02	
RVA-30-59XB		F02	
RVA-30-61C		F02	
RVA-30-62C		F02	
RVA-30-63B		F02	
RVA-30-63XA		F02	
RVA-30-67B		F02	
RVA-35-29F		F02	
RVA-35-29XB		F02	
SA-500-50-10		F02	
SA-500-50-70		F02	
SOD-500-4X			REPL CTG CASES
SOD-501-5A		F02	
SOD-504-13		F02	
SOD-504-14		F02	
SOD-504-5		F02	
SOD-504-6		F02	
SOD-504-7		F02	
SOD-504-8		F02	
SOD-504-9A		F02	
1315-00-0000000-C282	CTG 90MM HEAT M371E1 AND M371A1		
ALL LOTS W/O A LUCKY ELEMENT		B01	
IOP-1-1			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-1-2			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-1-3			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-1			RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-10			RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-10A			RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-10B	SIU		RQR X-RAY OF PROJ BODY ADAPTER THREADS

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1		
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-10C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-10D	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-11	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-10-11A	SIU	RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-10-11B	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-11C	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-11D	SIU	RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-11F	SIU	RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		ASSIGNED COND CODE E
IOP-10-11G	SIU	RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		ASSIGNED COND CODE E
IOP-10-11J	SIU	RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		ASSIGNED COND CODE E
IOP-10-11K	SIU	RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		ASSIGNED COND CODE E
IOP-10-11L	SIU	RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		ASSIGNED COND CODE E
IOP-10-11M	SIU	RQR 100% INSP FOR PRIMERS ABOVE FLUSH
		ASSIGNED COND CODE E
IOP-10-12B	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-12C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-13		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-13A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-13B	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-13C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-13D	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-14A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1		
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-15A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-16A		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-17A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-18B	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-18C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-19		RQR INSP OF PRIMERS
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-19D	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-19F	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-2B	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-2C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-2D	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-20	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-20C		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-20D	SIU	ASSIGNED COND CODE F
		REPL FUZE
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-20F	SIU	ASSIGNED COND CODE F
		REPL FUZE
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-21		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-21A		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-22		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-22A		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-22B		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-23		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-24		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-25		RQR X-RAY OF FIN FOR FLASH HOLES
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-25A		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-25B	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS

1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1

LOT NUMBER	LIMIT	RESTRICTION FIX OR REASON
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-25E		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-26		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-26A		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-26B		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-26E		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-27		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-28		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-28A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-29		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-3A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-3B	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-30		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-30A		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-31		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-32		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-33		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-34		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-35		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-36		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-37		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-4C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-4D	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-5A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-6		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-6A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-6B	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-6C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-7		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-7A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-8		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-10-8A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1		
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-8B	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-8C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-10-9B	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-11-1		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-1		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-1A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-12-2		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-2A		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-2B	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-12-3		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-3A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-12-4		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-4A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-12-5		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-6		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-7		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-8		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-12-9		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-1		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-10	SIU	DEMIL INDICATED COND CODE H
IOP-13-11	SIU	DEMIL INDICATED COND CODE H
IOP-13-12		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-13		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-13A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-13-14		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-15		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-16		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-17		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-18		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-19		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-2		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-2A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-13-20		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-21		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-21A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-13-22		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-23		RQR X-RAY OF ADAPTER AND FIN THREADS

1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
IOP-13-24			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-25			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-3			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-3A	SIU		ASSIGNED COND CODE F
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-13-4			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-4A	SIU		ASSIGNED COND CODE F
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-13-5			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-5A			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-13-5B	SIU		ASSIGNED COND CODE F
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-13-5C	SIU		ASSIGNED COND CODE F
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-13-6		B01	
IOP-13-6A	SIU		ASSIGNED COND CODE F
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-13-7	SIU		DEMIL INDICATED COND CODE H
IOP-13-8	SIU		DEMIL INDICATED COND CODE H
IOP-13-9	SIU		DEMIL INDICATED COND CODE H
IOP-2-1B	SIU		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-2-1C	SIU		ASSIGNED COND CODE F
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-10A	SIU		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-2-10B	SIU		RQR X-RAY OF PROJ BODY ADAPTER THREADS
			RQR X-RAY OF ADAPTER AND FIN THREADS
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-10C	SIU		ASSIGNED COND CODE F
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-12C			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-2-2			RQR INSP FOR METALLIC FILINGS IN NOSE CAP
			RQR X-RAY OF ADAPTER AND FIN THREADS
			RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
IOP-2-2A	SIU		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-2-2B			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-2-2C	SIU		ASSIGNED COND CODE F
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-2D	SIU		ASSIGNED COND CODE F
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-3			RQR INSP FOR METALLIC FILINGS IN NOSE CAP
			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-2-3B			RQR INSP FOR METALLIC FILINGS IN NOSE CAP
			RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-2-3D	SIU		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
			ASSIGNED COND CODE F
IOP-2-3F	SIU		RQR X-RAY OF PROJ BODY ADAPTER THREADS
			RQR X-RAY OF ADAPTER AND FIN THREADS
			RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-3G	SIU		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
			ASSIGNED COND CODE F
IOP-2-3J	SIU		ASSIGNED COND CODE F

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-3K	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-4B		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-2-4D	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-4F	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-4G	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-4J	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-5D		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-2-6		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
IOP-2-6F	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-2-6G		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-2-6J	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-6K	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-7B	SIU	ASSIGNED COND CODE F RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-7C	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-2-7D	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-8A	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-2-8B	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-9A	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-2-9B	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-2-9C	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-1A	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-3-1B	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-1C	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-11B	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-3-11D	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-11J	SIU	ASSIGNED COND CODE F RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP

1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
IOP-3-11K	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-12B	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-3-12G		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-3-13G		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-3-2A	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-3-2C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-3C	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-3-3D	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-3F	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-4B	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-5C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-5D	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-6C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-7B	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-7C		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-3-7F		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-3-7H	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-7J		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-3-7K	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-8		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
IOP-3-8A		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
IOP-3-8D	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-3-8J	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-8K	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-8L		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-3-8M	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-9		RQR INSP FOR METALLIC FILINGS IN NOSE CAP

1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
IOP-3-9D	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-3-9F	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-1		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-4-1F	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-4-1H	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-1J	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-4-1K	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-4-1N	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-1Q	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-10A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-10B	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-11A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-11C	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-11G	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-2A	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
IOP-4-2D	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-3F	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-4-3H	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-4B	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-4-4F	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-5C	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-4-5K		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-4-5L	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-6D	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-6F	SIU	ASSIGNED COND CODE F

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1		
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-6G	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-7A	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-7F	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-7G	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-8A	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-4-8C	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-8F	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-9A		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
IOP-4-9F	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-9G	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-4-9J	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-5-1B		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-5-1G	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-5-1J	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-5-2B		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-5-2D	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-5-2F	SIU	ASSIGNED COND CODE E
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-10B	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-10F	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-11B		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-6-11C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-12A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP

1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
IOP-6-13C		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-6-13D	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-13F	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-13G	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-13J	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-14B	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-15A	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-15B	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-15C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-15D	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-18B		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-6-19A	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-19B	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-19C	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-19D	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-19F	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-19G	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-20B	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-6-20D	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-21B		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-6-21C	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-22A	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-22B	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-22C	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-22D	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-3B	SIU	ASSIGNED COND CODE F

1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-5A	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-6B		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-6-6C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-6D	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-8D		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-6-8F	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-8G		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-6-8J		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-6-8K	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-8L	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-8M	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-6-8N	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-1A		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
		REPL UNSVC PROP
IOP-7-10A	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-11A	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-12A		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-13A	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-14A	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-15A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-16A		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-17		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-17A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-17B	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP

LOT NUMBER	LIMIT	RESTRICTION FIX OR REASON
1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1		
IOP-7-18		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-18A		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-18B	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-18C	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-18D	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-19		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-19A	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-2A		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-2B	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-2C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-2D	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-20		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-20A	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-21		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-21A	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-21B	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-21C		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-21D	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-21F	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-22		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-22B	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-23		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-23A	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-23B	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-24A	SIU	ASSIGNED COND CODE F RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-25		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-25C	SIU	ASSIGNED COND CODE F RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-26		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-26A	SIU	ASSIGNED COND CODE F RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-26B	SIU	ASSIGNED COND CODE F RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-26C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-26F	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-26G	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-27		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-28		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
IOP-7-28A	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-28B	SIU	ASSIGNED COND CODE F RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-28D	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-3A		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-4A		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-5A		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-7-6A	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-7A	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-8A	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-7-9A	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-8-1		RQR X-RAY OF ADAPTER AND FIN THREADS

1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
IOP-8-1A	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-8-1B	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-1	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-1A	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-1B	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-10		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-9-11		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-9-2	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-2A	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-2B	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-2C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-3		RQR INSP FOR METALLIC FILINGS IN NOSE CAP RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-9-3A	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-3C	SIU	ASSIGNED COND CODE F RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-3F	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-5A	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-9-5C	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-6		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-9-6A	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-9-6C	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-7	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-7A	SIU	ASSIGNED COND CODE F RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-7B	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-7C	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS RQR X-RAY OF ADAPTER AND FIN THREADS RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-7D	SIU	ASSIGNED COND CODE F

1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-8		RQR X-RAY OF ADAPTER AND FIN THREADS
IOP-9-8A	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
IOP-9-8C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
IOP-9-9		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-SR-1-63	SIU	RQR INSP OF FIN ASSY
MA-SR-13-63	SIU	RQR X-RAY OF FIN FOR FLASH HOLES
MA-SR-20-62	SIU	RQR X-RAY OF FIN FOR FLASH HOLES
MA-SR-24B	SIU	RQR INSP OF FIN ASSY
MA-SR-7-63	SIU	RQR INSP OF FIN ASSY
MA-20-1		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-20-1A		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-20-2		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-20-2A		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-20-3		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-20-4		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-20-5		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-20-6		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-20-7		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-20-8		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-1		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
MA-21-1B		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-1C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-1F	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-1G	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-1H		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-1J	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-1K	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-1L	SIU	ASSIGNED COND CODE E
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-1M	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-10A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-11B		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-11D	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP

1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
MA-21-11F	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-11G	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-12B		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-12C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-12F	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-12G	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-12J	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-12L	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-13	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
MA-21-13C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-13D		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-13F		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-13G	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-13J	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-14	SIU	RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
MA-21-14C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-2B		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-2C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-2D	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-2G		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-2H	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-2J	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-2K	SIU	ASSIGNED COND CODE E
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-3		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR INSP FOR METALLIC FILINGS IN NOSE CAP

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C282 CTG 90MM HEAT M371E1 AND M371A1		
		RQR X-RAY OF FIN & INSERT INSULATION CUP OVER LUCKY ELEMENT
MA-21-3C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-3F		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-3G	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-3J	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-3K	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-4A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-4F	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-5A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-5C		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-5D	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-5K	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-6A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-6F		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-6G	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-6J	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-7A	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-7F		ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-8C		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-8D	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-8F	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-9B		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-21-9C	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-9G	SIU	RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR X-RAY OF ADAPTER AND FIN THREADS

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C282	CTG 90MM HEAT M371E1 AND M371A1	
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-9J	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
MA-21-9K	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
RYC-521-1	SIU	ASSIGNED COND CODE F
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
RYC-521-2	SIU	ASSIGNED COND CODE F
		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
RYC-521-3		RQR X-RAY OF ADAPTER AND FIN THREADS
RYC-521-4		RQR X-RAY OF ADAPTER AND FIN THREADS
RYC-521-5		RQR X-RAY OF ADAPTER AND FIN THREADS
RYC-521-6		RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% REPL OF PROP BAGS
RYC-521-7	SIU	RQR X-RAY OF ADAPTER AND FIN THREADS
		RQR 100% REPL OF PROP BAGS
		RQR 100% INSP FOR, AND REMOVAL OF METALLIC CONTAM IN NOSE CAP
SOG82D001G001		RQR X-RAY OF PROJ BODY ADAPTER THREADS
		RQR INSP FOR METALLIC FILINGS IN NOSE CAP
SOG82D001G002		RQR X-RAY OF PROJ BODY ADAPTER THREADS
1315-00-9261863-C282	CTG 90MM HEAT M371 W/FUZE PIBD M530	
ALL LOTS		DEMIL INDICATED COND CODE H
1315-00-0000000-C283	CTG 90MM PRACTICE M371 W/FUZE PIBD M530A1	
MA-31-2		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-31-3		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-31-4		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-31-5		RQR X-RAY OF ADAPTER AND FIN THREADS
MA-31-7		RQR X-RAY OF ADAPTER AND FIN THREADS
1315-00-0000000-C285	CTG 90MM AP-T M318 SERIES	
ALL LOTS P0258		RQR INSP OF PRIMERS
IOP-10-10X	B03	
IOP-10-11X	B03	
IOP-10-12X	B03	
IOP-10-13X	B03	
IOP-10-14X	B03	
IOP-10-15X	B03	
IOP-10-16X	B03	
IOP-10-2X	B03	
IOP-10-3X	B03	
IOP-10-4X	B03	
IOP-10-6X	B03	
IOP-10-7X	B03	
IOP-10-8X	B03	
IOP-10-9X	B03	
IOP-11-3X	B03	
IOP-11-4X	B03	
IOP-14-4X	B01	
IOP-14-5X	B01	
IOP-15-1	B01	
IOP-15-10	B01	

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C285	CTG 90MM AP-T M318 SERIES	
IOP-3-5D	B01	
IOP-4-31A	B01	
IOP-5-18X	B03	
IOP-5-19X	B03	
IOP-5-20X	B03	
IOP-5-21X	B03	
IOP-5-22X	B03	
IOP-5-23X	B03	
IOP-5-24X	B03	
IOP-5-25X	B03	
IOP-5-26X	B03	
IOP-5-27X	B03	
IOP-5-28X	B03	
IOP-5-29X	B03	
IOP-5-30X	B03	
IOP-5-32X	B03	
IOP-5-33X	B03	
IOP-5-34X	B03	
IOP-5-35X	B03	
IOP-5-36X		NO FIX AUTH. ASG COND CODE N.
IOP-5-37X	B03	
IOP-6-1X	B03	
IOP-6-1XA	B03	
IOP-6-10X	B03	
IOP-6-11X	B03	
IOP-6-11XA	B03	
IOP-6-12X	B03	
IOP-6-13X	B03	
IOP-6-14X	B03	
IOP-6-14XA	B03	
IOP-6-14XB	B03	
IOP-6-14XC	B03	
IOP-6-15X	B03	
IOP-6-16X	B03	
IOP-6-16XA	B03	
IOP-6-17X	B03	
IOP-6-17XA	B03	
IOP-6-18X	B03	
IOP-6-19X	B03	
IOP-6-2X	B03	
IOP-6-20X	B03	
IOP-6-20XA	B03	
IOP-6-20XB	B03	
IOP-6-3X	B03	
IOP-6-4X	B03	
IOP-6-5X	B03	
IOP-6-5XA	B03	
IOP-6-6X	B03	
IOP-6-7X	B03	
IOP-6-8X	B03	
IOP-6-9X	B03	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C285 CTG 90MM AP-T M318 SERIES			
IOP-7-1X		B03	
IOP-7-1XA		B03	
IOP-8-1X		B03	
IOP-8-2X		B03	
IOP-8-3X		B03	
IOP-8-4X		B03	
IOP-8-4XA		B03	
IOP-8-5X		B03	
IOP-8-5XA		B03	
IOP-8-6X		B03	
IOP-8-7X		B03	
IOP-8-8X		B03	
IOP-9-1X		B03	
KOP-32-11XB	SIU		RQR 100% INSP FOR PRIMERS ABOVE FLUSH ASSIGNED COND CODE E
KOP-36-3A		B01	
KOP-36-4A		B01	
KOP-47-2A		B01	
KOP-47-7B		B01	
1315-00-0000000-C294 CTG 90MM HEAT-T COMP B M431E1 W/FUZE PIBD M509A1			
IOP-17-2X			DEMIL INDICATED COND CODE H
IOP-17-37X	SIU		RQR INSP FOR CRITICAL DEFECTS
IOP-18-25X	SIU		RQR INSP FOR CRITICAL DEFECTS
IOP-18-26X	SIU		RQR INSP FOR CRITICAL DEFECTS
1315-00-8924064-C294 CTG 90MM HEAT-T T300E57 W/FUZE PIBD M509E6			
ALL LOTS			DEMIL INDICATED COND CODE H
1315-00-8924112-C294 CTG 90MM HEAT-T T300E58 W/FUZE PIBD M509E6			
ALL LOTS			DEMIL INDICATED COND CODE H
1315-00-0000000-C410 CTG 90MM CANISTER APERS M590 SERIES			
IOP-1-19	SIU		INCOMPLETE BURNING OF PROPELLANT ASSIGNED COND CODE J
1315-00-0000000-C429 CTG 105MM HEP-T M393A1 OR M393E1 W/FUZE BD M534			
ALL LOTS		B05	
MA-42-14A			NO FIX AUTHORIZED
MA-42-14B			NO FIX AUTHORIZED
MA-42-19			NO FIX AUTHORIZED
MA-42-19A			NO FIX AUTHORIZED
MA-42-19B			NO FIX AUTHORIZED
MA-42-19C			NO FIX AUTHORIZED
MA-42-19D			NO FIX AUTHORIZED
MA-42-19F			NO FIX AUTHORIZED
MA-42-23A		B01	
MA-42-25			NO FIX AUTHORIZED
MA-42-25A			NO FIX AUTHORIZED
MA-42-25B			NO FIX AUTHORIZED
MA-42-25C			NO FIX AUTHORIZED
MA-42-25D			NO FIX AUTHORIZED
MA-42-25F			NO FIX AUTHORIZED
MA-42-26C			NO FIX AUTHORIZED
MA-42-27			NO FIX AUTHORIZED
MA-42-27A			NO FIX AUTHORIZED

```
   LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

  1315-00-0000000-C429  CTG 105MM HEP-T M393A1 OR M393E1 W/FUZE BD M534
   MA-42-28A                         NO FIX AUTHORIZED
   MA-42-28D                         NO FIX AUTHORIZED
   MA-42-28F                         NO FIX AUTHORIZED
   MA-42-28H                         NO FIX AUTHORIZED
   MA-42-28J                         NO FIX AUTHORIZED
   MA-42-29                          NO FIX AUTHORIZED
   MA-42-29B                         NO FIX AUTHORIZED
   MA-42-29C                         NO FIX AUTHORIZED
   MA-42-34                          NO FIX AUTHORIZED
   MA-42-34A                         NO FIX AUTHORIZED
   MA-42-34C                         NO FIX AUTHORIZED
   MA-42-48A        SIU              UNDETERMINED AT THIS TIME
   MA-42-48B        SIU              UNDETERMINED AT THIS TIME
   MA-42-49A        SIU              UNDETERMINED AT THIS TIME
   MA-42-50A                         AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
   MA-42-51                          NO FIX AUTHORIZED
   MA-42-51A                         NO FIX AUTHORIZED
   MA-42-51C                         NO FIX AUTHORIZED
   MA-42-51F                         NO FIX AUTHORIZED
   MA-42-52                          NO FIX AUTHORIZED
   MA-42-52M                         NO FIX AUTHORIZED
  1315-00-1068548-C430  CTG 105MM HE M1 W/O FUZE
   ALL LOTS               W27
  1315-00-1135914-C430  CTG 105MM HE M1 W/SUPPL CHG W/O FUZE     B
   ALL LOTS               W27
  1315-00-0216478-C431  CTG 105MM WP M60A2 W/O FUZE
   ALL LOTS               W27
  1315-00-1135912-C432  CTG 105MM HE M1 W/FUZE PD M557
   ALL LOTS               W27
  1315-00-1135913-C432  CTG 105MM HE M1 W/SUPPL CHG W/FUZE PD M558
   ALL LOTS               W27
  1315-00-0000000-C433  CTG 105MM HOW SMK WP M60A2 W/FUZE PD M557
   ALL LOTS                          RQR X-RAY OF PROJ METAL PARTS
                                     ASSIGNED COND CODE F
  1315-00-0000000-C436  CHG PROP 105MM WB M67
   IND79K013-001    SIU              100% INSP FOR MISSING PROPELLANT INCREMENTS
                                     ASSIGNED COND CODE E
  1315-00-0000000-C440  CTG 105MM BLANK M395 STL CASE
   PA-32-17X        SIU              DEMIL INDICATED
   PA-32-9X         SIU              DEMIL INDICATED
  1315-00-0000000-C441  CTG 105MM GB M360
|  TOD-3-2X               W36
|  TOD-4-1X               W35
|  TOD-4-2X               W35
|  TOD-4-3X               W35
|  TOD-4-4X               W35
|  TOD-4-5X               W35
|  TOD-4-6X               W35
|  TOD79E001-001          W35
  1315-00-0000000-C443  CTG 105MM HE M1 W/FUZE MTSQ M564
   KN-43-32F        SIU              DEMIL INDICATED COND CODE H
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C443 CTG 105MM HE M1 W/FUZE MTSQ M564			
LS-60-10			REPL UNSVC FUZE LOT
LS-60-11			REPL FUZE LOT WTX-9-19
LS-60-14			REPL FUZE
			ASSIGNED COND CODE F
LS-60-15	SIU		RQR INSP FOR MISSING OR DAMAGED SUPPLEMENTARY CHANGE
			ASSIGNED COND CODE E
LS-60-17	SIU		REPL FUZE
LS-60-19	SIU		REPL FUZE
LS-60-2	SIU		REPL FUZE
			ASSIGNED COND CODE F
LS-60-28			REPLACE FUZE LOT WTX-9-49
LS-60-3		F03	
LS-60-8			RQR 100% INSP FOR LOW FUZE SETTING TORQUE
			ASSIGNED COND CODE E
1315-00-0000000-C444 CTG 105MM HE M1 W/FUZE PD M557			
LS-101-19A		B01	
LS-101-20A		B01	
LS-101-20B		B01	
LS-101-20C		B01	
LS-101-20D		B01	
LS-101-20F		B01	
LS-101-20G		B01	
LS-29-101		F02	
LS-29-99		F02	
LS-44-28		F02	
LS-44-31		F02	
LS-54-10A		F02	
LS-54-9A		F02	
1315-00-0000000-C445 CTG 105MM HE M1 W/O FUZE			
AKZ-600-18	SIU		RQR 100% INSP FOR PRIMERS ABOVE FLUSH
			ASSIGNED COND CODE E
AKZ-600-7		B01	
JA-69-14	SIU		RQR 100% INSP FOR MISSING PAD ON SUPPLEMENTARY CHARGE
JA-77-195	SIU		RQR X-RAY
			RQR ULTRASONIC TESTING OF PROJ METAL PARTS
			RQR INSP OF FUZE WELL CUPS
JA-77-241	SIU		RQR RADIOGRAPHIC INSP
JA-77-295	SIU		RQR RADIOGRAPHIC INSP
JA-77-489	SIU		ASSIGNED COND CODE E
			100% INSP FOR MISSING SUPPL CHG.
JA-77-66	SIU		RQR RADIOGRAPHIC INSP
JA-77-83	SIU		RQR RADIOGRAPHIC INSP
KN-1-103	SIU		RQR RADIOGRAPHIC INSP FOR CRACKS IN FILLER
KN-1-9			RQR 100% INSP FOR PRIMERS ABOVE FLUSH
KN-34-7C		B01	
KN-35-3B		B01	
KN-77E002-002			RQR 100% INSP FOR PRIMERS ABOVE FLUSH
KN-804-23			RQR 100% INSP FOR PRIMERS ABOVE FLUSH
			ASSIGNED COND CODE E
KN-814-16	SIU		RQR RADIOGRAPHIC INSP
KN-814-170	SIU		DEMIL INDICATED

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C445			CTG 105MM HE M1 W/O FUZE
KN-814-69			100% INSP FOR MISSING PROPELLANT INCREMENTS 100% RADIOGRAPHIC INSP FOR CRITICAL CAVITATION IN THE FILLER ASSIGNED COND CODE F
KN-814-69A			100% RADIOGRAPHIC INSP FOR CRITICAL CAVITATION IN THE FILLER ASSIGNED COND CODE F
KN-814-69B			100% INSP FOR MISSING PROPELLANT INCREMENTS ASSIGNED COND CODE F
KN-814-69C			100% RADIOGRAPHIC INSP FOR CRITICAL CAVITATION IN THE FILLER ASSIGNED COND CODE F
KN-814-69D			100% INSP FOR MISSING PROPELLANT INCREMENTS ASSIGNED COND CODE F
KN-814-70	SIU		RQR INSP F/CORRECT CONFIGURATION OF PROP CHG
KN-818-54			RQR 100% INSP FOR MISSING PAD ON SUPPLEMENTARY CHARGE ASSIGNED COND CODE E
LS-100-52J		B01	
LS-110-10		B01	
LS-110-11		B01	
LS-110-9		B01	
LS-21-203	SIU		REQ ULTRASONIC AND RADIOGRAPHIC INSP
LS-21-239	SIU		RQR INSP FOR CRITICAL DEFECTS RQR RADIOGRAPHIC INSP OF FILLER
LS-26-1	SIU		RQR X-RAY
LS-40-11	SIU		RQR INSP FOR CRITICAL DEFECTS
LS-56-181		S11	
LS-56-189		S11	
LS-56-212	SIU		RQR RADIOGRAPHIC INSP
LS-56-33	SIU		RQR RADIOGRAPHIC INSP OF FILLER
NJD-500-16		S11	
1315-00-0284763-C446			CTG 105MM HEAT-T M67 W/FUZE BD M62 SERIES
ALL LOTS			DEMIL INDICATED COND CODE H
1315-00-0284764-C446			CTG 105MM HEAT M67 W/FUZE BD M62 SERIES
ALL LOTS			DEMIL INDICATED COND CODE H
1315-00-0284765-C446			CARTRIDGE 105MM HEAT M67 W/FUZE BD M62 SERIES
ALL LOTS			UNDETERMINED AT THIS TIME
1315-00-0284766-C446			CTG 105MM HEAT M67 W/FUZE BD M62 SERIES
ALL LOTS			UNDETERMINED AT THIS TIME
1315-00-0284780-C446			CTG 105MM HEAT M67 W/FUZE BD M62 SERIES
ALL LOTS			UNDETERMINED AT THIS TIME
1315-00-0000000-C448			CTG 105MM HEP-T M327
MA-7-2X	SIU		DEMIL INDICATED COND CODE H
MA-7-4X			DEMIL INDICATED
PA-198-11A		B01	
PA-201-1		B01	
PA-201-3		B01	
1315-00-0000000-C449			CTG 105MM ILLUM M314A2E1 (M314A3)
LOW-1-1		R06	
LOW-1-10		R06	
LOW-1-11		R06	
LOW-1-12		R06	
LOW-1-12A		R06	
LOW-1-13		R06	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C449 CTG 105MM ILLUM M314A2E1 (M314A3)			
LOW-1-14		R06	
LOW-1-15		R06	
LOW-1-16		R06	
LOW-1-17		R06	
LOW-1-18		R06	
LOW-1-19		R06	
LOW-1-2		R06	
LOW-1-20		R06	
LOW-1-21		R06	
LOW-1-22		R06	
LOW-1-23		R06	
LOW-1-24		R06	
LOW-1-25		R06	
LOW-1-26		R06	
LOW-1-28		R06	
LOW-1-3		R06	
LOW-1-4		R06	
LOW-1-5		R06	
LOW-1-6		R06	
LOW-1-7		R06	
LOW-1-8		R06	
LOW-1-9		R06	
LOW-10-18			DEMIL INDICATED COND CODE H
LOW-10-18A			DEMIL INDICATED COND CODE H
LOW-10-19			RQR 100% INSP FOR PRIMERS ABOVE FLUSH REPL UNSVC PROP ASSIGNED COND CODE E
LOW-2-1		R06	
LOW-2-2		R06	
LOW-2-3		R06	
LOW-2-4		R06	
LOW-2-5		R06	
LOW-21-49	SIU		RQR 100 PERCENT SCREENING/ADJUSTMENT TO ASSURE FUZE SET ON S ASSIGNED COND CODE E
LOW-3-1		R06	
LOW-3-2		R06	
LOW-3-3		R06	
LOW-33-14		B01	
LOW-33-14A		B01	
LOW-4-1		R06	
LOW-4-2		R06	
LOW-40-25A			RQR 100% INSP FOR PRIMERS ABOVE FLUSH
RD-29-20C			DEMIL INDICATED COND CODE H
1315-00-0000000-C452 CTG 105MM HC SMK BE M84 OR M84B1 W/FUZE M501 OR M501A1			
AKZ80L003-001	SIU		RQR 100% INSP FOR PRIMERS ABOVE FLUSH ASSIGNED COND CODE E
AOY-500-1C		B01	
AOY-500-15XA		B01	
AOY-500-5F		B01	
AOY-504-10B	SIU		REPL FUZE ASSIGNED COND CODE F

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C452			CTG 105MM HC SMK BE M84 OR M84B1 W/FUZE M501 OR M501A1
AOY-504-14A		B01	
BGD-504-2G	SIU		REPL FUZE ASSIGNED COND CODE F
BGD-504-2J	SIU		REPL FUZE ASSIGNED COND CODE F
BGD-525-21B		B01	
BGD-525-31		B01	
BGD-525-31A	SIU		REPL FUZE ASSIGNED COND CODE F
BGD-525-37A		B01	
PB-77H040-004			REPL FUZE ASSIGNED COND CODE F
PB-77H040-005			REPL FUZE ASSIGNED COND CODE F
PB-77H040-006			REPL FUZE ASSIGNED COND CODE F
RAN-1-1	SIU		REPL FUZE ASSIGNED COND CODE F
RAN-1-2A	SIU		REPL FUZE ASSIGNED COND CODE F
RAN-1-3A	SIU		REPL FUZE ASSIGNED COND CODE F
RD-12-23B		B01	
RD-3-309P		B01	
RD-3-360G		B01	
WOD-500-8XB		B01	
1315-00-0000000-C453			CTG 105MM SMK RED M84B1 W/FUZE MTSQ M501 OR M501A1
RD-14-10C		B01	
RD-28-12X		B01	
1315-00-0000000-C454			CTG 105MM SMOKE WP M60 W/FUZE PD
LS-43-21			LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79 RQR 100% INSP FOR PRIMERS ABOVE FLUSH
RD-32-106X			RQR REBOOSTERING W/M125 SERIES BOOSTER
RD-32-196F			REPL UNSVC PROP ASSIGNED COND CODE F
RD-32-24			LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79 RQR 100% INSP FOR PRIMERS ABOVE FLUSH
RD-32-39			LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79 RQR 100% INSP FOR PRIMERS ABOVE FLUSH
RD-32-87			LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79 RQR 100% INSP FOR PRIMERS ABOVE FLUSH
SA-500-16	SIU		RQR INSP FOR CRITICAL DEFECTS
1315-00-0000000-C455			CTG 105MM SMK YEL BE M84 W/FUZE MTSQ M501 OR M501A1
RD-E-23AY		B01	
1315-00-0000000-C457			CTG 105MM TP-T M67
UOD-500-2		B01	
1315-00-0000000-C462			CTG 105MM HE M444
AKZ-505-1			AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
AKZ-505-2			AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
AKZ-505-6			AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
AKZ86M001G001			RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C462 CTG 105MM HE M444		COND CODE N APPLIES
ANZ84E001G002		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
JA-31-1X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-1XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-2X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-2XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-2XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-3B		NO FIX AUTH. ASG COND CODE N.
JA-31-3X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-3XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-4X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-4XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-5X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-5XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-6X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-7X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-8X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-31-8XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1A-X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1B-X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1CX		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XC		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XD		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XE		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XF		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XH		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XI		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XJ		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XK		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XL		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XM		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XN		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XO		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-1XP		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-2X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-2XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-2XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-3X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-3XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-3XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-3XC		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-3XD		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-4X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-32-4XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-1X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-10X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-10XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C462 CTG 105MM HE M444		
JA-33-2X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-2XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-3X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-3XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-4X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-4XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-5X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-6X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-7X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-8X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-8XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-9X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-33-9XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-1X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-1XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-10X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-11X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-11XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-12X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-13X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-13XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-13XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-14AX		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-14BX		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-14X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-15A		NO FIX AUTH. ASG COND CODE N.
JA-34-15X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-16A		NO FIX AUTH. ASG COND CODE N.
JA-34-16X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-17C		NO FIX AUTH. ASG COND CODE N.
JA-34-17D		NO FIX AUTH. ASG COND CODE N.
JA-34-17X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-17XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-17XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-18X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-19X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-19XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-19XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-2X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-3X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-4A		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-4X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-5X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-5XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-5XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-6X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-6XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-6XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-7C		NO FIX AUTH. ASG COND CODE N.
JA-34-7X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-7XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C462 CTG 105MM HE M444		
JA-34-7XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-8X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-9X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-34-9XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-35-1AX		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-35-1X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1A-X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1B-X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1C-X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1D-X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1F		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1Q		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XC		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XD		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XE		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XF		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XH		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XI		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XJ		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XK		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XL		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XM		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XN		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XO		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-1XP		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-2A		NO FIX AUTH. ASG COND CODE N.
JA-36-2X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-36-3A		NO FIX AUTH. ASG COND CODE N.
JA-36-3X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-37-1X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-37-1XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-37-1XB		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-37-1XC		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-38-1X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-38-1XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-38-2X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-38-2XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-38-3X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-39-1A		NO FIX AUTH. ASG COND CODE N.
JA-39-1X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-39-2-XA		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-39-2B		NO FIX AUTH. ASG COND CODE N.
JA-39-2X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-39-3A-X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-39-3B-X		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-39-3C		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-39-3D		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
JA-39-3F		NO FIX AUTH. ASG COND CODE N.

1315-00-0000000-C462 CTG 105MM HE M444

	LOT NUMBER	LIMIT RESTRICTION FIX OR REASON
	JA-39-3X	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-39-4X	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-39-5AX	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-39-5BX	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-39-5X	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-39-5XC	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-39-6BX	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-39-6C	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-39-7AX	NO FIX AUTHORIZED AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-40-1X	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-40-2AX	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-40-2X	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-40-3A	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-40-3B	NO FIX AUTH. ASG COND CODE N.
	JA-40-3X	AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
	JA-53-8A	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	JA-53-8B	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	JA-53-8C	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	JA-53-8D	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	JA-53-8X	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	JA-56-9A	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	JA-56-9B	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	JA-56-9C	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	JA-56-9D	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	JA-56-9X	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
	LOB-3-5XB	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
|	LOP-1-10C	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
|	LOP-1-10D	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
|	LOP-1-10X	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
|	LOP-1-10XA	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
|	LOP-1-11C	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
|	LOP-1-11D	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
|	LOP-1-11G	RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C462 CTG 105MM HE M444		COND CODE N APPLIES
LOP-1-11K		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-11X		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-11XA		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-12C		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-12X		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-12XB		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-13AX		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-13C		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-13D		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-13F		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-14X		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-7X		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-8X		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-9X		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-1-9XA		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-11-3X		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-17-4B		NO FIX AUTH. ASG COND CODE N.
LOP-2-1B		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-2-1XA		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-2-1XB		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-2-1XBA		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-2-2B		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-24-7B		NO FIX AUTH. ASG COND CODE N.
LOP-25-12XA		NO FIX AUTH. ASG COND CODE N.
LOP-25-28XHYBRID		AUTHORIZED FOR EMERGENCY COMBAT ONLY. COND CODE N ASSIGNED.
LOP-3-1X		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES
LOP-3-1XA		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY COND CODE N APPLIES

```
 LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1315-00-0000000-C462  CTG 105MM HE M444
|  LOP-3-2X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
|  LOP-3-2XA                         RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
|  LOP-3-3X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
|  LOP-3-4C                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
|  LOP-3-4D                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
|  LOP-3-4G                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
|  LOP-3-4X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
|  LOP-3-4XA                         RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
|  LOP-3-4XAJ                        RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
   LOP-3-6XB                         RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
                                     COND CODE N APPLIES
   LOP-4-2X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
                                     COND CODE N APPLIES
   LOP-4-3X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
                                     COND CODE N APPLIES
   LOP-4-4X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
                                     COND CODE N APPLIES
   LOP-5-1X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
                                     COND CODE N APPLIES
   LOP-5-2X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
                                     COND CODE N APPLIES
   LOP-8-11X                         RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
                                     COND CODE N APPLIES
   LOP-8-7X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
                                     COND CODE N APPLIES
   LOP-9-1X                          RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
                                     COND CODE N APPLIES
   RYC-500-1                         AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
   RYC-522-6                         AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
|  WJB82F001G003                     RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                    COND CODE N APPLIES
1315-00-0000000-C477  CTG 105MM WP SMOKE M60A2 W/O FUZE
   LS-43-21                          RQR 100% INSP FOR PRIMERS ABOVE FLUSH
                                     LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79
   PB-3-2                            ASSIGNED COND CODE E
                                     RQR X-RAY OF FILLER FOR VOIDS
                                     RQR 100% INSP F/MISSING PROP CHG INCR & PROPER STORAGE ORIEN (BASE DOW
   PB-3-23         SIU               ASSIGNED COND CODE E
                                     RQR 100% INSP F/MISSING FUZE WELL CUPS
   RD-32-24                          RQR 100% INSP FOR PRIMERS ABOVE FLUSH
                                     LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79
   RD-32-24X                         RQR 100% INSP FOR PRIMERS ABOVE FLUSH
```

```
LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

1315-00-0000000-C477  CTG 105MM WP SMOKE M60A2 W/O FUZE
                                 LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79
  RD-32-39                       RQR 100% INSP FOR PRIMERS ABOVE FLUSH
                                 LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79
  RD-32-87                       RQR 100% INSP FOR PRIMERS ABOVE FLUSH
                                 LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79
  RD-32-87X                      RQR 100% INSP FOR PRIMERS ABOVE FLUSH
                                 LOT NUMBER INCLUDES ALL SUFFIX ISSUED PRIOR TO SEP 79
1315-00-0000000-C494  CTG 105MM APDS-T M728
| MA-78C151-011        B01       RELEASED WITH RESTRICTION
1315-00-0000000-C505  CTG 105MM APDS-T M392A2
  IOP-5-7                        REPL CTG CASES
  IOP-5-8                        REPL CTG CASES
  MA-1-10                        REPL CTG CASES
  MA-1-11                        REPL CTG CASES
  MA-7-3                         REPL CTG CASES
  MA-7-4                         REPL CTG CASES
  MA-8-2                         REPL CTG CASES
  MA-8-4                         REPL CTG CASES
  MA-8-5                         REPL CTG CASES
  MA-8-6                         REPL CTG CASES
  MA-8-7                         REPL CTG CASES
  MA-9-1               B01
  RHN79G013G002                  NO FIX AUTHORIZED
  RHN80A020G003                  DEMIL INDICATED COND CODE H
1315-00-0000000-C506  CTG 105MM APDS-T L36A1
  RHN-500-14           B01
1315-00-0000000-C508  CTG 105MM HEAT-T M456 SERIES
  MA-500-1                       DEMIL INDICATED
  MA-500-2                       DEMIL INDICATED
  MA-500-3                       DEMIL INDICATED
  MA-500-4                       DEMIL INDICATED
  MA-500-5                       DEMIL INDICATED
  MA-500-6                       DEMIL INDICATED
  MA-500-7                       DEMIL INDICATED
  MA-500-8                       DEMIL INDICATED
  MA-500-9                       DEMIL INDICATED
  MA-501-1                       DEMIL INDICATED
  MA-501-10                      DEMIL INDICATED
  MA-501-2                       DEMIL INDICATED
  MA-501-3                       DEMIL INDICATED
  MA-501-4                       DEMIL INDICATED
  MA-501-5                       DEMIL INDICATED
  MA-501-6                       DEMIL INDICATED
  MA-501-7                       DEMIL INDICATED
  MA-501-8                       DEMIL INDICATED
  MA-501-9                       DEMIL INDICATED
  MA-79-5X                       REPL UNSVC CTG CASE LOT
  MA-82-1X                       DEMIL INDICATED
  MA-82-1XA                      DEMIL INDICATED
  MA-82-10XA                     DEMIL INDICATED
  MA-82-11X                      DEMIL INDICATED
```

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C508	CTG 105MM HEAT-T M456 SERIES	
MA-82-11XA		DEMIL INDICATED
MA-82-12		DEMIL INDICATED
MA-82-12A		DEMIL INDICATED
MA-82-13		DEMIL INDICATED
MA-82-13X		DEMIL INDICATED
MA-82-14		DEMIL INDICATED
MA-82-15		DEMIL INDICATED
MA-82-16A		DEMIL INDICATED
MA-82-17A		DEMIL INDICATED
MA-82-18		DEMIL INDICATED
MA-82-19		DEMIL INDICATED
MA-82-19A		DEMIL INDICATED
MA-82-2X		DEMIL INDICATED
MA-82-2XA		DEMIL INDICATED
MA-82-20		DEMIL INDICATED
MA-82-21		DEMIL INDICATED
MA-82-22		DEMIL INDICATED
MA-82-22A		DEMIL INDICATED
MA-82-23A		DEMIL INDICATED
MA-82-29		DEMIL INDICATED
MA-82-3X		DEMIL INDICATED
MA-82-3XA		DEMIL INDICATED
MA-82-4X		DEMIL INDICATED
MA-82-5X		DEMIL INDICATED
MA-82-6X		DEMIL INDICATED
MA-82-7X		DEMIL INDICATED
MA-82-8XA		DEMIL INDICATED
MA-82-9X		DEMIL INDICATED
MA-85-37	B01	
MA-85-41	B01	
MA-86-1		RQR X-RAY OF PROJ METAL PARTS
MA-86-10		RQR X-RAY OF PROJ METAL PARTS
MA-86-11		RQR X-RAY OF PROJ METAL PARTS
MA-86-12		RQR X-RAY OF PROJ METAL PARTS
MA-86-2		RQR X-RAY OF PROJ METAL PARTS
MA-86-3		RQR X-RAY OF PROJ METAL PARTS
MA-86-4		RQR X-RAY OF PROJ METAL PARTS
MA-86-5		RQR X-RAY OF PROJ METAL PARTS
MA-86-6		RQR X-RAY OF PROJ METAL PARTS
MA-86-7		RQR X-RAY OF PROJ METAL PARTS
MA-86-8		RQR X-RAY OF PROJ METAL PARTS
MA-87-1		RQR X-RAY OF PROJ METAL PARTS
MA-87-1A	B01	
MA-87-2		RQR X-RAY OF PROJ METAL PARTS
MA-87-2A	B01	
MA-87-3		RQR X-RAY OF PROJ METAL PARTS
MA-88-1		RQR X-RAY OF PROJ METAL PARTS
MA-88-10		RQR X-RAY OF PROJ METAL PARTS
MA-88-11		RQR X-RAY OF PROJ METAL PARTS
MA-88-12		RQR X-RAY OF PROJ METAL PARTS
MA-88-13		RQR X-RAY OF PROJ METAL PARTS

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C508 CTG 105MM HEAT-T M456 SERIES		
MA-88-13A	SIU	DEMIL INDICATED COND CODE H ASSIGNED COND CODE E
MA-88-14		RQR X-RAY OF PROJ METAL PARTS
MA-88-15		RQR X-RAY OF PROJ METAL PARTS
MA-88-16		RQR X-RAY OF PROJ METAL PARTS
MA-88-17		RQR X-RAY OF PROJ METAL PARTS
MA-88-18		RQR X-RAY OF PROJ METAL PARTS
MA-88-2		RQR X-RAY OF PROJ METAL PARTS
MA-88-3		RQR X-RAY OF PROJ METAL PARTS
MA-88-4		RQR X-RAY OF PROJ METAL PARTS
MA-88-5		RQR X-RAY OF PROJ METAL PARTS
MA-88-6		RQR X-RAY OF PROJ METAL PARTS
MA-88-7		RQR X-RAY OF PROJ METAL PARTS
MA-88-8		RQR X-RAY OF PROJ METAL PARTS
MA-88-9		RQR X-RAY OF PROJ METAL PARTS
MA-89-1		RQR X-RAY OF PROJ METAL PARTS
MA-89-2		RQR X-RAY OF PROJ METAL PARTS
MA-89-3		RQR X-RAY OF PROJ METAL PARTS
MA-89-4		RQR X-RAY OF PROJ METAL PARTS
MA-89-5		RQR X-RAY OF PROJ METAL PARTS
MA-89-6		RQR X-RAY OF PROJ METAL PARTS
MA-89-7		RQR X-RAY OF PROJ METAL PARTS
MA-89-8		RQR X-RAY OF PROJ METAL PARTS
1315-00-0000000-C511 CTG 105MM TP-T M490		
MA-82H110-007	S22	
MA-82L110-010	S22	
MA-82L110H009	S22	
MA-86F115H011	R21	RELEASED WITH RESTRICTION
1315-00-0000000-C513 CTG 105MM APERS-T XM546 W/FUZE MT XM563E1		
MA-115-10	SIU	UNDETERMINED AT THIS TIME ASSIGNED COND CODE F
MA-115-11	SIU	UNDETERMINED AT THIS TIME ASSIGNED COND CODE F
MA-115-8	SIU	UNDETERMINED AT THIS TIME ASSIGNED COND CODE F
MA-115-9	SIU	UNDETERMINED AT THIS TIME ASSIGNED COND CODE F
MA-116-4-HYBRID	SIU	UNDETERMINED AT THIS TIME ASSIGNED COND CODE F
PA-306-16	B01	
1315-00-0000000-C518 CTG 105MM HEP-T M393A1E1 OR M393A2 W/FUZE BD M578		
MA-43-12X		RQR RETORQUING
MA-43-18X		NO FIX AUTHORIZED
MA-43-3X		UNDETERMINED AT THIS TIME
MA-44-27		NO FIX AUTHORIZED
MA-46-25		REPL FUZE
MA-46-67		REPL FUZE
MA-46-68		REPL FUZE
MA-46-69		REPL FUZE
MA-46-70		REPL FUZE
MA-46-72		REPL FUZE

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C518 CTG 105MM HEP-T M393A1E1 OR M393A2 W/FUZE BD M578		
MA-46-74		REPL FUZE
MA-47-1		REPL FUZE
MA-47-10		REPL FUZE
MA-47-11		REPL FUZE
MA-47-12		REPL FUZE
MA-47-12A		REPL FUZE
MA-47-13		REPL FUZE
MA-47-13A		REPL FUZE
MA-47-14		REPL FUZE
MA-47-14A		REPL FUZE
MA-47-15		REPL FUZE
MA-47-15A		REPL FUZE
MA-47-16		REPL FUZE
MA-47-17		REPL FUZE
MA-47-17A		REPL FUZE
MA-47-17B	B17	
MA-47-18		REPL FUZE
MA-47-19		REPL FUZE
MA-47-19A		REPL FUZE
MA-47-2		REPL FUZE
MA-47-20		REPL FUZE
MA-47-21		REPL FUZE
MA-47-22		REPL FUZE
MA-47-22A		NO FIX AUTHORIZED
MA-47-23		REPL FUZE
MA-47-23A		NO FIX AUTHORIZED
MA-47-23B		NO FIX AUTHORIZED
MA-47-24		REPL FUZE
MA-47-24A		NO FIX AUTHORIZED
MA-47-25		REPL FUZE
MA-47-25B		NO FIX AUTHORIZED
MA-47-26		REPL FUZE
MA-47-26A		NO FIX AUTHORIZED
MA-47-27		REPL FUZE
MA-47-28		REPL FUZE
MA-47-29		REPL FUZE
MA-47-3		REPL FUZE
MA-47-30		REPL FUZE
MA-47-31		REPL FUZE
MA-47-32		REPL FUZE
MA-47-33		REPL FUZE
MA-47-34		REPL FUZE
MA-47-4		REPL FUZE
MA-47-5		REPL FUZE
MA-47-5A		NO FIX AUTHORIZED
MA-47-6		REPL FUZE
MA-47-7		REPL FUZE
MA-47-8		REPL FUZE
MA-47-9		REPL FUZE
1315-00-7280704-C518 CTG 105MM HEP-T M393 SERIES W/FUZE BD M578		
ALL LOTS MA-43-	B05	

```
LOT NUMBER      LIMIT RESTRICTION        FIX     OR     REASON

1315-00-7280704-C518  CTG 105MM HEP-T M393 SERIES W/FUZE BD M578
  ALL LOTS MA-44-          B05
  ALL LOTS MA-45-          B05
1315-00-0000000-C519  CARTRIDGE 105MM APER      94 SERIES W/FZ
  ALL LOTS                 W40
  MA-127-2                            DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
  MA-127-3                            DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
  MA-127-4                            DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
  MA-128-1          SIU               DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                      ASSIGNED COND CODE H
  MA-128-10         SIU               DEMIL INDICATED COND CODE H
  MA-128-11         SIU               DEMIL INDICATED COND CODE H
  MA-128-12         SIU               DEMIL INDICATED COND CODE H
  MA-128-13         SIU               DEMIL INDICATED COND CODE H
  MA-128-14         SIU               DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                      ASSIGNED COND CODE H
  MA-128-15         SIU               DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                      ASSIGNED COND CODE H
  MA-128-16         SIU               DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                      ASSIGNED COND CODE H
  MA-128-17         SIU               DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                      ASSIGNED COND CODE H
  MA-128-18         SIU               DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                      ASSIGNED COND CODE H
  MA-128-2          SIU               DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                      ASSIGNED COND CODE H
  MA-128-29         SIU               DEMIL INDICATED COND CODE H
  MA-128-3          SIU               DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                      ASSIGNED COND CODE H
  MA-128-4          SIU               DEMIL INDIC. OBTAIN SPEC INSTR AND AUTH FR AMCCOM DRSMC-DSM
                                      ASSIGNED COND CODE H
  MA-128-5          SIU               DEMIL INDICATED COND CODE H
  MA-128-6          SIU               DEMIL INDICATED COND CODE H
  MA-128-7          SIU               DEMIL INDICATED COND CODE H
  MA-128-8A         SIU               DEMIL INDICATED COND CODE H
  MA-128-9          SIU               DEMIL INDICATED COND CODE H
| MA-129-1          SIU               DEMIL INDICATED COND CODE H
| MA-130-1          SIU               DEMIL INDICATED COND CODE H
 1315-00-0000000-C520  CTG 105MM TPDS-T M724A1
   MA-81E030-004           S04 S22
   MA-81F030-005           S04 S22
   MA-81F030-006           S04 S22
   MA-81H030-009           R21
   MA-81K031-004           R21
   MA-82D031-019           C12     RELEASED WITH RESTRICTION
   MA-83A031-041           C12     RELEASED WITH RESTRICTION
   MA-83J031-056           C12     RELEASED WITH RESTRICTION
   MA-84C031-075           C12     RELEASED WITH RESTRICTION
|  MA-85H031-106           C12     RELEASED WITH RESTRICTION
|  MA-85J031-107           C12     RELEASED WITH RESTRICTION
 1315-00-0000000-C521  CTG 105MM APFSDS-T M735
   MA-80M017-001                   FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C523 CTG 105MM APFSDS-T M774			
MA-81M001-007		T11	
MA-82A001-008		T11	
MA-82B001-009		T11	
MA-82D001-012		T11	
1315-00-0000000-C601 CTG 90MM CANISTER M377			
IOP-1-1			DEMIL INDICATED COND CODE H
IOP-1-2			DEMIL INDICATED COND CODE H
IOP-1-3			DEMIL INDICATED COND CODE H
IOP-1-4			DEMIL INDICATED COND CODE H
IOP-1-5			DEMIL INDICATED COND CODE H
1315-00-0000000-C650 CTG 106MM HEAT M344A1 W/FUZE PIBD M509			
ALL LOTS CNTN			RQR ANODIZING OF FIN ASSY ASSIGNED COND CODE F
FT-5-5 FT-5-6			
FT-5-7 PROJ			
ALL LOTS (W/T28 PROP MFG P0558)		B01 T02	
IOP-2-27A	SIU		RQR 100% INSP FOR PRIMERS ABOVE FLUSH ASSIGNED COND CODE E
IOP-2-35		B01	
IOP-2-46			RQR ANODIZING OF FIN ASSY
IOP-2-50			RQR ANODIZING OF FIN ASSY
IOP-2-9		B01	
IOP-3-5		B01	
IOP-5-4		B01	
IOP-5-5		B01	
IOP-6-3		B01	
IOP-6-4		B01	
IOP-7-12		B01	
IOP-7-13		B01	
IOP-7-14		B01	
IOP-7-16		B01	
IOP-7-17		B01	
IOP-7-18		B01	
IOP-7-7C		B01	
MA-3-11		B01	
MA-3-11A		B01	
MA-3-7		B01	
MA-500-1		B01	
MA-6-41		B01	
MA-6-46		B01	
MA-6-50A		B01	
MA-6-57A		B01	
MA-6-58A		B01	
MA-6-78		B01	
MA-6-79		B01	
MA-7-16		B01	
MA-7-29A		B01	
MA-7-30A		B01	
MA-7-31		B01	
MA-7-32		B01	
MA-7-33		B01	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C650 CTG 106MM HEAT M344A1 W/FUZE PIBD M509			
MA-7-34		B01	
MA-7-35		B01	
MA-7-36		B01	
MA-7-38		B01	
MA-7-39		B01	
MA-7-40		B01	
MA-7-41		B01	
MA-7-55		B01	
MA-7-56		B01	
MA-7-83		B01	
MA-77M009-022	SIU		COOKOFF
MA-8-1	SIU		REQ 100 PERCENT INSPECTION FOR DAMAGED LINER AND LEAKING PROP ASSIGNED COND CODE E
MA-8-15	SIU		RQR INSP FOR CRITICAL DEFECTS ASSIGNED COND CODE E
PA-198-1		B01	
PA-198-11		B01	
PA-198-27		B01	
PA-198-6		B01	
PA-198-9		B01	
1315-00-0000000-C651 CTG 106MM HEP-T M346 AND M346A1			
ANY LOT WITH T28 PROP MFG P0558		B01 T02	
ALL UNSUFFIXED LOTS WITH MA-6- AND MA-7- INTERFIX	SIU		DEMIL INDICATED COND CODE H
MA-10-12	SIU		RQR INSP FOR CRITICAL DEFECTS
MA-13-3			RQR INSP FOR DAMAGED INDEX BUTTONS
MA-41-20		B01	
MA-42-39			RQR 100% INSP AND SEGREGATION FOR CRITICAL METAL PARTS DEFECTS ASSIGNED COND CODE E
MA-42-49		B01	
MA-42-50		B01	
MA-42-51		B01	
MA-42-52		B01	
MA-42-53		B01	
MA-42-9	SIU		REPL PROPELLANT ASSIGNED COND CODE F
MA-43-3		B01	
MA-43-5		B24	
MA-46-1		B01	
MA-46-3		B01	
MA-46-4		B01	
MA-46-5		B01	
MA-46-6		B01	
MA-46-7		B01	
MA-46-8		B01	
MA-52-54		B01	
MA-55-18A		B01	
MA-6-5A			REPL CTG CASES

```
    LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

  1315-00-0000000-C651  CTG 106MM HEP-T M346 AND M346A1
    MA-78M056-007         B01
    MA-79A056-009         B01
    MA-80H057-002         B01
    MA-9-16                       RQR INSP FOR LOOSE OR HIGH PRIMERS
    MA-9-18               B01
  1315-00-0000000-C653  CTG 106MM W/INERT LOADED PROJ
    ALL LOTS         SIU          DEMIL INDICATED COND CODE H
                                  APPLIES ONLY TO M334A1 RD W/INERT LOADED PROJ
  1315-00-0000000-C660  CTG 106MM APERS M581 SERIES W/FZ M592 SERIES
    MA-4-32               R11
  1315-00-0000000-C697  CTG 4.2 HE M329A2
    LOP81E200-007A                REPL UNSVC PROP
                                  COND CODE N APPLIES
|   LOP81H200-012A        B01
|   LOP81H200-012B        B01
|   LOP81K200-004A        B01
|   LOP81K200-016A        B01
|   LOP81K200-016B        B01
    LOP81L200-018A                REPL UNSVC PROP
                                  COND CODE N APPLIES
|   LOP82D200H024A        B01
|   LOP82D200H024C        B01
|   LOP82E200-025A        B01
|   LOP82E200-025B        B01
|   LOP82F200-026A        B01
|   LOP82F200-026F        B01
    LOP82J200-031A                REPL UNSVC PROP
                                  COND CODE N APPLIES
    LOP83C201-004A   SIU          SHORT ROUND
                                  ASSIGNED COND CODE J
    RHN86H001M001    SIU          SHORT ROUND
                                  ASSIGNED COND CODE J
  1315-00-0000000-C699  CTG 4.2 INCH HE M329A2 W/O FUZE
    ALL LOTS                      REPLACE OBTURATOR
                                  COND CODE N APPLIES
    LOP81E200-007                 REPL UNSVC PROP
                                  COND CODE N APPLIES
    LOP81L2000-018                REPL UNSVC PROP
                                  COND CODE N APPLIES
    LOP82J200-031                 REPL UNSVC PROP
                                  COND CODE N APPLIES
    LOP83A201-001    SIU          INBORE PREMATURE
                                  ASSIGNED COND CODE J
    LOP83C201-004    SIU          SHORT ROUND
                                  ASSIGNED COND CODE J
  1315-00-0000000-C704  CTG 4.2 INCH HE M329A1 W/FUZE PD M557
    IOP-10-1A             B12
    IOP-10-10A            B12
    IOP-10-2A             B12
    IOP-10-8A             B12
    IOP-10-9A             B12
```

1315-00-0000000-C704 CTG 4.2 INCH HE M329A1 W/FUZE PD M557

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
IOP-2-109A	SIU		ASSIGNED COND CODE F OR 100% REPL OF BAG LOADING ASSY
IOP-2-114A		F02	
IOP-2-24		F02	
IOP-2-29A	SIU		ASSIGNED COND CODE F OR 100% REPL OF BAG LOADING ASSY
IOP-2-30A	SIU		ASSIGNED COND CODE F OR 100% REPL OF BAG LOADING ASSY
IOP-2-64		F02	
IOP-3-12		F02	
IOP-3-15		F02	
IOP-3-20		F02	
IOP-3-23		F02	
IOP-3-5		F02	
IOP-4-101D	SIU		ASSIGNED COND CODE F OR 100% REPL OF BAG LOADING ASSY
IOP-4-111		F02	
IOP-4-118		F02	
IOP-4-122		F02	
IOP-4-160A		F02	
IOP-4-62B	SIU		ASSIGNED COND CODE F OR 100% REPL OF BAG LOADING ASSY
IOP-4-62D		B01 F02	
IOP-4-62F		F02	
IOP-4-62G		F02	
IOP-4-82		F02	
IOP-4-82G	SIU		REPL FUZE ASSIGNED COND CODE F
IOP-4-82J	SIU		REPL FUZE ASSIGNED COND CODE F
IOP-4-82K	SIU		REPL FUZE ASSIGNED COND CODE F
IOP-4-86		F02	
IOP-4-96		F02	
IOP-4-98		F02	
LOP-101-2B		F02	
LOP-160-14		F02	
LOP-160-15		F02	
LOP-160-16		F02	
LOP-160-17		F02	
LOP-160-18		F02	
LOP-160-19		F02	
LOP-160-20		F02	
LOP-160-21		F02	
LOP-160-22		F02	
LOP-160-23		F02	
LOP-160-24		F02	
LOP-160-25		F02	
LOP-160-25B		B12	
LOP-160-26		F02	
LOP-160-27		F02	

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C704 CTG 4.2 INCH HE M329A1 W/FUZE PD M557		
LOP-160-28	F02	
LOP-160-29	F02	
LOP-160-32		REPL FUZE COND CODE N APPLIES
LOP-160-33		REPL FUZE COND CODE N APPLIES
LOP-160-36		REPL FUZE COND CODE N APPLIES
LOP-160-37		REPL FUZE COND CODE N APPLIES
LOP-160-39	F02	
LOP-160-40	F02	
LOP-160-41	F02	
LOP-160-42	F02	
LOP-160-43	F02	
LOP-160-47	F02	
LOP-160-48	F02	
LOP-160-49	F02	
LOP-160-50	F02	
LOP-160-51	F02	
LOP-160-52	F02	
LOP-160-57A	F02	
LOP-160-59	F02	
LOP-160-60	F02	
LOP-160-60A	F02	
LOP-160-7		REPL FUZE COND CODE N APPLIES
LOP-160-8		REPL FUZE COND CODE N APPLIES
LOP-160-9		REPL FUZE COND CODE N APPLIES
LOP-162-3	F02	
LOP-162-5		REPL FUZE COND CODE N APPLIES
LOP-164-12-HBD		REPL FUZE COND CODE N APPLIES
LOP-164-15	F02	
LOP-164-16	F02	
LOP-164-16A	F02	
LOP-164-17	F02	
LOP-164-5A		REPL FUZE COND CODE N APPLIES
LOP-164-8		REPL FUZE COND CODE N APPLIES
LS-2-101	F02	
LS-2-114A	F02	
LS-2-124B	F02	
LS-2-127	F02	
LS-2-139	F02	
LS-2-172A	F02	
LS-2-172B	F02	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C704 CTG 4.2 INCH HE M329A1 W/FUZE PD M557			
LS-2-173B		F02	
LS-2-174B		F02	
LS-2-176B		F02	
LS-2-210			REPL IGN CTG & PROP
LS-2-214		F02	
LS-2-227A			REPL SUSP M9 PROP LOT HEP-63041. REST F02 STILL APPLIES. ASSIGNED COND CODE F
LS-2-227D		B01 F02	
LS-2-233			REPL IGNITER ASSY
LS-2-238D	SIU		ASSIGNED COND CODE F QR 100% REPL OF BAG LOADING ASSY
LS-2-239A	SIU		REPL UNSVC PROP REPL IGN CTG HOUSING
LS-2-239C	SIU		REPL UNSVC PROP REPL UNSVC FUZE LOT
LS-2-245D	SIU		ASSIGNED COND CODE F QR 100% REPL OF BAG LOADING ASSY
LS-2-254D		F02	
LS-2-285		F02	
LS-2-291B	SIU		ASSIGNED COND CODE F QR 100% REPL OF BAG LOADING ASSY
LS-2-31A		F02	
LS-2-345C	SIU		ASSIGNED COND CODE F QR 100% REPL OF BAG LOADING ASSY
LS-2-351C	SIU		ASSIGNED COND CODE F QR 100% REPL OF BAG LOADING ASSY
LS-2-48A	SIU		ASSIGNED COND CODE F QR 100% REPL OF BAG LOADING ASSY
LS-2-64		F02	
LS-2-82A		F02	
LS-600-96D		B01	
RR-500-1		F02	
RR-500-2		F02	
RR-500-3		F02	
RR-500-4		F02	
RR-500-5		F02	
1315-00-0285013-C704 CTG 4.2 INCH HE M3 W/SUPPL CHG W/FUZE PD M51 S			
ALL LOTS			ASSIGNED COND CODE F REPL FUZE
1315-00-0285016-C704 CTG 4.2 INCH HE M329 W/SUPPL CHG W/FUZE PD M51 SERIES			
ALL LOTS			ASSIGNED COND CODE F REPL FUZE
1315-00-7825850-C704 CTG 4.2 INCH HE M329 SERIES W/SUPPL CHG W/FUZE PD M51			
ALL LOTS			ASSIGNED COND CODE F REPL FUZE
1315-00-9359138-C704 CTG 4.2 INCH HE M329 SERIES W/SUPPL CHG W/FUZE PD M51			
ALL LOTS			ASSIGNED COND CODE F REPL FUZE
1315-00-0000000-C705 CTG 4.2 INCH HE M329A1 W/O FUZE			
IOP-4-126K		B01	
IOP-4-142H			RQR REWORK OF OBTURATING MECHANISM & REPL IGN SYS

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1315-00-0000000-C705 CTG 4.2 INCH HE M329A1 W/O FUZE			
				ASSIGNED COND CODE F
	IOP-4-18			RQR REWORK IAW DMWR
	IOP-5-23			RQ 100% INSP FOR LEAKING PROP BAGS
				ASSIGNED COND CODE E
	IOP-7-218A		B12	
	IOP-8-11A		B12	
	IOP-9-62A		B12	
|	LOP-50-11	SIU		REPLACE OBTURATOR
|				ASSIGNED COND CODE F
	LOP-7-12		B01	
	LOP-7-42	SIU		REPL UNSVC PROP
	LS-2-112C		B01	
	1315-00-0000000-C706 CTG 4.2 IN ILLUM M335 SERIES W/FUZE			
	ANY LOW80A041-016 LOT W/SUFFIX P0185		B01	
|	LOW-11-69	SIU		DEMIL INDICATED COND CODE H
	LOW-24-1		B01 R18	
	LOW-24-10		B01 R18	
	LOW-24-11		B01 R18	
	LOW-24-6		B01 R18	
	LOW-24-7		B01 R18	
	LOW-24-8		B01 R18	
	LOW-25-1		B01 R18	
|	LOW-26-7	SIU		REPL PROPELLANT
|				ASSIGNED COND CODE F
	LOW-27-8		B01 R18	
	LOW-28-2		B01 R18	
	LOW-30-4A			REQUIRES GAGING
	LOW-36-8		B01 R18	
	LOW-37-1		B01 R18	
	LOW-37-11		B01 R18	
	LOW-37-12		B01 R18	
	LOW-37-13		B01 R18	
	LOW-37-14		B01 R18	
	LOW-37-15		B01 R18	
	LOW-37-17		B01 R18	
	LOW-37-2		B01 R18	
	LOW-37-22		B01 R18	
	LOW-37-23		B01 R18	
	LOW-37-24		B01 R18	
	LOW-37-3		B01 R18	
	LOW-37-6		B01 R18	
	LOW-37-8		B01 R18	
	LOW-37-9		B01 R18	
	LOW-39-2		B01 R18	
	LOW-39-4		B01 R18	
	LOW79F040-001		B01 R18	
	LOW79G040-002		B01 R18	
	LOW79H040-003		B01 R18	
	LOW79H040-004			ASSIGNED COND CODE F

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C706 CTG 4.2 IN ILLUM M335 SERIES W/FUZE		
		REPL UNSVC FUZE LOT
LOW79H040-005		ASSIGNED COND CODE F
		REPL UNSVC FUZE LOT
LOW79H041-001		ASSIGNED COND CODE F
		REPL UNSVC FUZE LOT
LOW79J041-002	B01 R18	
LOW79J041-003	B01 R18	
LOW79J041-004	B01 R18	
LOW79K041-007	B01 R18	
LOW79L041-008	B01 R18	
LOW79L041-009	B01 R18	
LOW79L041-010	B01 R18	
LOW80A041-013	B01 R18	
LOW80A041-014	B01 R18	
LOW80A041-015		EXCESSIVE DUDS
		ASSIGNED COND CODE J
LOW80A041-016		REQUIRES GAGING
		ASSIGNED COND CODE E
LOW80C041-017	B01 R18	
LOW80C041-018	B01	
LOW80C041-019	B01 R18	
LOW80D041-020	B01 R18	
LOW80D041-021	B01 R18	
LOW80D041-022	B01 R18	
LOW80D041-023	B01 R18	
LOW80D041-023A	B01 R18	
LOW80E041-024	B01 R18	
LOW80E041-024A	B01 R18	
LOW80E041-025	B01 R18	
LOW80G041-026	B01 R18	
LOW80G041-027	B01 R18	
LOW80H041-028	B01 R18	
LOW80H041-029	B01 R18	
LOW80H041-030	B01 R18	
LOW80J041-031	B01 R18	
LOW80J041-032	B01 R18	
LOW80K041-033	B01 R18	
LOW80K041-034	B01 R18	
LOW80L041-035	B01 R18	
LOW80L041-036	B01 R18	
LOW80M041-037	B01 R18	
LOW80M041-038	B01 R18	
LOW81A041-039	B01 R18	
LOW81A041-040	B01 R18	
LOW81B041-041	B01 R18	
LOW81B041-042	B01 R18	
LOW81C041-044		RQR 100% PINNING OF SPACER
		ASSIGNED COND CODE F
LOW81C041-045	B01 R18	
LOW81D041-046		RQR 100% PINNING OF SPACER
		ASSIGNED COND CODE F

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1315-00-0000000-C706 CTG 4.2 IN ILLUM M335 SERIES W/FUZE			
	LOW81D041-047		B01 R18	
	LOW81D041-048		B01 R18	
	LOW81E041-049		B01 R18	
	LOW81E041-050		B01 R18	
	LOW81F041-051		B01 R18	
	LOW81F041-052			RQR 100% PINNING OF SPACER ASSIGNED COND CODE F
	LOW81F041-053			RQR 100% PINNING OF SPACER ASSIGNED COND CODE F
	LOW81G041-054			RQR 100% PINNING OF SPACER ASSIGNED COND CODE F
	LOW81G041-055		B01 R18	
	LOW81H041-056		B01 R18	
	LOW81H045-001		B01 R18	
	LOW81H045-002		B01 R18	
	LOW81J045-003		B01 R18	
	LOW81J045-004		B01 R18	
	LOW82G050-004	SIU		REPL FUZE ASSIGNED COND CODE F
I	LOW82K054-002			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOW82K055-001		B01	
	LOW82L056-001			CONTAINS SUSPENDED FUZE LOT
	LOW82L056-002			CONTAINS SUSPENDED FUZE LOT
	LOW82L056-003			CONTAINS SUSPENDED FUZE LOT
	LOW82M057-001			CONTAINS SUSPENDED FUZE LOT
	LOW82M057-002			CONTAINS SUSPENDED FUZE LOT
	LOW82M057-003			CONTAINS SUSPENDED FUZE LOT
	LOW83A057-004			CONTAINS SUSPENDED FUZE LOT
	LOW83A057-005			CONTAINS SUSPENDED FUZE LOT
	LOW83A057-006			CONTAINS SUSPENDED FUZE LOT
	LOW83B057-007			CONTAINS SUSPENDED FUZE LOT
	LOW83B057-008			CONTAINS SUSPENDED FUZE LOT
	LOW83C057-009			CONTAINS SUSPENDED FUZE LOT
	LOW83C057-010			CONTAINS SUSPENDED FUZE LOT
	LOW83D057-011			CONTAINS SUSPENDED FUZE LOT
	LOW86K060-005		B01	
	LOW87A061-009			CONTAINS SUSPENDED FUZE LOT
	LOW87A061-010			CONTAINS SUSPENDED FUZE LOT
	LS-10-6B		B01	
	LS-8-32		B01	
	RD-5-6			REPL FUZE & EXPELLING CHG
	SA-502-2-71			REPL FUZE ASSIGNED COND CODE F
	SA-502-2-71B			REPL FUZE ASSIGNED COND CODE F
	SA-502-3-71			REPL FUZE ASSIGNED COND CODE F
	SA-502-3A			REPL FUZE ASSIGNED COND CODE F
	SA-502-4-71			REPL FUZE ASSIGNED COND CODE F

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1315-00-0000000-C706	CTG 4.2 IN ILLUM M335 SERIES W/FUZE	
SA-502-5-71		REPL FUZE ASSIGNED COND CODE F
SA-502-6-71		REPL FUZE ASSIGNED COND CODE F
SA-502-7-71		REPL FUZE ASSIGNED COND CODE F
1315-00-0000000-C707	CTG 4.2 INCH SMK FS M2A1 W/FUZE PD M8	
RD-3-4	B01	
1315-00-0000000-C708	CTG 4.2 INCH SMK WP	
ALL LOTS M328/		REPL FUZE COND CODE N APPLIES
M328A1 W/FUZE		REPL FUZE COND CODE N APPLIES
M48A3/M521/T247		
BGD-500-1	B01	
LOW-1-3B	B01	
LOW-4-7A	B12	
LOW-5-18	B12	
LS-6-13		DEMIL INDICATED COND CODE H
LS-6-20B		RQR X-RAY OF FILLER FOR VOIDS REPL FUZE COND CODE N APPLIES
LS-6-4	SIU	DEMIL INDICATED
LS-600-113A	B01	
LS-600-114F	B01	
LS-600-12A	B01	
LS-600-122A	B01	
LS-600-25C	B01	
LS-600-3B	B01	
LS-600-5A	B01	
LS-600-96D	B01	
PB-501-116C	B01	
PBA-501-117B	B01	
RD-1-19C	B01	
RD-1-3		REPL IGN CTG & PROP ASSIGNED COND CODE F
RD-1-9B	B01	
RD-2-66		REPL IGN CTG & PROP
RD-2-72		DEMIL INDICATED COND CODE H
RD-2-73		DEMIL INDICATED COND CODE H
RD-2-74		DEMIL INDICATED COND CODE H
RD-600-1B	B01	
RD-600-12F	B01	
REA-4903-26A	B01	
REA-4903-27A	B01	
REA-4919-2A	B01	
1315-00-0000000-C751	BURSTER PROJECTILE M53A1	
LS-90-40		RQR 100% INSP FOR MISSING TOP CLOSURE ASSIGNED COND CODE E
LS-91-2		RQR 100% INSP FOR MISSING TOP CLOSURE ASSIGNED COND CODE E

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C785 CTG 120MM TPCSDS-T M865			
ALL APG LOTS		S27	
IOP85A050-004A		S27	
IOP85J050-003	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP85J050-003A		S27	
IOP85J050M003	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP85J050M003A		S27	
IOP86A050-004	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86B050-005	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86B050-005A		S27	
IOP86E050-006	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86E050-006A		S27	
IOP86F051-001	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86H051-002	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86H051-002A		S27	
IOP86J051-003	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86J051-003A		S27	
IOP86K051-004A		S27	
IOP86L051-004	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86L051-004A		S27	
IOP86M051-005	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86M051-006	SIU		RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP87B051-008A		S27	
1315-00-0000000-C786 CTG 120MM APFSDS-T M829			
ALL APG LOTS		S27	
IOP85E070A001			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP85F070-002			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP85F070-002A		S27	
IOP85G070-003			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP85G070-003A		S27	
IOP86A070-004			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86H071-001			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86H071-001A			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86J071-002			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86J071-002C		S27	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1315-00-0000000-C786	CTG 120MM APFSDS-T M829		
IOP86K071-003			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86K071-003A		S27	
IOP86K071-004			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86K071-004A		S27	
IOP86L070-005			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86L070-005A		S27	
IOP86L071-005			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86L071-005A		S27	
IOP86M071-006			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86M071-007			RQR XRAY FOR DEFECTIVE PRIMERS ASSIGNED COND CODE F
IOP86M071-007A	SIU		DEFECTIVE CTG CASE
IOP86M071-007B	SIU		DEFECTIVE CTG CASE
1315		CASE CARTRIDGE 105MM M148E4B1	
NOR 2-1 THRU NOR-2-6	SIU		DEMIL INDICATED COND CODE H
1315-00-0000000-0000		CHARGE B PROPELLANT INCREMENT M90 81MM MORTAR	
AFQ-5-11		S25	
NRT-2-15		B01	
NRT-2-16		B01	
RAD-33942	SIU		DEMIL INDICATED
1315-00-0772129-0000		CASE CTG 105MM M14B1	
BOP-4-6		B01	
1315-00-5677906-0000		PROJ 105MM GB M360	
RM02921-1		W35	
RM66024-19		W35	
RM66024-2		W35	
RM66024-20		W35	
RM66024-3		W35	
RM66024-4		W35	
RM66024-5		W35	
RM76024-21		W35	
RM76024-22		W35	
RM76024-23		W35	
RM76024-24		W35	
RM76024-25		W35	
RM76024-26		W35	
RM76024-27		W35	
RM76024-28		W35	
RM76024-29		W35	
RM76024-30		W35	
RM76024-31		W35	
RM76024-32		W35	
RM76024-33		W35	
RM76024-34		W35	
RM76024-35		W35	

```
 LOT NUMBER      LIMIT RESTRICTION          FIX    OR    REASON

1315-00-5677906-0000  PROJ 105MM GB M360
  RM76024-36            W35
  RM76024-37            W35
  RM76024-38            W35
  RM76024-39            W35
  RM76024-40            W35
  RM76024-41            W35
  RM76024-42            W35
  RM76024-43            W35
  RM76024-44            W35
  RM76024-45            W35
  RM76024-49            W35
  RM76024-50            W35
  RM76024-51            W35
  RM76024-52            W35
  RM76024-53            W35
  RM76024-55            W35
  RM86024-68            W35
  RM86024-69            W35
  RM86024-70            W35
  RM86024-74            W35
  RM86040-1             W35
  RM86040-2             W36
  RM86040-3             W36
  UNKNOWN               W35
1315-01-0507260-0000  CASE CARTRIDGE 105MM M115 BRASS (REWORKED)
  LS-81B006G007         S04 S22
1315-00-N013400-3001  CASE CTG M94B1 FOR 106MM RIFLE
  SIW-23-43             B01
  SIW-24-18             B01
  SIW-24-31             B01
  SIW-24-46             B01
  SIW-24-47             B01
  SIW-24-48             B01
  SIW-24-54             B01
1315                  CASE CARTRIDGE 105MM M19 SERIES
  NPK-2-39                          DEMIL INDICATED COND CODE H
1315                  CASE CARTRIDGE M115
  NOR-5-28                          DEMIL INDICATED COND CODE H
  NOR-5-5                           DEMIL INDICATED COND CODE H
1320-00-0000000-D151  BURSTER M71 F/155MM M121 GAS PROJECTILE
  LS-22-26           SIU            ASSIGNED COND CODE E
                                    RQR 100% INSP F/INSECURE CUSHIONING PAD
1320-00-0000000-D361  CHG PROP 175MM M86 SERIES
  IND-1-8 AND        SIU            DEMIL INDICATED COND CODE H
  ALL SUF W/COMP
  LOT IND-064300
  IND-1-19 AND       SIU            DEMIL INDICATED COND CODE H
  ALL SUF W/COMP
| LOT IND-064744
  IND-1-20 AND       SIU            DEMIL INDICATED COND CODE H
  ALL SUF W/COMP
```

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D361 CHG PROP 175MM M86 SERIES		
LOT IND-064744		
BAJ-063303	SIU	DEMIL INDICATED COND CODE H
IND-BR-064635	SIU	DEMIL INDICATED COND CODE H
IND-BR-64299	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-1		RQR 100% SCREENING FOR CRACKED IGNITER TUBES ASSIGNED COND CODE E
IND-1-12		RQR 100% SCREENING FOR CRACKED IGNITER TUBES ASSIGNED COND CODE E
IND-1-14	SIU	DEMIL INDICATED COND CODE H
IND-1-14A	SIU	DEMIL INDICATED COND CODE H
IND-1-15	SIU	DEMIL INDICATED COND CODE H
IND-1-16	SIU	DEMIL INDICATED COND CODE H
IND-1-17		RQR 100% SCREENING FOR CRACKED IGNITER TUBES ASSIGNED COND CODE E
IND-1-27	SIU	DEMIL INDICATED COND CODE H
IND-1-27A	SIU	DEMIL INDICATED COND CODE H
IND-1-27B	SIU	DEMIL INDICATED COND CODE H
IND-1-28	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-28A	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-29	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-29A	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-35	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-36	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-36A	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-36B	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-39	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-39C	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-39D	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-5		RQR 100% SCREENING FOR CRACKED IGNITER TUBES ASSIGNED COND CODE E
IND-1-60	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-60A	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-61	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-61A	SIU	DEMIL IMMEDIATELY COND CODE H
IND-1-7		RQR 100% SCREENING FOR CRACKED IGNITER TUBES ASSIGNED COND CODE E
1320-00-0000000-D380 CTG 152MM TP M411 SE		B
ALL LOTS W/M157 CTG CASE SERIES	SIU	REPL CTG CASES
1320-00-0000000-D381 CTG 152MM HEAT M409		
ALL LOTS W/M157 CTG CASE SERIES		DEFECTIVE CTG CASE
IOP-61-3	SIU	REPL UNSVC IGN ELEMENT REPL CTG CASES
IOP-62-1	SIU	REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-62-2	SIU	REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-62-3	SIU	REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-62-4	SIU	REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
1320-00-0000000-D382 CTG 152MM AP XM617 SERIES		
ALL LOTS W/M157 CTG CASE SERIES		ASSIGNED COND CODE N DEFECTIVE CTG CASE

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1320-00-0000000-D383			CTG 152MM TP M411 SE B
ALL LOTS W/M157	SIU		REPL CTG CASES
IOP-5-7		T05	
IOP-50-6		T05	
IOP-51-1		T05	
IOP-51-2		T05	
IOP-70-10	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-70-11	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-70-12	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-70-13	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-70-14	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-70-16	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-70-7	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-70-8	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-70-9	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-71-1	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-71-2	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
IOP-71-3	SIU		REPL IGN ELEMENT INTO CART CASE IAW DRAWING 9266944 REV C OR LATER
1320-00-0000000-D390			CTG 152MM AP M62/XM625 SERIES
ALL LOTS W/M157			ASSIGNED COND CODE N
SERIES CTG CASE			DEFECTIVE CTG CASE
IOP-21-2			REPL CTG CASE W/M205 CASE
1320-00-0000000-D480			CHARGE PROPELLING 155MM M19
CHK-18337	SIU		DEMIL INDICATED COND CODE H
SUN-B-62912	SIU		DEMIL IMMEDIATELY COND CODE H
SUN-B-62919			DEMIL INDICATED
1320-00-9650704-D484			PROJECTILE 155MM GAS PERSISTENT H M104
ALL LOTS			DEMIL INDICATED COND CODE H
1320-00-0000000-D485			PROJ 155MM HE M101
RVA-3-12			REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
1320-00-0000000-D487			PROJ 155MM SMK WP M104
RD-28-20			RQR INSP OF BURSTER FOR CRITICAL DEFECTS
1320-00-0000000-D503			PROJ 155MM M718
IOP83A103-009			REQS 100 % SCREENING OF OGIVES ASSIGNED COND CODE F
1320-00-0000000-D505			PROJ 155MM ILLUM M485 SERIES
LOW-22-10		R01	
LOW-22-11		R01	
LOW-22-14		R01	
LOW-22-15		R01	
LOW-22-17		R01	
LOW-22-18		R01	
LOW-22-19		R01	
LOW-22-21		R01	
LOW-22-22		R01	
LOW-22-23		R01	
LOW-23-16			RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
LOW-23-23		R01	
LOW-23-24		R01	
LOW-24-16		R01	

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D505	PROJ 155MM ILLUM M485 SERIES	
LOW-24-19	R01	
LOW-24-22	R01	
LOW-25-4		RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
LOW-25-6		RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
LOW-27-50		RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
LOW-27-51		ASSIGNED COND CODE F RQR STL WASHER IN FUZE WELL OR REPL W/IMPR EXPELLING CHG.
LOW-27-53		REQ APPLICATION OF STEEL WASHER
LOW-27-55		ASSIGNED COND CODE E RQR 100% INSP F/BLACK PWDR CONTAM ON THREADS AND IN FZ WELL
LOW-27-61		RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
LOW-27-78		RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
LOW-29-22		RQR INSPECTION OF EXPELLING CHARGES
LOW-31-6	T01	
LOW-31-9	B01	
LOW-32-24		REQ APPLICATION OF STEEL WASHER ASSIGNED COND CODE F
LOW-32-26		REQ APPLICATION OF STEEL WASHER ASSIGNED COND CODE F
LOW-39-5A		RELEASED FROM TEMPORARY SUSPENSION
LOW85J041-009		RELEASED FROM TEMPORARY SUSPENSION
LOW-22-20	R01	
1320-00-9261940-D505	PROJECTILE 155MM ILLUMINATING M485	
ALL LOTS	S14	
1320-00-0000000-D506	PROJ 155MM HC SMK M116A1	
ALL LOTS W/LOW EXPELLING CHG		ASSIGNED COND CODE F RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY RQR APPL OF RTV SEALANT AROUND EXPELLING CHARGE CUPS
PB-79F001A001		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-79G001-002		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-79H001-003C	B01	
PB-79H001-004		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-79H001-004J	B01	
PB-79J001-005		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-79J001-005Q	B01	
PB-79J001-005K	B01	
PB-79J001-006		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-79K001-007		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-79K001-008		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E

1320-00-0000000-D506 PROJ 155MM HC SMK M116A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
PB-79K001-008C	B01	
PB-79L001-009		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
PB-79L001-009D	B01	
PB-79L001-009J	B01	
PB-79L001-010		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-79L001-010C	B01	
PB-80A002-001		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-80A002-001F	B01	
PB-80A002-002		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-80A002-002C	B01	
PB-80A002-003		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-80A002-003C	B01	
PB-80A002-004		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-80A002-004B	B01	
PB-80A002-005		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-80A002-005C	B01	
PB-80A002-006		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-80A002-006B	B01	
PB-80B002-007		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-80B002-007J	B01	
PB-80B002-008		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
PB-80B002-008A		RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
PB-80B002-008B		RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
PB-80B002-008F	B01	
PB-80B002-008J	B01	
PB-80B002-009		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS ASSIGNED COND CODE E
PB-80B002-009F	B01	
PB-80B003-001		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E
PB-80B003-001F	B01	
PB-80B003-001J	B01	
PB-80B003-001L	B01	
PB-80C002-010		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY ASSIGNED COND CODE E

```
LOT NUMBER      LIMIT RESTRICTION        FIX     OR     REASON

1320-00-0000000-D506  PROJ 155MM HC SMK M116A1
  PB-80C002-010A                    RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
                                    ASSIGNED COND CODE E
  PB-80C002-010B                    RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
                                    ASSIGNED COND CODE E
  PB-80C002-010G       B01
  PB-80C002-010K       B01
  PB-80D002-012                     REQ 100% SCREENING FOR CORRECT ZONE MARKINGS
                                    RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
                                    ASSIGNED COND CODE E
  PB-80D002-012A                    RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
                                    ASSIGNED COND CODE E
  PB-80D002-012B                    RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
                                    ASSIGNED COND CODE E
  PB-80D002-012C                    RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
                                    ASSIGNED COND CODE E
  PB-80D002-012G       B01
  PB-80D002-012K       B01
  PB-80D002-012M       B01
  PB-80D003-003                     REQ 100% SCREENING FOR CORRECT ZONE MARKINGS
                                    ASSIGNED COND CODE E
  PB-80D003-003F       B01
  PB-80D003-003J       B01
  PB-80D003-003L       B01
  PB-80E002-014                     REQ 100% SCREENING FOR CORRECT ZONE MARKINGS
                                    ASSIGNED COND CODE E
  PB-80E002-014F       B01
  PB-80E003-005B       B01
  PB-80E003-006C       B01
  PB-80E003-007D       B01
  PB-80F002-016C       B01
  PB-80G002-018D       B01
  PB-80H002-020C       B01
  PB-80H004-001C       B01
  PB-80K004-003C       B01
  PB-80K004-004D       B01
  PB-81D005-001C       B01
  PB-81E006-001                     RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
                                    ASSIGNED COND CODE E
  PB-81E006-001A                    ASSIGNED COND CODE F
                                    RQR APPL OF RTV SEALANT AROUND EXPELLING CHARGE CUPS
                                    RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
  PB-81G007-001                     RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
                                    ASSIGNED COND CODE E
  PB-81G007-001B       B01
  PB-81G008-001                     RQR 100% INSP FOR PRESENCE OF LOOSE BLACK POWDER IN FUZE CAVITY
                                    ASSIGNED COND CODE E
  PB-81G008-001F       B01
  PB-81G008-002B       B01
1320-00-0000000-D528  PROJ 155MM WP SMOKE M825
  PINE BLUFF           T05
  LOTS MFG
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1320-00-0000000-D528		PROJ 155MM WP SMOKE M825	
FROM JAN 85			
THRU MAY 86			
1320-00-0000000-D532		CHG PROP M203	
IND79K-069960		S27 T10	
IND79L-069961		S27 T10	
1320-00-0000000-D533		CHG PROP 155MM M119	
1A-B-39563			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-39565			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-39721			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-39722			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-39727			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-39730			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-39737			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-39740			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-39758			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-64269			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-64279			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1A-B-66272			RQR ADDITION OF LEAD FOIL SHEET AND LACING JACKET.
1320-00-0000000-D540		CHG PROP 155MM M3A1	
RAD-63951		B01	RELEASED WITH RESTRICTION
1320-00-0000000-D541		CHG PROP 155MM M4 AND M4A1	
ALL LOTS CNTN		S12	
ANY M1 PROP MFG			
BEFORE P0844			
BAJ-68583			RQR 100% SCREENING FOR CORRECT INCREMENTS
			RQR INSP F/CORRECT CONFIGURATION OF PROP CHG
IA-B-36480		S12	
IA-B-36481		S12	
IA-B-36945		S12	
IA-BR-35060		R03	
IA-BR-36467		S12	
IA-BR-36485	SIU		DEMIL INDICATED COND CODE H
IA-39102		R03	
IA-39405	SIU		DESTROY IMMED COND CODE H
RAD-69280			RELEASED FROM TEMPORARY SUSPENSION
RAD-69422	SIU		DEMIL INDICATED COND CODE H
1320-00-0000000-D542		PROJ 155MM GB M121A1	
EFB82B001H001		S01	
EFB82B001H002		S01	
EFB82C001H003		S01	
UOD-1-1		S01	
UOD-1-10		S01	
UOD-1-11		S01	
UOD-1-12		S01	
UOD-1-13		S01	
UOD-1-14		S01	
UOD-1-16		S01	
UOD-1-17		S01	
UOD-1-18		S01	
UOD-1-19		S01	
UOD-1-2		S01	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1320-00-0000000-D542		PROJ 155MM GB M121A1	
UOD-1-20		S01	
UOD-1-21		S01	
UOD-1-22		S01	
UOD-1-23		S01	
UOD-1-24		S01	
UOD-1-25		S01	
UOD-1-29		S01	
UOD-1-3		S01	
UOD-1-4		S01	
UOD-1-40		S01	
UOD-1-42		S01	
UOD-1-47		S01	
UOD-1-5		S01	
UOD-1-50		S01	
UOD-1-6		S01	
UOD-1-7		S01	
UOD-1-8		S01	
1320-00-3011824-D543		PROJECTILE 155MM GAS PERSISTENT H OR HD M110	
ALL LOTS			DEMIL INDICATED COND CODE H
1320-00-5297353-D543		PROJECTILE 155MM GAS PERSISTENT H M110	
ALL LOTS			DEMIL INDICATED COND CODE H
1320-00-0000000-D544		PROJ 155MM HE M107	
HAW-501-12		B01 W30	
LOP-3-146	SIU		RQR 100% INSP F/PERFORATED BASE COVERS ASSIGNED COND CODE E
LOP-4-11	SIU		RQR RING GAGE
LOP-61-3	SIU		RQR 100% INSP F/MISSING FUZE WELL CUPS ASSIGNED COND CODE E
LOP-61-40	SIU		DEMIL INDICATED
LOP-613-26	SIU		DEMIL INDICATED
LOP-64-254			ASSIGNED COND CODE F RQR 100% ULTRASONIC INSP
LOP-64-264			100% RING GAGE FOR 6.0984 IN MAX DIAM ON THE FWD BOURRLET
LOP-64-267			100% INSP FOR MISSING SUPPL CHG. ASSIGNED COND CODE E
LOP-64-273			ASSIGNED COND CODE E RQR 100% INSP F/PERFORATED BASE COVERS
LOP-64-274			ASSIGNED COND CODE E RQR 100% INSP F/PERFORATED BASE COVERS
LOP-64-288			100% INSP FOR MISSING SUPPL CHG. ASSIGNED COND CODE E
LOP-642-141			ASSIGNED COND CODE F RQR 100% ULTRASONIC INSP
LOP-643-148	SIU		DEMIL INDICATED
LOP-643-254			ASSIGNED COND CODE F RQR 100% ULTRASONIC INSP
LOP-645-250			ASSIGNED COND CODE F RQR 100% ULTRASONIC INSP
LOP-705-26			RQR 100% INSP FOR MISSING PAD ON SUPPLEMENTARY CHARGE ASSIGNED COND CODE E
RVA-10-256	SIU		RQR 100% INSP F/PERFORATED BASE COVERS

```
  1320-00-0000000-D544  PROJ 155MM HE M107
                                  ASSIGNED COND CODE E
    RVA-4-150        SIU          RQR INSP FOR UNSVC PROJ METAL PARTS
    RVA-4-150C           F11
    TFO-602-13       SIU          RQR 100% INSP F/PERFORATED BASE COVERS
                                  RQR 100% INSP F/MISSING FUZE WELL CUPS
                                  ASSIGNED COND CODE E
  1320-00-7825532-D544  PROJ 155MM HE M107B2 GUN AMMO CONVERTED TO HOW
    ALL LOTS             B01 R13
                         R14
  1320-00-0000000-D545  PROJ 155MM ILLUM M118 SERIES
    ALL LOTS             B01
  1320-00-0000000-D548  PROJECTILE 155MM HC       BE M116E1
    BQD-500-5                     REQ 100% SCREENING FOR CORRECT ZONE MARKINGS
                                  ASSIGNED COND CODE E
  1320-00-0000000-D550  PROJ 155MM SMK WP M110
    AKZ-601-2        SIU          RQR 100% INSP FOR INVERTED BURSTERS
                                  ASSIGNED COND CODE E
    OAP-1-16                      RQR INSP OF BURSTERS
    OAP-1-23                      RQR INSP OF BURSTERS
    RD-24-46         SIU          REQ 100% INSP FOR LEAKING WP
                                  ASSIGNED COND CODE E
    SND-560-1            B01
    SND-560-2            B01
    SND-560-3            B01
  1320-00-0000000-D561  PROJ 155MM HE M449
|   AKZ-503-2                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LOP-10-4A                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LOP-10-5                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LOP-48-3B                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    LOP-8-2                       AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
    LOP-8-2A                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LOP-900-3                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LOP-903-1B                    FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LOP-903-3C                    FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LS-46-2A                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LS-502-1                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LS-505-1                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   LS-505-2                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    LS-9-1           SIU          ASSIGNED COND CODE E
                                  RQR 100% INSP F/MISSING GROOVE PINS
|   RYC-500-4                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   RYC-500-4A                    FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   RYC-500-5                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   RYC-500-6                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   RYC-530-6                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
  1320-00-0000000-D562  PROJ 155MM HE M449A1
    LOP-3-99                      AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
    LOP-3-99A                     AUTHORIZED FOR EMERGENCY COMBAT ONLY.  COND CODE N ASSIGNED.
    LS-66-6A         SIU          REQ 100% SCREENING FOR CRITICAL DEFECT-MISSING BASE PLUG GROOVE PINS
                                  ASSIGNED COND CODE E
  1320-00-0000000-D563  PROJ 155MM HE M483A1
```

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D563 PROJ 155MM HE M483A1		
KN-76M001-001A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-76M001-002A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-76M002-001A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-76M002-002A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-004A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-005A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-006A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-007A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-008A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A002-010A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77A007-002A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77B002-011A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77B002-012A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77B002-013A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77B002-014		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77B002-015A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77C002-007A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77C002-016A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77C002-017A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77C002-018A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77C002-019A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77C007-020A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

```
LOT NUMBER      LIMIT RESTRICTION        FIX     OR     REASON

1320-00-0000000-D563  PROJ 155MM HE M483A1
                                  COND CODE N APPLIES
 KN-77D002-020A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77D002-021A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77D002-022A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77D007-021A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77E002-023A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77E002-024A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77E003-001A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77F002-025A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77F003-002A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77F003-003A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77F003-004A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77F003-005A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77F003-006A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77G002-026A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77G002-027A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77G002-029A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77H004-001A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77H004-002A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77H004-003A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77H004-004A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77J002G030A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77J004-005A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77J005-001                    REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77J005-002A                   REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
 KN-77J005-003                    REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
                                  COND CODE N APPLIES
```

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
KN-77J005-003A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77K005-004A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77K005-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77K005-006A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77K006-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77K006-002A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77K006-003A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77K006V001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77L006-004A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77L005-007A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77L005-008A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77L005-009A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77L005-010A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77L005-011A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77L005-012A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77M005-013A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77M005-014A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77M005-015A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77M005-016A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77M005-017		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77M005-018		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77M005-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-77M005-021		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78A005-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78A005-020		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78A005-020A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

1320-00-0000000-D563 PROJ 155MM HE M483A1

		COND CODE N APPLIES
KN-78A007-001A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78A007-003A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78A007-004A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78B007-005A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78B007-006A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78B007-007A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78B007-008A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78B007-009A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78B007-010A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78B007-011A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78B007-012A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78B009-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78C007-013A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78C007-014A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78C007-015A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78C007-016A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78C007-017A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78C007-018A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78C007-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78C007-019A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78D007-022A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78D007-023A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78D007-024A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78D007-025A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78D007V021		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
KN-78D007V022		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78D007V023		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78EV007V029		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78E007-027		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78E007V026		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78E007V027		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78E007V028		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78E007V030		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78F005G021		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78F007-031		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78F007-032A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78F007-033A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78F007-034A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78F007-036A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78F007G035		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78G007-037A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78G007-038A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78G007-039A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78G007-040A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78G008-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78G008-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78H007-041A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78H007-042A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78H007-043		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78H007-044		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-78H008-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D563 PROJ 155MM HE M483A1		
		COND CODE N APPLIES
KN-78J008-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78J008-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78J008-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78J008-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78J008-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78K007-045		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78K007-046		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78K007-047		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78K008-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78K010-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78K010-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78K010-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78L009-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78L009-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78L009-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78L009-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78L009-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78L010-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78M009-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78M009-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78M009-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78M009-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-78M010-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-79A007G048		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES
KN-79A009-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
		COND CODE N APPLIES

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D563 PROJ 155MM HE M483A1		
KN-79A009-011		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79A009-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79A009-013		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79A009-014		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79A009-015		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79B005G022		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79B009-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79B009-016		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79B009-017		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79B009-018		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79B009-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79B011-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79C009-020		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79C009-021		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79C011-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79C011-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79C011-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79C011-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79D009-022		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79D009-023		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79D009-024		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79D009-025		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79E007-028		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79E007V028		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79E009-027		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79E009-028		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D563 PROJ 155MM HE M483A1		
		COND CODE N APPLIES
KN-79E009-029		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79F007M019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79F007V020		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79F009-030		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79F009-031		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79F009-032		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79F009-033		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79G009-034		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79G009-035		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79G009-036		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79G012-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79H012-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79H012-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79H012-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79H012-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79H012-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79J012-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79J012-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79J012-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79J013-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79J013-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79K012-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79K013-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79K013-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79K013-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
KN-79L012-011		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79L012-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79L012-013		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79L012-014		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79M009G037		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79M012G015		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79M013-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79M013-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79M013-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-79M013-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-793009-026		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80L015-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80A012-016		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80A012-017		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80A012-018		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80A012-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80A013-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80B012-020		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80B012G021		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80B013-011		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80B013-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80B013-013		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80C012-022		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80C012-023		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80C012-024		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80C012-025		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		COND CODE N APPLIES
KN-80C013-014		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80D012-026		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80D012-027		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80D013-015		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80D013-016		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80D013-017		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80E012-028		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80E013-018		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80E013-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80E013-020		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80E019-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80F007G050		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80F009G038		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80F012-030		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80F012-032		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80F012G029		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80F013-020		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80F013-021		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80G012-031		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80G012-033		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80G013-022		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80H012G034		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80H013-023		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80H013-024		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80H013-025		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
KN-80H013-026		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80J014-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80J014-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80J014-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80J014H002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80K013G021		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80K014-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80K014-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80K015-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80L014-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80L014-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80L014-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80L014-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80L015-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80M014-011		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80M014-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80M014-013		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80M015-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-80M015-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-81A014-014		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-81A014-015		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-81A015H006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
KN-81K015-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LA-77F018-001A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-10-1		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-10-2		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D563 PROJ 155MM HE M483A1		
		COND CODE N APPLIES
LS-10-3		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-10-4		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-10-5		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-10-6		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-10-7		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-10-7A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-10-8A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-10-9A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-11-1A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-12-1A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-513-1A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-513-2		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-514-1A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-7-1		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-7-2		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77A012-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77A012-003A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77A012-004A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77B013-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77B013-001A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77B013-002A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77B013-003A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77B013-004A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77C013-005A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77C013-006A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES

LOT NUMBER	LIMIT RESTRICTION FIX OR REASON
1320-00-0000000-D563 PROJ 155MM HE M483A1	
LS-77C013-007A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77C013-008A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77D013-003A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77D013-009	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77E013-011A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77E014-001A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77E015-001A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77E016-001A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77E016-004A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77F016-002A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77F017-001A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77F017-002A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77F019H001A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77G017-003A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77G017-004A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77G017-005A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77G018-002A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77G018-003A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77G018-004A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77H018-005A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77H018-006A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77H018-006B	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77H018-007A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77H018-008	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77H018-008A	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77H018-008B	REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		COND CODE N APPLIES
LS-77H018-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77H018-009A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77H018-009B		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77J018-010A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77J018-011A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77J020-001A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77J020-001B		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77J020-002A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77J020-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77J020-003A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77K019H002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77K020-005A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77K020-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77K020-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77K020-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77K020-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77K020-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77K020-011A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77L020-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77L020-013		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77L020-014A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77M019H003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77M019H005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77M020-015A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77M020-016		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LS-77M020-017		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77M021-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77M021-002A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77M021-002B		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77M021-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-77M028-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-773015-002A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78A021-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78A021-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78A021-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78A021-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78A021-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78A021-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78A021-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78A021-011		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78A024-013		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B-22-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B002-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B002-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B002-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B002-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B021-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B021-013		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B021-014		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B022-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B022-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D563 PROJ 155MM HE M483A1		COND CODE N APPLIES
LS-78B022-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78B022-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78C022-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78C022-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78C022-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78C022-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78C022-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78C022-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78C022-014		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78D022-011		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78D022-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78F019H004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78F022-015A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78F022-016		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78F022-017A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78G022-018A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78G022-019A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78G022-019B		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78H022-020		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78H022-021		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78H022-022		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78H024-029		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78J022-023		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78J022-024		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78J022-025		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LS-78J023-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78K022-026		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78K024-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78K024-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78K025H001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78L022-024		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78L024-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78L024-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78L024-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78L024-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78L024-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78M024-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78M024-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-78M024-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-783022-013		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79A024-011		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79A024-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79A024-014		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79B024-015		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79B024-016		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79B024-017		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79C024-018		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79C024-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79D024-020		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79D024-021		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79E024-022		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		COND CODE N APPLIES
LS-79E024-023		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79E024-024		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79E024-025		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79E025H003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79E025H005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79F024-026		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79G024-027		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79G024-028		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79G026-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79G027-027		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79G027H001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79H024-029		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79H024-030		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79H024-031		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79H025H005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79J024-032		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79K020-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79K024-033		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79K024-034		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79K028-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79K028-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79K029H001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79L028-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79M028-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79M028-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LS-79M028-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-79M028-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-8-1		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-8-1A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-8-2		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-8-2A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-8-3A		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80A001S570		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80A028-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80B028-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80B028-011		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80B028-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80B029H002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80B030-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80B030-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80C028-013		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80C028-014		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80D028-015		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80D028-016		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80D028-017		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80E028-018		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80E028-019		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80E028-020		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80E030-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80F030-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80F030-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

1320-00-0000000-D563 PROJ 155MM HE M483A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		COND CODE N APPLIES
LS-80F030-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80F030-006		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80F031H001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80G030-007		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80G030-008		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80G030-009		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80G030-010		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80G030-011		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80H030-012		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80H032-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80H032-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80H033H001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80H034-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80H035H001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80J036-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80J036-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80J036-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80J036-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80J037H001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80J037H001A	S25 S27	
LS-80K038-001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80K038-002		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80K038-003		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80K038-004		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80K038-005		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901 COND CODE N APPLIES
LS-80K039H001		REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1320-00-0000000-D563 PROJ 155MM HE M483A1			
			COND CODE N APPLIES
LS-80K040-001			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80K040-002			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80K040-003			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80K041H001			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80L001S754			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80L040-004			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80L040-005			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80L040-006			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80L040-007			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80M040-008			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80M040-009			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80M040-010			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-80M040-011			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-81A040-012			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-81A040-013			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-89A028-009			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-9-1			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-9-1A			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS-9-2			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
LS77K020-004			REPL BASE 7075-T6 W/BASE 7175-T74 PN 10542901
			COND CODE N APPLIES
1320-00-0000000-D570 CTG 155MM HEP M123A1			
IOP-1-1		B01	
IOP-1-9		B01	
IOP-1-9A	SIU		DEMIL INDICATED COND CODE H
IOP-2-38		B01	
IOP-2-9	SIU		RQR INSP FOR UNSVC CTG CASES
			ASSIGNED COND CODE E
1320-00-0000000-D572 PROJ 175MM HE M437 T203E9			
IOP-14-117	SIU		RQR SEGREGATION OF UNSVC PROJ W/H12 STAMPED IN BODY
IOP-14-125			RQR ULTRASONIC TESTING OF PROJ METAL PARTS

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D572 PROJ 175MM HE M437 T203E9		
		RQR INSP OF PROJ METAL PARTS FOR HARDNESS
IOP-14-125A		RQR ULTRASONIC TESTING OF PROJ METAL PARTS
		RQR INSP OF PROJ METAL PARTS FOR HARDNESS
IOP-14-133		RQR ULTRASONIC TESTING OF PROJ METAL PARTS
IOP-14-40	SIU	RQR ULTRASONIC TESTING OF PROJ METAL PARTS
IOP-15-23	SIU	RQR ULTRASONIC TESTING OF PROJ METAL PARTS
		RQR INSP OF PROJ METAL PARTS FOR HARDNESS
IOP-15-28	SIU	RQR ULTRASONIC TESTING OF PROJ METAL PARTS
IOP-15-33	SIU	RQR INSP FOR CRITICAL DEFECTS
		RQR ULTRASONIC TESTING OF PROJ METAL PARTS
IOP-15-34	SIU	RQR INSP FOR CRITICAL DEFECTS
		RQR ULTRASONIC TESTING OF PROJ METAL PARTS
IOP-16-29		RQR 100% ULTRASONIC INSP
		RQR RING GAGE
		RQR VISUAL INSP OF OBTURATION BANDS
IOP-16-30		RQR 100% ULTRASONIC INSP
		RQR RING GAGE
		RQR VISUAL INSP OF OBTURATION BANDS
IOP-16-33		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-34		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-35		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-53		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-54		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-61		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-62		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-63		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-64		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-69		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST
IOP-16-70		RQR 100% ULTRASONIC INSP
		RQR X-RAY
		RQR HARDNESS TEST

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D572 PROJ 175MM HE M437 T203E9		
IOP-16-71		RQR 100% ULTRASONIC INSP RQR X-RAY RQR HARDNESS TEST
IOP-16-72		RQR 100% ULTRASONIC INSP RQR X-RAY RQR HARDNESS TEST
IOP-16-93		RQR 100% ULTRASONIC INSP RQR X-RAY RQR HARDNESS TEST
IOP-16-94		RQR 100% ULTRASONIC INSP RQR X-RAY RQR HARDNESS TEST
IOP-16-95		RQR 100% ULTRASONIC INSP RQR X-RAY RQR HARDNESS TEST
RVA-1-100		RQR RADIOGRAPHIC INSP OF FILLER
RVA-1-123	S22	
RVA-1-81		RQR RADIOGRAPHIC INSP OF FILLER
RVA-1-82		RQR RADIOGRAPHIC INSP OF FILLER
1320-00-0596726-D572 PROJECTILE 175MM HE M437		
ALL LOTS		DEMIL INDICATED COND CODE H
1320-00-0000000-D579 PROJECTILE 155MM HERA M549A1		
IOP82H031-049 THRU IOP86J034-023 W/O SUFFIX		REPLACE OBTURATOR COND CODE N APPLIES
IOP78J030V029A		RQR 100% INSP FOR DAMAGED OBTURATOR BAND ASSIGNED COND CODE E
IOP78M030V039A	SIU	CRITICAL DEFECT FOUND DURING STOCKPILE EVALUATION ASSIGNED COND CODE J
IOP81G030-123	S22	
IOP81G030-124	S22	
IOP81M031-019		RQR 100% INSP FOR MISSING PAD ON SUPPLEMENTARY CHARGE ASSIGNED COND CODE E
IOP82E031-041		REPLACE OBTURATOR COND CODE N APPLIES
IOP83H031-085A		REPLACE OBTURATOR COND CODE N APPLIES
IOP83H031-085B		REPLACE OBTURATOR COND CODE N APPLIES
IOP83L031-093A		REPLACE OBTURATOR COND CODE N APPLIES
IOP84A031-099A		REPLACE OBTURATOR COND CODE N APPLIES
IOP84F032-005A		RELEASED FROM PERMANENT SUSPENSION
IOP86G034-018A		REPLACE OBTURATOR COND CODE N APPLIES
1320-00-0000000-D591 PROJ 175MM HE M437A2		
IOP-17-13		RQR X-RAY RQR 100% ULTRASONIC INSP

1320-00-0000000-D591 PROJ 175MM HE M437A2

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		RQR HARDNESS TEST
IOP-17-14		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		RQR HARDNESS TEST
IOP-17-14A		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		ASSIGNED COND CODE E
IOP-17-15A		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		ASSIGNED COND CODE E
IOP-17-16A		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		ASSIGNED COND CODE E
IOP-17-17		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		REQUIRES GAGING
IOP-17-25A		DEMIL INDICATED COND CODE H
IOP-17-26A		DEMIL INDICATED COND CODE H
IOP-17-27A		DEMIL INDICATED COND CODE H
IOP-17-28A		DEMIL INDICATED COND CODE H
IOP-18-1		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		RQR HARDNESS TEST
IOP-18-17		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		RQR HARDNESS TEST
IOP-18-17A		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		ASSIGNED COND CODE E
IOP-18-18		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		RQR HARDNESS TEST
IOP-18-18A		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		ASSIGNED COND CODE E
IOP-18-19		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		RQR HARDNESS TEST
IOP-18-19A		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		ASSIGNED COND CODE E
IOP-18-2		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		RQR HARDNESS TEST
IOP-18-20		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		RQR HARDNESS TEST
IOP-18-29		RQR X-RAY
		RQR 100% ULTRASONIC INSP
		RQR HARDNESS TEST
IOP-18-29A		RQR X-RAY

```
 LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1320-00-0000000-D591  PROJ 175MM HE M437A2
                                  RQR 100% ULTRASONIC INSP
                                  ASSIGNED COND CODE E
  IOP-18-3                        RQR X-RAY
                                  RQR 100% ULTRASONIC INSP
                                  RQR HARDNESS TEST
  IOP-18-3A                       RQR X-RAY
                                  RQR 100% ULTRASONIC INSP
                                  ASSIGNED COND CODE E
  IOP-18-30                       RQR X-RAY
                                  RQR 100% ULTRASONIC INSP
                                  RQR HARDNESS TEST
  IOP-18-30A                      RQR X-RAY
                                  RQR 100% ULTRASONIC INSP
                                  ASSIGNED COND CODE E
  IOP-18-31                       RQR X-RAY
                                  RQR 100% ULTRASONIC INSP
                                  RQR HARDNESS TEST
  IOP-18-31A                      RQR X-RAY
                                  RQR 100% ULTRASONIC INSP
                                  ASSIGNED COND CODE E
  IOP-18-32                       RQR X-RAY
                                  RQR 100% ULTRASONIC INSP
                                  RQR HARDNESS TEST
  IOP-18-33                       RQR 100% ULTRASONIC INSP
                                  REQUIRES GAGING
  IOP-18-4                        RQR X-RAY
                                  RQR 100% ULTRASONIC INSP
                                  RQR HARDNESS TEST
1320-00-0000000-D592  CTG 152MM HE XM657 SERIES
  ALL LOTS W/M157  SIU            DEMIL INDICATED COND CODE H
  SERIES CTG CASE
1320-00-0000000-D624  PROJ 8 INCH HERA M650
| IOP80H040-001          S16      RELEASED WITH RESTRICTION
| IOP80H040-002          S16      RELEASED WITH RESTRICTION
| IOP80L041-001          S16      RELEASED WITH RESTRICTION
| IOP80L041-002          S16      RELEASED WITH RESTRICTION
  IOP81B041-005     SIU           RQR 100% INSP FOR DAMAGED OBTURATOR BAND
                                  ASSIGNED COND CODE E
  IOP81B041-006     SIU           METAL PARTS SEPARATED UPON FIRING
  IOP81B041-006B    SIU           METAL PARTS SEPARATED UPON FIRING
  IOP81B041-006C    SIU           METAL PARTS SEPARATED UPON FIRING
  IOP82A044-003     SIU           RQR INSP FOR EXCESSIVE GAP/PROJ AND RKT MTR
                                  ASSIGNED COND CODE E
  IOP85D046-020     SIU           RQR INSP FOR EXCESSIVE GAP/PROJ AND RKT MTR
                                  ASSIGNED COND CODE E
  IOP85E046-024     SIU           REPLACE OBTURATOR
                                  ASSIGNED COND CODE F
  IOP87C048-015     SIU           RQR 100% INSP FOR DAMAGED OBTURATOR BAND
                                  ASSIGNED COND CODE E
| IOP88C049H012          S16      RELEASED WITH RESTRICTION
| IOP88C049H013          S16
```

best copy available

```
  LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

 1320-00-0000000-D661  CHG PROP M188 F/8 INCH HOW SP M110A1
   IND79J001S175         T09
   RAD-69711             T09
   RAD-69711CL           T09
 1320-00-0000000-D662  CHG PROP M188A1 F/8 INCH HOWITZER SP M110A2
   IND80M-070039         R17
 1320-00-0000000-D674  PROP CHG 8 INCH M80
|  PA-E-22074       SIU           DEMIL INDICATED COND CODE H
|  PA-E-26910       SIU           DEMIL INDICATED COND CODE H
|  PA-17-2          SIU           DEMIL INDICATED COND CODE H
|  PA-17-3          SIU           DEMIL INDICATED COND CODE H
|  PA-17-4          SIU           DEMIL INDICATED COND CODE H
   PA-45-1          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-45-2          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-45-3          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-45-4          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-45-5          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-45-6          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-45-7          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-45-8          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-45-9          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-59-1          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-59-2          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-59-3          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-59-4          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-59-5          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-59-6          SIU           DEMIL IMMEDIATELY  COND CODE H
   PA-59-7          SIU           DEMIL IMMEDIATELY  COND CODE H
   RAD-RB-60449     SIU           DEMIL IMMEDIATELY  COND CODE H
 1320-00-0000000-D675  CHARGE PROP 8 INCH M1
   IND77E-069745                  RQR 100% INSP FOR PRESENCE OF BLACK POWDER AND FIRM IGNITER PAD.
                                  RQR 100% INSP FOR MISSING INCREMENT STITCHING EXPOSING PROPELLANT.
|  IND77H-069787    SIU           METAL PARTS IN WEAPON (TUBE) AFTER FIRING
 1320-00-0000000-D676  CHG PROP M2 WHITE BAG
   BAJ-30548                      100% INSP FOR MISSING PROPELLANT INCREMENTS
                                  RQR 100% INSP FOR INCORRECT CHARGE WEIGHTS
                                  ASSIGNED COND CODE E
   BAJ-63470                      100% INSP FOR MISSING PROPELLANT INCREMENTS
                                  RQR 100% INSP FOR INCORRECT CHARGE WEIGHTS
                                  ASSIGNED COND CODE E
   BAJ-63480                      RELEASED FROM TEMPORARY SUSPENSION
   CHK-32298                      100% INSP FOR MISSING PROPELLANT INCREMENTS
                                  RQR 100% INSP FOR INCORRECT CHARGE WEIGHTS
                                  ASSIGNED COND CODE E
|  IA-39767                       RELEASED FROM TEMPORARY SUSPENSION
   IA-39770         SIU           DEMIL IMMEDIATELY  COND CODE H
   IA-39785         SIU           DEMIL IMMEDIATELY  COND CODE H
 1320-00-0000000-D680  PROJ 8INCH HE M106
   AKZ-500-1                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
   AKZ-500-2                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|  AKZ-500-4                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
   BGD-602-10                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
   BGD-602-13                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
```

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1320-00-0000000-D680 PROJ 8INCH HE M106		
COP-1-10		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-1-11		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-1-14		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-1-16		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-1-18		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-1-2		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-1-20		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-1-23		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-1-23A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-1-4		RQR 100% INSP FOR MISSING PAD ON SUPPLEMENTARY CHARGE ASSIGNED COND CODE E
COP-2-10		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-10A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-11		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-13		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-14		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-16		RQR INSP FOR MISSING OR DAMAGED SUPPLEMENTARY CHANGE ASSIGNED COND CODE E
COP-2-16A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-16B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-16C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-17		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-18		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-19		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-2		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-23		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-24		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-25		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-3		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-35		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-36		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-4		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-42		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-43		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-44		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-45		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-46		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-48		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-5		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-55		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-56		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-6		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-7		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-7A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-8		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-8A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
COP-2-9		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
DSA-500-4		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
DSA-500-5		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
GA-1-18A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
HIB-500-1		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

1320-00-0000000-D680 PROJ 8INCH HE M106

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	HIB-500-2		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-13-14		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-13-18		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	IOP-13-19		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-14-4		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-15-13		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-15-3		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-1		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	IOP-16-1A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	IOP-16-1B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-11		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	IOP-16-12		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14J		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-14K		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-15A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-18		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	IOP-16-2		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-20		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-22		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-25		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	IOP-16-27		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-29		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-3		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-30		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-4		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-5		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-6		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-7		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-8		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-16-9		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-165-5		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-1		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-10		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-12		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-24		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-26		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-28		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-29		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-3		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-3A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	IOP-17-3C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-34		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-36		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

1320-00-0000000-D680 PROJ 8INCH HE M106

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	IOP-17-39		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-39A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-43		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-45		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-49		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-5		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-6		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-17-69		RQR 100% ULTRASONIC INSP ASSIGNED COND CODE E
	IOP-17-8		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	IOP-17-87	SIU	METAL PARTS IN WEAPON (TUBE) AFTER FIRING
	IOP-17-9		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	IOP-9-15	SIU	100% INSP FOR MISSING SUPPL CHG. ASSIGNED COND CODE E
	IOP79L018-003	SIU	RQR X-RAY OF FILLER FOR VOIDS ASSIGNED COND CODE F
	IOP80B018-009	SIU	RQR X-RAY OF PROJ METAL PARTS ASSIGNED COND CODE F
	IOP85K021-003	SIU	RQR 100% INSP FOR EXPLOSIVE CONTAMINATION IN FUZE WELL ASSIGNED COND CODE E
	JA-1-18A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-20		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-21		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-24		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-31		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-38		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-42		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-6		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-62		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-62B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	JA-1-68		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	JA-1-69		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	JA-1-71		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	JA-1-8		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	JA-1-80		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	KMK-500-1		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	KMK-500-2		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	KMK-500-3		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	KMK77D001G002	SIU	RQR 100% INSP FOR MISSING OR DEFECTIVE BASE COVERS ASSIGNED COND CODE E
	KMK77D001G003		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-17-32		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	ROK-600-18	SIU	RQR 100% INSP FOR MISSING OR DEFECTIVE BASE COVERS ASSIGNED COND CODE E
I	ROK-600-18A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	ROK-600-18B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	RVA-1-23	SIU	RQR 100% INSP FOR MISSING OR DEFECTIVE BASE COVERS ASSIGNED COND CODE E
	RVA-602-7	SIU	RQR 100% INSP FOR MISSING OR DEFECTIVE BASE COVERS ASSIGNED COND CODE E
	SOD-602-10	SIU	RQR 100% INSP FOR MISSING OR DEFECTIVE BASE COVERS

LOT NUMBER	LIMIT	RESTRICTION FIX OR REASON
1320-00-0000000-D680 PROJ 8INCH HE M106		
		REQ 100% SCREENING FOR CORRECT ZONE MARKINGS
		ASSIGNED COND CODE F
SOD-602-12		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SOD-602-14		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SOD-602-15		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SOD-602-16		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SOD-602-17		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SOD-602-5		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SOD-602-6		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SOD-602-9		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SOG-500-19	SIU	RQR 100% INSP FOR MISSING OR DEFECTIVE BASE COVERS
		ASSIGNED COND CODE E
TFO-616-3		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
TFO-616-4		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
TFO-616-7		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
1320-00-0000000-D684 PROJ 8 INCH HE M404		
LS-1-1	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-10	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-11	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-12	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-13	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-14	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-15	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-16	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-17	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-18	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-19	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-2	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-3	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-4	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-5	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-6	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-7	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-8	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-1-9	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-10-1	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-10-2	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-11-1A		ASSIGNED COND CODE F
		RQR 100% TORQUING OF BASE PLATES
LS-11-1B		ASSIGNED COND CODE F
		RQR 100% TORQUING OF BASE PLATES
LS-11-2A		ASSIGNED COND CODE F
		RQR 100% TORQUING OF BASE PLATES
LS-11-2B		ASSIGNED COND CODE F
		RQR 100% TORQUING OF BASE PLATES
LS-12-1		ASSIGNED COND CODE F
		RQR 100% TORQUING OF BASE PLATES
LS-12-10		ASSIGNED COND CODE F
		RQR 100% TORQUING OF BASE PLATES
LS-12-11		ASSIGNED COND CODE F
		RQR 100% TORQUING OF BASE PLATES

1320-00-0000000-D684 PROJ 8 INCH HE M404

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LS-12-12		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-12-2		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-12-3		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-12-4		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-12-5		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-12-6		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-12-7		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-12-8		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-12-9		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-13-1		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-13-2		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-1		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-10		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-11		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-12		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-13		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-2		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-3		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-4		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-5		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-6		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-7		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-8		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-14-9		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-15-1		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-15-10		ASSIGNED COND CODE F

```
LOT NUMBER      LIMIT RESTRICTION          FIX     OR     REASON

1320-00-0000000-D684  PROJ 8 INCH HE M404
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-11                          ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-12                          ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-13                          ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-14                          ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-2                           ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-3                           ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-4                           ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-5                           ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-6                           ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-7                           ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-8                           ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-15-9                           ASSIGNED COND CODE F
                                    RQR 100% TORQUING OF BASE PLATES
  LS-2-1             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-10            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-11            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-12            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-13            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-2             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-3             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-4             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-5             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-6             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-7             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-8             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-2-9             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-1             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-10            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-11            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-12            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-13            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-14            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-15            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-16            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-17            SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-2             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-3             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-4             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-3-5             SIU            REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
```

1320-00-0000000-D684 PROJ 8 INCH HE M404

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LS-3-6	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-3-7	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-3-8	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-3-9	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-4-1	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-5-1	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-5-2	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-500-1-HYBRID	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-500-2-HYBRID	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-500-3-HYBRID	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-501-1-HYBRID	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-502-1-HYBRID	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-502-2-HYBRID		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-503-1-HYBRID	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-503-2-HY3RID	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-503-3-HYBRID	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-503-4-HYBRID	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-503-5-HYBRID		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-503-6-HYBRID		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-503-7-HYBRID		ASSIGNED COND CODE F RQR 100% TORQUING OF BASE PLATES
LS-6-1	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-10	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-11	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-12	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-13	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-14	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-15	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-16	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-17	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-2	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-3	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-4	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-5	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-6	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-7	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-8	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-6-9	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-7-1	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-8-1	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-8-2	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-8-3	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-9-1	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-9-10	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-9-11	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-9-12	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-9-13	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
LS-9-14	SIU	REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES

```
  LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

1320-00-0000000-D684  PROJ 8 INCH HE M404
  LS-9-15           SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-16           SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-17           SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-18           SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-19           SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-2            SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-20           SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-21           SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-22           SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-23           SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-3            SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-4            SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-5            SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-6            SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-7            SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-8            SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  LS-9-9            SIU           REQ PINNING FWD JOINTS AND TORQUE 100% OF BASE PLATES
  RHN81J001M006     SIU           FAILURE TO EXPEL PROJECTILE CONTENTS
                                  ASSIGNED COND CODE J
1320-00-0000000-0000  PROJ 155MM M483A1 METAL PARTS
  ANY LOT W/MPTS    SIU           ASSIGNED COND CODE J
                                  INBORE PREMATURE

  CG079L014-007
1320-00-4566404-0000  BURSTER M8
  PA-37-6           SIU           DEMIL INDICATED COND CODE H
  PD-5-102          SIU           DEMIL INDICATED COND CODE H
1320                  PROJECTILE 155MM M107 METAL PARTS
  LOP-16-21                       ASSIGNED COND CODE F
                                  RQR 100% ULTRASONIC INSP
1325-00-0000000-E821  DISPENSER AND BOMB CBU-72/B
  ALL AFHAW SERIAL SIMU           PENDING INVESTIGATION OF POSSIBLECRITICAL DEFECTIVE MATERIEL
  NUMBERS BEGINING
  WITH 608AFHAW-3-
0477 WITH SUU49A/B
  DISPENSER MFG BY
  VERCO INDUSTRIES
1325-00-0000000-E969  BOMB PRACTICE BDU-33 B/B
  ERA78A001-009     SIU           RQR INSP FOR CRITICAL DEFECTS
                                  ASSIGNED COND CODE E
1325-00-0000000-F270  BOMB GP 2000 LB MK84 MOD 4
  MCA78B001-005                   REQ REPL OF OKAW MFG LUG SUSPENSION MK3 MOD 0 MFG AFTER 1 JAN 78
  MCA78C001-006                   REQ REPL OF OKAW MFG LUG SUSPENSION MK3 MOD 0 MFG AFTER 1 JAN 78
  MCA78D001-007                   REQ REPL OF OKAW MFG LUG SUSPENSION MK3 MOD 0 MFG AFTER 1 JAN 78
  MCA78E001-007                   REQ REPL OF OKAW MFG LUG SUSPENSION MK3 MOD 0 MFG AFTER 1 JAN 78
1325-00-0000000-F274  BOMB GP 2000 LB MK84 MOD 5
  MCA79B040-001                   REQ REPL OF OKAW MFG LUG SUSPENSION MK3 MOD 0 MFG AFTER 1 JAN 78
  MCA79B040-002                   REQ REPL OF OKAW MFG LUG SUSPENSION MK3 MOD 0 MFG AFTER 1 JAN 78
  MCA79B040-003                   REQ REPL OF OKAW MFG LUG SUSPENSION MK3 MOD 0 MFG AFTER 1 JAN 78
  MCA79B040-007         B16 B30
  MCA79D040-004                   REQ REPL OF OKAW MFG LUG SUSPENSION MK3 MOD 0 MFG AFTER 1 JAN 78
1325-00-0000000-0000  LUG SUSPENSION MK3 MOD 0
```

```
 LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

1325-00-0000000-0000  LUG SUSPENSION MK3 MOD 0
 ALL LOTS MFG BY                DEMIL INDICATED
 OKAW FORGE AFTER
 1 JAN 78
 OKF78K001-001                  DEMIL INDICATED
 OKF78L001-002                  DEMIL INDICATED
 OKF78M001-003                  DEMIL INDICATED
 2N465                          DEMIL INDICATED
1325-00-1164452-0000  LUG SUSPENSION MS 3314
 ETW84L002-001                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85A002-002                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85A002-003                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85A002-004                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85B002-005                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85C002-006                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85C002-007                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85C002-008                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85C002-009                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85C002-010                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85D002-011                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85E002-012                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85E002-013                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85E002-014                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
1325-00-6841364-0000  LUG SUSPENSION MK3MOD0
 ETW84J001-001                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW84J001-002                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW84L001-003                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW84L001-004                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW84L001-005                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW84L001-007                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
 ETW85A001-006                  RQR INSP OF THREADS
                                ASSIGNED COND CODE F
```

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1325-00-6841364-0000 LUG SUSPENSION MK3MOD0		
ETW85A001-008		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85A001-009		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85A001-010		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85A001-011		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85B001-012		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85C001-013		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85C001-014		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85C001-015		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85C001-016		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-017		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-018		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-019		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-020		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-021		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-022		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-023		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-024		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-025		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-026		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85D001-027		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85E001-028		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85E001-029		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85E001-030		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85E001-031		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85E001-032		RQR INSP OF THREADS ASSIGNED COND CODE F
ETW85E001-033		RQR INSP OF THREADS

```
  LOT NUMBER     LIMIT RESTRICTION       FIX    OR    REASON

1325-00-6841364-0000  LUG SUSPENSION MK3MOD0
                                ASSIGNED COND CODE F
  ETW85F001-034                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85F001-035                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85F001-038                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85F001-039                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85F001-040                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85F001-041                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85F001-042                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85G001-043                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85G001-044                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85G001-045                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85G001-046                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85G001-047                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85G001-048                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85G001-049                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85G001-050                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
  ETW85G001-051                 RQR INSP OF THREADS
                                ASSIGNED COND CODE F
1330-00-0000000-G815  GRENADE DISCHARGER SMOKE SCREENING L8A1
  VM-565                    B01
  102A               SIU            DEMIL INDICATED COND CODE H
  103A                      B01
  104A                      B01
  111A               SIU            DEMIL INDICATED COND CODE H
  130A               SIU            DEMIL INDICATED COND CODE H
  131A               SIU            DEMIL INDICATED COND CODE H
  135A                      B01
  197A               SIU            DEMIL INDICATED COND CODE H
  221A                      B01
  222A               SIU            DEMIL INDICATED COND CODE H
  236A                      B01
  244A               SIU            DEMIL INDICATED COND CODE H
  245A               SIU            DEMIL INDICATED COND CODE H
  246A               SIU            DEMIL INDICATED COND CODE H
I 252A               SIU            DEMIL INDICATED COND CODE H
  265A               SIU            DEMIL INDICATED COND CODE H
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1330-00-0000000-G838 CART GRENADE M3 RIFLE CAL.30			
LS-12150			RQR 100% INSP OF GRENADE CTG FOR LEAKING PROPELLANT
			ASSIGNED COND CODE E
1330-00-0000000-G839 CTG GRENADE RIFLE 7.62MM M64			
LC-80-10	SIU		DEMIL INDICATED COND CODE H
LC-80A140-001		B07	
1330-00-0000000-G841 CTG 5.56MM GRENADE M195			
RA-223-159	SIU		DEMIL INDICATED COND CODE H
1330-00-0000000-G870 FUZE HAND GRENADE PRACTICE M205A2			
OPI-5-108	SIU		DEMIL INDICATED
1330-00-0000000-G872 FUZE HAND GRENADE M206A2			
ALL LOTS W/O HARD PLATE X-RAY			RQR RADIOGRAPHIC INSP
IOP-49-1	SIU		DEMIL INDICATED COND CODE H
MEI-4-1	SIU		RQR 100% INSP FOR DEFORMED LEVER
			ASSIGNED COND CODE E
MEI-5-1			REPL SAFETY PIN 100%
			ASSIGNED COND CODE F
MEI-6-1			REPL SAFETY PIN 100%
			ASSIGNED COND CODE F
OPI-6-2	SIU		INSUFFICIENT SAFETY PIN SPREAD
PAL-1-29	SIU		DEMIL INDICATED COND CODE H
1330-00-0000000-G873 FUZE HAND GRENADE M204A2			
BII-30-14			DEMIL INDICATED COND CODE H
HRV-1-62A	SIU		RQR 100% INSP OF SAFETY CLIP/PIN FOR RQR TENSION
			ASSIGNED COND CODE E
IOP-11-20	SIU		DEMIL INDICATED COND CODE H
IOP-11-31			DEMIL INDICATED COND CODE H
IOP-11-32			DEMIL INDICATED COND CODE H
IOP-16-6	SIU		DEMIL INDICATED COND CODE H
IOP-16-7	SIU		DEMIL INDICATED COND CODE H
1330-00-0000000-G874 FUZE HAND GRENADE M201A1 BURNING TYPE			
BWD-1-13			DEMIL INDICATED COND CODE H
BWD-1-21			DEMIL INDICATED COND CODE H
BWD-1-50	SIU		DEMIL INDICATED COND CODE H
FDL-2-23			RQR 100% INSP FOR SAFETY PIN NOT SPREAD
			ASSIGNED COND CODE E
MAI81A001-006			RQR 100% INSP FOR SAFETY PIN NOT SPREAD
			ASSIGNED COND CODE E
MEI-1-3	SIU		DEMIL INDICATED COND CODE H
MSO-6-4	SIU		DEMIL INDICATED COND CODE H
MSO-6-6		B01	
MSO-6-10		B01	
NYI-1633-10			DEMIL INDICATED COND CODE H
OPI-4-25	SIU		DEMIL INDICATED COND CODE H
2031-63-1006	SIU		DEMIL INDICATED COND CODE H
2046-72-1007	SIU		ASSIGNED COND CODE E
			RQR 100% INSP FOR SAFETY PIN SPREAD
1330-00-0000000-G877 FUZE GRENADE HAND M213			
ALL LOTS P0177			NO FIX AUTH. ASG COND CODE N.
BWG-1-116	SIU		DEMIL INDICATED COND CODE H
BWG-1-43			DEMIL INDICATED
BWG-1-68	SIU		DEMIL INDICATED

1330-00-0000000-G877 FUZE GRENADE HAND M213

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
BWG-1-69			DEMIL INDICATED
BWG-1-91			DEMIL INDICATED
GOI-1-17			DEMIL INDICATED
GOI-1-5	SIU		DEMIL INDICATED COND CODE H
GOI-1-6	SIU		DEMIL INDICATED COND CODE H
GOI-2-11	SIU		DEMIL INDICATED COND CODE H
GOI-2-24	SIU		DEMIL INDICATED COND CODE H
GOI-2-25			DEMIL INDICATED COND CODE H
GOI-2-26			DEMIL INDICATED COND CODE H
GOI-2-28	SIU		DEMIL INDICATED COND CODE H
GOI-2-29			DEMIL INDICATED COND CODE H
GOI-2-30	SIU		DEMIL INDICATED COND CODE H
GOI-2-31	SIU		DEMIL INDICATED COND CODE H
GOI-2-32	SIU		DEMIL INDICATED COND CODE H
GOI-2-33	SIU		DEMIL INDICATED COND CODE H
GOI-2-34	SIU		DEMIL INDICATED COND CODE H
GOI-2-36			DEMIL INDICATED COND CODE H
GOI-2-39	SIU		DEMIL INDICATED COND CODE H
GOI-2-40			DEMIL INDICATED COND CODE H
GOI-2-41	SIU		DEMIL INDICATED COND CODE H
GOI-2-42	SIU		DEMIL INDICATED COND CODE H
GOI-2-43	SIU		DEMIL INDICATED COND CODE H
GOI-2-44	SIU		DEMIL INDICATED COND CODE H
GOI-2-45			DEMIL INDICATED COND CODE H
GOI-2-46	SIU		DEMIL INDICATED COND CODE H
GOI-2-49			DEMIL INDICATED COND CODE H
GOI-2-50	SIU		DEMIL INDICATED COND CODE H
GOI-2-51	SIU		DEMIL INDICATED COND CODE H
GOI-2-52	SIU		DEMIL INDICATED COND CODE H
GOI-2-53	SIU		DEMIL INDICATED COND CODE H
GOI-2-54	SIU		DEMIL INDICATED COND CODE H
GOI-2-58	SIU		DEMIL INDICATED COND CODE H
GOI-2-60	SIU		DEMIL INDICATED
GOI-2-62	SIU		DEMIL INDICATED COND CODE H
GOI-2-63	SIU		DEMIL INDICATED COND CODE H
GOI-2-64	SIU		DEMIL INDICATED COND CODE H
GOI-2-65	SIU		DEMIL INDICATED COND CODE H
GOI-3-5			DEMIL INDICATED COND CODE H
GOI-3-6	SIU		DEMIL INDICATED COND CODE H
GOI-3-9		B01	
GOI-4-4	SIU		DEMIL INDICATED COND CODE H
GOI-4-5	SIU		DEMIL INDICATED COND CODE H
GOI-2-44	SIU		DEMIL INDICATED COND CODE H
IOP-23-5			DEMIL INDICATED
IOP-25-13			DEMIL INDICATED
IOP-25-2			DEMIL INDICATED
IOP-27-7	SIU		DEMIL INDICATED COND CODE H
IOP-27-8			DEMIL INDICATED
IOP-28-2	SIU		DEMIL INDICATED COND CODE H
IOP-28-5	SIU		DEMIL INDICATED COND CODE H
IOP-29-4			DEMIL INDICATED

1330-00-0000000-G877 FUZE GRENADE HAND M213

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LNX-4-108	SIU	DEMIL INDICATED COND CODE H
LNX-4-119	SIU	DEMIL INDICATED COND CODE H
LNX-4-120		DEMIL INDICATED
LNX-5-10		DEMIL INDICATED COND CODE H
LNX-5-17		DEMIL INDICATED COND CODE H
LNX-5-18		DEMIL INDICATED COND CODE H
LNX-5-22	SIU	DEMIL INDICATED COND CODE H
LNX-5-23	SIU	DEMIL INDICATED COND CODE H
MEI-1-11	SIU	DEMIL INDICATED COND CODE H
MEI-1-13		DEMIL INDICATED COND CODE H
MEI-1-16	SIU	DEMIL INDICATED COND CODE H
MEI-1-26A	SIU	DEMIL INDICATED COND CODE H
MEI-1-34	SIU	DEMIL INDICATED COND CODE H
MEI-1-52	SIU	DEMIL INDICATED COND CODE H
MEI-1-64	SIU	DEMIL INDICATED COND CODE H
MEI-1-68	SIU	DEMIL INDICATED COND CODE H
MEI-1-71	SIU	DEMIL INDICATED COND CODE H
MEI-1-75A	SIU	DEMIL INDICATED COND CODE H
MEI-2-12		DEMIL INDICATED COND CODE H
MEI-2-13	SIU	DEMIL INDICATED COND CODE H
MEI-2-14	SIU	DEMIL INDICATED COND CODE H
MEI-2-15	SIU	DEMIL INDICATED COND CODE H
MEI-2-17	SIU	DEMIL INDICATED COND CODE H
MEI-2-18		DEMIL INDICATED COND CODE H
MEI-2-19		DEMIL INDICATED COND CODE H
MEI-2-2	SIU	DEMIL INDICATED COND CODE H
MEI-2-4	SIU	DEMIL INDICATED COND CODE H
MEI-2-5		DEMIL INDICATED COND CODE H
MEI-2-6		DEMIL INDICATED COND CODE H
MEI-2-7		DEMIL INDICATED COND CODE H
MEI-2-8	SIU	DEMIL INDICATED COND CODE H
MEI-2-9	SIU	DEMIL INDICATED COND CODE H
MEI79B001-001	SIU	RQR INSP FOR CRITICAL DEFECTS ASSIGNED COND CODE E
MEI79B001-001D		DEMIL INDICATED COND CODE H
MEI79B001-002	SIU	DEMIL INDICATED COND CODE H
MEI79B001-002B		DEMIL INDICATED COND CODE H
MEI79D001-003	SIU	DEMIL INDICATED COND CODE H
MEI80A002-002	SIU	DEMIL INDICATED COND CODE H
MEI81K003-002	SIU	DEMIL INDICATED COND CODE H
MEI81L003-003		DEMIL INDICATED COND CODE H
MEI83D005-003	SIU	DEMIL INDICATED COND CODE H
MEI83E006-001	SIU	SHORT FUZE TIME
MEI83E006-001A	SIU	SHORT FUZE TIME
MEI83K006-002	SIU	SHORT FUZE TIME
MEI85A008-002	SIU	DEMIL INDICATED COND CODE H
MEI85A008-003	SIU	BROKEN STRIKER SPRING EXCESSIVE DUDS ASSIGNED COND CODE J
MEI86H010-002	SIU	SHORT DELAY TIME
MEI88A011-005		EXCESSIVE DUDS

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	1330-00-0000000-G877 FUZE GRENADE HAND M213		
	OPI-1-8-MFG-1960		REQ 100% INSP F/MISSING OR INCORRECTLY ASSEMBLED SAFETY PINS
	OPI-2-1	SIU	DEMIL INDICATED
|	OPI-7-28A	SIU	DEMIL INDICATED COND CODE H
	PAL-3-28		DEMIL INDICATED
	PAL-3-42	SIU	DEMIL INDICATED
	PAL-3-48	SIU	DEMIL INDICATED COND CODE H
	PAL-3-51		DEMIL INDICATED
	PAL-3-52		DEMIL INDICATED COND CODE H
	PAL-3-56		DEMIL INDICATED COND CODE H
	1330-00-0000000-G880 GRENADE HAND FRAG M61		
	LS-52-10A		ASSIGNED COND CODE F REPL FUZE
	LS-52-13G		ASSIGNED COND CODE F REPL FUZE
	LS-52-15D		REPL FUZE ASSIGNED COND CODE F
	1330-00-0000000-G881 GRENADE HAND FRAG M67		
	ALL UNSUFFIXED LOTS P0177		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-1A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-12A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-12B	SIU	EXCESSIVE DUDS
	JA-1-13B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-13C		ASSIGNED COND CODE F REPL FUZE
	JA-1-13D		FUZE FAILURE
	JA-1-14A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	JA-1-14C	SIU	CONTAINS SUSPENDED FUZE LOT
	JA-1-15A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-16A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-17B	SIU	REPL FUZE ASSIGNED COND CODE F
	JA-1-18A	SIU	DEMIL INDICATED COND CODE H
	JA-1-19A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-2A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-20A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-21A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-22A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	JA-1-22B		FUZE FAILURE
	JA-1-3A	SIU	ASSIGNED COND CODE F REPL SUSPENDED FUZE LOT GOI-4-4
	JA-1-4A	SIU	REPL FUZE ASSIGNED COND CODE F
	JA-1-4C	SIU	BROKEN STRIKER SPRING EXCESSIVE DUDS ASSIGNED COND CODE J
	JA-1-5A	SIU	ASSIGNED COND CODE F REPL SUSPENDED FUZE LOT GOI-4-4
	JA-1-5B	SIU	SHORT FUZE TIME
	JA-1-6A	SIU	ASSIGNED COND CODE F REPL SUSPENDED FUZE LOT GOI-4-4

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	JA-1-8B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-8C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-1-8D		FUZE FAILURE
	JA-1-8F		FUZE FAILURE
	JA-1-9A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-2-10A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	JA-2-10B	SIU	CONTAINS SUSPENDED FUZE LOT
	JA-2-11A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	JA-2-4A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-2-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-2-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-2-7A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-2-8A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-2-9A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	JA-3-4A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	LD-56-440B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-1		REPL FUZE
	LS-56-102	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-103		REPL FUZE
	LS-56-104A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-144		REPL FUZE
	LS-56-144A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-171	SIU	REPL UNSVC FUZE LOT
	LS-56-171A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-171B	SIU	REPL FUZE ASSIGNED COND CODE F
I	LS-56-171D	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-173	SIU	REPL UNSVC FUZE LOT
	LS-56-173A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-2		REPL FUZE
	LS-56-2A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-219		REPL UNSVC FUZE LOT
	LS-56-219A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-237A		FUZE FAILURE
	LS-56-249	SIU	REPL FUZE
	LS-56-249B	SIU	SHORT FUZE TIME
	LS-56-25		REPL FUZE
	LS-56-25A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-250		REPL FUZE
	LS-56-250A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-28	SIU	REPL UNSVC FUZE LOT
	LS-56-28A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-28B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-281		REPL FUZE
	LS-56-281A	SIU	REPL FUZE

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
			ASSIGNED COND CODE F
	LS-56-3		REPL FUZE
|	LS-56-3B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-361	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-38A	SIU	ASSIGNED COND CODE F REPL FUZE
|	LS-56-39A	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-40A	SIU	REPL FUZE ASSIGNED COND CODE F
|	LS-56-40B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-403		REPL FUZE
|	LS-56-403B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-403D		FUZE FAILURE
	LS-56-42	SIU	REPL UNSVC FUZE LOT
	LS-56-42A	SIU	REPL FUZE
	LS-56-439	SIU	REPLACE SPECIFIC UNSERV FUZE LOT/S/
	LS-56-439C		FUZE FAILURE
	LS-56-44		REPL FUZE ASSIGNED COND CODE F
| |	LS-56-44C	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-440	SIU	REPL FUZE
	LS-56-440A	SIU	REPL FUZE ASSIGNED COND CODE F
| |	LS-56-444	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-453		REPL FUZE ASSIGNED COND CODE F
	LS-56-455	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-455B	SIU	CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
	LS-56-463		REPL FUZE ASSIGNED COND CODE F
	LS-56-463C		REPL FUZE ASSIGNED COND CODE F
	LS-56-463F		REPL FUZE ASSIGNED COND CODE F
|	LS-56-463L	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-467		REPL UNSVC FUZE LOT
	LS-56-467D		ASSIGNED COND CODE F REPL FUZE
	LS-56-467J	SIU	CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
|	LS-56-467K	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-468		REPL FUZE
	LS-56-468A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-468B	SIU	REPL FUZE ASSIGNED COND CODE F

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	LS-56-469	SIU	ASSIGNED COND CODE E
			RQR 100% INSP F/PRESENCE AND PROPER ASSY OF SAFETY LEVER HINGE EAR
	LS-56-475A	SIU	REPL FUZE
			ASSIGNED COND CODE F
	LS-56-475B	SIU	REPL FUZE
			ASSIGNED COND CODE F
	LS-56-476		REPL FUZE
			ASSIGNED COND CODE F
	LS-56-482A		REPL FUZE
			ASSIGNED COND CODE F
	LS-56-482B	SIU	BROKEN STRIKER SPRING
			EXCESSIVE DUDS
			ASSIGNED COND CODE J
	LS-56-487A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-487B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-487D		FUZE FAILURE
	LS-56-488A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-488B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-488D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-489	SIU	REPL FUZE
			ASSIGNED COND CODE F
	LS-56-493	SIU	REPL FUZE
			ASSIGNED COND CODE F
|	LS-56-493D	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-494		REPL UNSVC FUZE LOT
	LS-56-5		REPL FUZE
|	LS-56-5D	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-504	SIU	REPL FUZE
			ASSIGNED COND CODE F
	LS-56-505	SIU	REPL FUZE
			ASSIGNED COND CODE F
|	LS-56-506	SIU	REPL FUZE
|			ASSIGNED COND CODE F
	LS-56-506C	SIU	SHORT FUZE TIME
|	LS-56-506D	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-507		RQR 100% SAFETY PIN PULL TEST REPLACE PIN ON FAILURE
			ASSIGNED COND CODE E
	LS-56-510A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-510B		FUZE FAILURE
|	LS-56-535	SIU	REPL FUZE
|			ASSIGNED COND CODE E
	LS-56-538		REPL FUZE
	LS-56-54		REPL FUZE
	LS-56-54D		FUZE FAILURE
	LS-56-561	SIU	REPL FUZE
			ASSIGNED COND CODE F
	LS-56-561A	SIU	REPL FUZE
			ASSIGNED COND CODE F
	LS-56-565		REPL FUZE
			ASSIGNED COND CODE F
	LS-56-565B	SIU	SHORT FUZE TIME

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	LS-56-567	SIU	REPL FUZE
|	LS-56-570B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-573	SIU	REPL FUZE ASSIGNED COND CODE F
|	LS-56-573A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-581A	SIU	ASSIGNED COND CODE F REPL FUZE
|	LS-56-581B	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-581C		REPL FUZE ASSIGNED COND CODE F
	LS-56-581D	SIU	BROKEN STRIKER SPRING EXCESSIVE DUDS ASSIGNED COND CODE J
|	LS-56-595	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-6		REPL FUZE
	LS-56-6A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-60A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	LS-56-601B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-608	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-609		REPL FUZE ASSIGNED COND CODE F
|	LS-56-609B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-610		RQR REWORK OF FUZES
	LS-56-610A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-610B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-610C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-610G	SIU	SHORT FUZE TIME
	LS-56-610J	SIU	CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
	LS-56-612		REPL FUZE
	LS-56-612A		REPL FUZE ASSIGNED COND CODE F
|	LS-56-612F	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-614	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-614B	SIU	CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
|	LS-56-614D	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-615		ASSIGNED COND CODE F REPL FUZE
	LS-56-615A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-616	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-616A	SIU	BROKEN STRIKER SPRING EXCESSIVE DUDS

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1330-00-0000000-G881 GRENADE HAND FRAG M67		
		ASSIGNED COND CODE J
LS-56-617		ASSIGNED COND CODE F REPL FUZE
LS-56-617D	SIU	CONTAINS SUSPENDED FUZE LOT
LS-56-618		ASSIGNED COND CODE F REPL FUZE
LS-56-618B	SIU	CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
LS-56-618C	SIU	CONTAINS SUSPENDED FUZE LOT
LS-56-619		REPL FUZE ASSIGNED COND CODE F
LS-56-619A	SIU	REPL FUZE ASSIGNED COND CODE F
LS-56-619B	SIU	SHORT FUZE TIME
LS-56-62A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LS-56-62B		FUZE FAILURE
LS-56-620	SIU	REPL FUZE
LS-56-620C	SIU	REPL FUZE ASSIGNED COND CODE F
LS-56-621		REPL FUZE ASSIGNED COND CODE F
LS-56-621A	SIU	REPL FUZE ASSIGNED COND CODE F
LS-56-621B	SIU	CONTAINS SUSPENDED FUZE LOT
LS-56-622		REPL FUZE ASSIGNED COND CODE F
LS-56-622D	SIU	SHORT FUZE TIME
LS-56-622F		FUZE FAILURE
LS-56-624	SIU	REPL FUZE
LS-56-624E		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LS-56-625		REPL SAFETY PIN 100% ASSIGNED COND CODE F
LS-56-626		REPL FUZE ASSIGNED COND CODE F
LS-56-626B	SIU	CONTAINS SUSPENDED FUZE LOT
LS-56-627		REPL FUZE ASSIGNED COND CODE F
LS-56-627C	SIU	CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
LS-56-628		ASSIGNED COND CODE F REPL FUZE
LS-56-628A		ASSIGNED COND CODE F REPL FUZE
LS-56-629		REPL FUZE ASSIGNED COND CODE F
LS-56-629D	SIU	CONTAINS SUSPENDED FUZE LOT
LS-56-629F	SIU	CONTAINS SUSPENDED FUZE LOT
LS-56-63	SIU	REPL UNSVC FUZE LOT
LS-56-63A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LS-56-63B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LS-56-63C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	LS-56-630	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-630A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-630B	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-630C	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-630D	SIU	REPL FUZE ASSIGNED COND CODE F
| |	LS-56-631	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-632	SIU	REPL FUZE ASSIGNED COND CODE F
|	LS-56-632D	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-633	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-633B	SIU	BROKEN STRIKER SPRING EXCESSIVE DUDS ASSIGNED COND CODE J
|	LS-56-633D	SIU	CONTAINS SUSPENDED FUZE LOT
|	LS-56-633F	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-634	SIU	REPL PROP SYS & REFUZE ASSIGNED COND CODE F
|	LS-56-634B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-635		RQR 100% SAFETY PIN PULL TEST REPLACE PIN ON FAILURE ASSIGNED COND CODE E
	LS-56-636		REPL FUZE ASSIGNED COND CODE F
	LS-56-637	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-637A	SIU	CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
	LS-56-638	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-638B	SIU	BROKEN STRIKER SPRING EXCESSIVE DUDS ASSIGNED COND CODE J
	LS-56-639	SIU	REPL FUZE ASSIGNED COND CODE F
|	LS-56-639A	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-639B		FUZE FAILURE
	LS-56-64A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-642A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-643		RQR INSP FOR PRESENCE OF SAFETY PIN REPL FUZE ASSIGNED COND CODE F
	LS-56-643A		REPL FUZE ASSIGNED COND CODE F
	LS-56-643B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-643C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	LS-56-643F	SIU	SHORT FUZE TIME
	LS-56-643G	SIU	SHORT FUZE TIME
	LS-56-644	SIU	ASSIGNED COND CODE F REPL UNSVC FUZE LOT
| |	LS-56-644A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-645		REPL FUZE ASSIGNED COND CODE F
	LS-56-645C		REPL FUZE ASSIGNED COND CODE F
	LS-56-645G	SIU	CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
	LS-56-646	SIU	ASSIGNED COND CODE F REPL FUZE
|	LS-56-646B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-647		REPL FUZE ASSIGNED COND CODE F
	LS-56-647A		REPL FUZE ASSIGNED COND CODE F
	LS-56-647D	SIU	RQR 100% INSP F/PRESENCE AND PROPER ASSY OF SAFETY LEVER HINGE EAR ASSIGNED COND CODE E
	LS-56-648		ASSIGNED COND CODE F REPL FUZE
	LS-56-648A	SIU	SHORT FUZE TIME
	LS-56-648B		REPL FUZE ASSIGNED COND CODE F
	LS-56-649	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-65A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-65B	SIU	REPL FUZE
	LS-56-65C		ASSIGNED COND CODE F REPL FUZE
	LS-56-65D	SIU	SHORT FUZE TIME
	LS-56-650	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-651		REPL FUZE ASSIGNED COND CODE F
	LS-56-651A	SIU	BROKEN STRIKER SPRING EXCESSIVE DUDS ASSIGNED COND CODE J
	LS-56-651B	SIU	BROKEN STRIKER SPRING EXCESSIVE DUDS ASSIGNED COND CODE J
	LS-56-652	SIU	ASSIGNED COND CODE F REPL FUZE
|	LS-56-652B	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-653		ASSIGNED COND CODE F REPL UNSVC FUZE LOT
	LS-56-653B	SIU	SHORT FUZE TIME
| |	LS-56-653C	SIU	REPL FUZE ASSIGNED COND CODE F

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
| |	LS-56-653F	SIU	REPL FUZE ASSIGNED COND CODE F
|	LS-56-653J	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-653L		FUZE FAILURE
	LS-56-654	SIU	REPL FUZE ASSIGNED COND CODE F
| |	LS-56-654A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-657		REPL FUZE ASSIGNED COND CODE F
	LS-56-657A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-657B	SIU	BROKEN STRIKER SPRING EXCESSIVE DUDS ASSIGNED COND CODE J
	LS-56-658	SIU	ASSIGNED COND CODE F REPL UNSVC FUZE LOT
| |	LS-56-658A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-659		REPL FUZE ASSIGNED COND CODE F
	LS-56-659B		REPL FUZE ASSIGNED COND CODE F
|	LS-56-66A	SIU	CONTAINS SUSPENDED FUZE LOT
	LS-56-660	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-660A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-661	SIU	ASSIGNED COND CODE F REPL UNSVC FUZE LOT
| |	LS-56-661A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-662	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-664A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-665A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-666	SIU	ASSIGNED COND CODE F REPL UNSVC FUZE LOT
| |	LS-56-666A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-667	SIU	ASSIGNED COND CODE F REPL FUZE
| |	LS-56-667A	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-668B		FUZE FAILURE
	LS-56-669	SIU	REPL FUZE ASSIGNED COND CODE F
	LS-56-669A	SIU	CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
	LS-56-670	SIU	ASSIGNED COND CODE F REPL FUZE
	LS-56-670D		FUZE FAILURE

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	LS-56-671	SIU		REPL FUZE
	LS-56-672	SIU		REPL FUZE
	LS-56-673			REPL FUZE ASSIGNED COND CODE F
	LS-56-673B			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-673D	SIU		SHORT FUZE TIME
	LS-56-674	SIU		ASSIGNED COND CODE F REPL FUZE
|	LS-56-674A	SIU		CONTAINS SUSPENDED FUZE LOT
|	LS-56-674B	SIU		CONTAINS SUSPENDED FUZE LOT
	LS-56-680			REPL FUZE ASSIGNED COND CODE F
	LS-56-681			REPL SAFETY PIN 100% ASSIGNED COND CODE F
	LS-56-681B	SIU		REPL FUZE ASSIGNED COND CODE F
	LS-56-682A	SIU		REPL FUZE ASSIGNED COND CODE F
|	LS-56-682B	SIU		CONTAINS SUSPENDED FUZE LOT
	LS-56-686		B01	
	LS-56-687		B01	
	LS-56-69A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-69B			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-690A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-691	SIU		ASSIGNED COND CODE F REPL FUZE
	LS-56-691A	SIU		ASSIGNED COND CODE F REPL FUZE
	LS-56-692A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-692B			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-692C			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-693A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-694A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-7			REPL UNSVC FUZE LOT
	LS-56-7B	SIU		REPL FUZE ASSIGNED COND CODE F
	LS-56-703A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-705A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-707A	SIU		CONTAINS SUSPENDED FUZE LOT ASSIGNED COND CODE J
	LS-56-711A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-8A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LS-56-9A	SIU		REPL FUZE ASSIGNED COND CODE F
	LS-56-99			REPL FUZE ASSIGNED COND CODE F
	LS-56-99A	SIU		SHORT FUZE TIME
|	LS-56H-616	SIU		CONTAINS SUSPENDED FUZE LOT
|	LS-83K058-009	SIU		REPL FUZE ASSIGNED COND CODE F
|	LS-83K058-009A	SIU		CONTAINS SUSPENDED FUZE LOT

```
    LOT NUMBER      LIMIT RESTRICTION      FIX    OR    REASON

  1330-00-0000000-G881  GRENADE HAND FRAG M67
|   LS-83L058-010     SIU          REPL FUZE
|                                  ASSIGNED COND CODE F
|   LS-83L058-010A    SIU          CONTAINS SUSPENDED FUZE LOT
|   LS-83L058-011     SIU          REPL FUZE
|                                  ASSIGNED COND CODE F
    LS-83L058-011B                 FUZE FAILURE
    LS-84B058-014     SIU          SHORT FUZE TIME
    LS-84B058-015     SIU          SHORT FUZE TIME
    LS-84B058-016     SIU          SHORT FUZE TIME
    LS-84C058-017     SIU          SHORT FUZE TIME
    LS-84D058-018     SIU          SHORT FUZE TIME
|   LS-84D058-019     SIU          SHORT FUZE TIME
|   LS-84D058-020     SIU          REPL FUZE
|                                  ASSIGNED COND CODE F
    LS-87M062-004     SIU          REQ 100% INSP F/MISSING OR INCORRECTLY ASSEMBLED SAFETY PINS
                                   ASSIGNED COND CODE E
    MA-1-2A                        FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-1-4A                        FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-1-5A                        FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|   MA-1-5B           SIU          CONTAINS SUSPENDED FUZE LOT
    MA-1-7A                        FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-1-7B                        FUZE FAILURE
    MA-1-8A                        FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-10-10A                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-10-11A                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-10-12A                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-10-12B                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-10-13          SIU          REPL FUZE
    MA-10-13A                      FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-10-13B         SIU          REPL FUZE
                                   ASSIGNED COND CODE F
    MA-10-13C                      ASSIGNED COND CODE F
                                   REPL FUZE
    MA-10-13D                      FUZE FAILURE
    MA-10-6A                       FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-10-6C                       FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-10-7A                       FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-10-8A                       FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-100A                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-100C                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-100D                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-100F                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-101A                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-101C                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-102A                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-102B                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-103B                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-104A                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-105A                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-106A                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    MA-11-106C                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
```

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	MA-11-107B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-108A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-109A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-109B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-11	SIU	RQR X-RAY OF FUZE
|	MA-11-11D	SIU	CONTAINS SUSPENDED FUZE LOT
	MA-11-110A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-12	SIU	REPL FUZE
	MA-11-12B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-12D	SIU	REPL FUZE ASSIGNED COND CODE F
	MA-11-13	SIU	RQR X-RAY OF FUZE
	MA-11-13A		ASSIGNED COND CODE F REPL FUZE
	MA-11-13C		FUZE FAILURE
	MA-11-2	SIU	RQR X-RAY OF FUZE
	MA-11-2A	SIU	REPL FUZE ASSIGNED COND CODE F
	MA-11-21B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-21C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-21D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-22B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-22C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-23A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-23B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-3	SIU	RQR X-RAY OF FUZE
	MA-11-30A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-33B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-37A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-38A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-4	SIU	RQR X-RAY OF FUZE
|	MA-11-4C	SIU	CONTAINS SUSPENDED FUZE LOT
	MA-11-40	SIU	REPL FUZE
	MA-11-40A		REPL FUZE ASSIGNED COND CODE F
	MA-11-41B	SIU	SHORT FUZE TIME
	MA-11-44	SIU	REPL FUZE
	MA-11-45B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-49A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-49B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-54A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-58A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-59A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-81A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-69A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	MA-11-74C	SIU	CONTAINS SUSPENDED FUZE LOT
	MA-11-75A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-75B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-76A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	1330-00-0000000-G881 GRENADE HAND FRAG M67		
	MA-11-78A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-78B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-8A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-80A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-81A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-83A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-84A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-84B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-85A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-86A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-86B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-87A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-87B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-88A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-89A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-90A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-92A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-92B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-93A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-93B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-94A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-96A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-97A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-98A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-98B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-99A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-11-99B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-2-1A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-2-10A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-2-10B		FUZE FAILURE
	MA-2-11A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-2-12A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	MA-2-12B	SIU	CONTAINS SUSPENDED FUZE LOT
	MA-2-17A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	MA-2-3A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-2-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	MA-2-5B	SIU	CONTAINS SUSPENDED FUZE LOT
	MA-3-1A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-14A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-15A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	MA-3-15B	SIU	CONTAINS SUSPENDED FUZE LOT
	MA-3-16A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-2A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-3A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-4A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-5B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-7A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-3-7B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-4-10A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

1330-00-0000000-G881 GRENADE HAND FRAG M67

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
	MA-4-11A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-4-2A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-4-2B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-4-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-4-5B		FUZE FAILURE
	MA-4-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-4-7A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-4-8A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	MA-4-9A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	MA-4-9B	SIU	CONTAINS SUSPENDED FUZE LOT
	PA-31-2A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-31-2C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-31-3A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-31-3B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-1A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	PA-32-1B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-11A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-11C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-12A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-15B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-15C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-16A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-18A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-18B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-19B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-2A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-20B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-21A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-21B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-21C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-21D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-21F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-21G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-22A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-23A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-24A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-25A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-3	SIU	REPL FUZE
	PA-32-3A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-3B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-3C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-3G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-3J		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-4B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-4C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-4D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-4F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-4G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-32-4H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
|	PA-32-4J	SIU	CONTAINS SUSPENDED FUZE LOT
	PA-32-5D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1330-00-0000000-G881 GRENADE HAND FRAG M67			
PA-32-5F			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-32-6C			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-32-7B			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-32-8	SIU		REPL FUZE
PA-32-8A			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
1330-00-1338243-G882 GRENADE HAND FRAGMENTATION M68			
ALL LOTS	SIMU		DEMIL INDICATED COND CODE H
1330-00-6891042-G887 GRENADE HAND FRAGMENTATION M59			
ALL LOTS	SIMU		DEMIL INDICATED COND CODE H
1330-00-0000000-G889 GREN HAND FRAG M26A2 W/FUZE M217			
ALL LOTS	SIMU		DEMIL INDICATED
1330-00-0000000-G890 GREN HAND FRAG COMP B M26 W/F M204A1 OR M204A2			
LS-14-158			DEMIL INDICATED
LS-17-186	SIU		REPL FUZE
LS-18-43			REPL FUZE
LS-18-46			REPL FUZE
LS-19-17G			REPL FUZE
			ASSIGNED COND CODE F
OA-1-1A		B01	
1330-00-0000000-G895 GRENADE HAND ILLUM MK 1 MOD 2			
33-C-68	SIU		DEMIL INDICATED COND CODE H
53-C-68	SIU		DEMIL INDICATED COND CODE H
1330-00-0000000-G896 GREN HAND FRAG M57 W/FUZE M217			
ALL LOTS	SIMU		DEMIL INDICATED
1330-00-0000000-G900 GREN HAND INCD AN-M14			
FDL-1-18		B01	
OPI-1-35			DEMIL INDICATED COND CODE H
OPI-1-35C	SIU		DEMIL INDICATED COND CODE H
OPI-1-37			REPL FUZE
			ASSIGNED COND CODE F
PB-2168-10C	SIU		ASSIGNED COND CODE F
			REPL FUZE
PB-2168-2	SIU		REPL FUZE
PB-2168-3	SIU		REPL FUZE
PB-3228-11			RQR 100% INSP FOR SAFETY PIN SPREAD
			ASSIGNED COND CODE E
PB-3228-14		B01	
PB-3228-20			DEMIL INDICATED COND CODE H
PB-3228-21			DEMIL INDICATED COND CODE H
PB-3228-21A			DEMIL INDICATED COND CODE H
PB-3228-22			DEMIL INDICATED COND CODE H
PB-3228-23			RQR 100% INSP FOR INCORRECT PACKAGING
			ASSIGNED COND CODE E
PB-3228-23A		B01	
PB-3228-23B		B01	
PB-3228-23C		B01	
PB-3228-23D		B01	
PB-3228-24			DEMIL INDICATED COND CODE H
PB-3228-25			DEMIL INDICATED COND CODE H
PB-3228-26			DEMIL INDICATED COND CODE H
PB-3228-28B		B01	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1330-00-0000000-G900 GREN HAND INCD AN-M14			
PB-3228-7			RQR 100% INSP FOR SAFETY PIN SPREAD ASSIGNED COND CODE E
PB-3346-10			DEMIL INDICATED COND CODE H
PB-3346-10A			DEMIL INDICATED COND CODE H
PB-3346-20A			DEMIL INDICATED COND CODE H
PB-3346-34			DEMIL INDICATED COND CODE H
PB-4389-19			DEMIL INDICATED COND CODE H
PB-4389-28			RQR 100% INSP FOR INCORRECT PACKAGING ASSIGNED COND CODE E
PB-4389-68		B01	
PB-4389-69			RQR 100% INSP FOR SAFETY PIN SPREAD ASSIGNED COND CODE E
PB-79F002H003		B01	
PB-82E003H004		B01	
RPB-117-67	SIU		DEMIL INDICATED COND CODE H
RPB-117-71			DEMIL INDICATED COND CODE H
RPB-446-14		B01	
1021-31-17A		B01	
15D-380-53			DEMIL INDICATED COND CODE H
2011-55-1005	SIU		REPL FUZE
2021-66-1012			DEMIL INDICATED COND CODE H
9031-32-11			DEMIL INDICATED COND CODE H
1330-00-0000000-G911 GREN HAND OFFENSIVE MK3			
IOP-22-27			DEMIL INDICATED COND CODE H
IOP-22-57	SIU		ASSIGNED COND CODE J EXCESSIVE DUDS
IOP-22-78	SIU		INSUFFICIENT SAFETY PIN SPREAD
IOP-22-79	SIU		INSUFFICIENT SAFETY PIN SPREAD
IOP-26-9	SIU		DEMIL INDICATED COND CODE H
IOP-27-10	SIU		DEMIL INDICATED COND CODE H
IOP-27-24	SIU		DEMIL INDICATED COND CODE H
IOP-27-30			DEMIL INDICATED COND CODE H
IOP-27-31			DEMIL INDICATED COND CODE H
IOP-27-32			DEMIL INDICATED COND CODE H
1330-00-0000000-G922 GREN HAND RIOT CS M47			
PB-1-2		B01	
PB-83D004-002		B01	
PB-83D004-003		B01	
PB-83D004A001		B01	
1330-00-0000000-G924 GREN HAND RIOT CONTROL CS-1 ABC M25A2			
EA-02-163-04-10	SIU		DEMIL INDICATED COND CODE H
NCI-1-03	SIU		DEMIL INDICATED COND CODE H
NCI-2-4	SIU		DEMIL INDICATED COND CODE H
1022-25-114	SIU		DEMIL INDICATED
1022-33-125A			DEMIL INDICATED COND CODE H
1024-44-17	SIU		DEMIL INDICATED COND CODE H
1025-45-119		B01	
1025-54-8027			DEMIL INDICATED COND CODE H
1025-54-8028	SIU		DEMIL INDICATED COND CODE H
1028-56-8004	SIU		DEMIL INDICATED COND CODE H
1029-73-8004	SIU		CRITICAL DEFECT FOUND DURING INSP

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1330-00-0000000-G924 GREN HAND RIOT CONTROL CS-1 ABC M25A2			
			ASSIGNED COND CODE J
2021-53-12	SIU		DEMIL INDICATED COND CODE H
2021-54-14			DEMIL INDICATED COND CODE H
2031-72-1009			DEMIL INDICATED COND CODE H
2031-76-2020			DEMIL INDICATED COND CODE H
2032-75-1004			DEMIL INDICATED COND CODE H
2034-76-1004			DEMIL INDICATED COND CODE H
2034-81-1023		B01	
1330-00-0000000-G930 GREN HAND SMK HC AN-M8			
FDL-1-16			DEMIL INDICATED COND CODE H
FDL-1-17	SIU		DEMIL INDICATED COND CODE H
FDL-1-3			REPL FUZE
			ASSIGNED COND CODE F
FDL-1-43			DEMIL INDICATED COND CODE H
FDL-1-51			DEMIL INDICATED COND CODE H
FDL-1-55		B01	
FDL-1-57			DEMIL INDICATED COND CODE H
MSO-1-11	SIU		DEMIL INDICATED COND CODE H
OPI-1-15			DEMIL INDICATED COND CODE H
OPI-1-17	SIU		DEMIL INDICATED COND CODE H
OPI-1-18		B01	
OPI-1-19		B01	
OPI-1-28			DEMIL INDICATED COND CODE H
OPI-1-29			DEMIL INDICATED COND CODE H
OPI-1-31			DEMIL INDICATED COND CODE H
OPI-1-63			DEMIL INDICATED COND CODE H
OPI-1-9			DEMIL INDICATED COND CODE H
PB-10-5		B01	
PB-11-4	SIU		DEMIL INDICATED COND CODE H
PB-26001-1			DEMIL INDICATED COND CODE H
PB-26001-10			DEMIL INDICATED COND CODE H
PB-26001-3			DEMIL INDICATED COND CODE H
PB-26001-6			DEMIL INDICATED COND CODE H
PB-3-11		B01	
PB-3-14	SIU		DEMIL INDICATED COND CODE H
PB-3-15	SIU		DEMIL INDICATED COND CODE H
PB-5-2			DEMIL INDICATED COND CODE H
PB-6-1		B01	
PB-6-2			DEMIL INDICATED COND CODE H
PB-7-2A		B01	
PB-7-8			DEMIL INDICATED COND CODE H
PB-79G012-036		B01	
PB-8-10	SIU		DEMIL INDICATED COND CODE H
PB-8-6	SIU		DEMIL INDICATED COND CODE H
PB-80F013-003		B01	
PB-80M012-054		B01	
PB-81J014-008		B01	
PB-81K014-013		B01	
PB-81K014-014		B01	
PB-81M014H015		B01	
PB-82D014-016		B01	

1330-00-0000000-G930 GREN HAND SMK HC AN-M8

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
PB-82F014H022		B01	
PB-82G014H026		B01	
PB-82K014H034		B01	
PB-84C016-001		B01	
PB-84C016-004		B01	
PB-84F016H019		B01	
PB-84G016-027		B01	
PB-84G016-032		B01	
PB-84H016-036A		B01	
PB-84H016-039		B01	
PB-84H016-040		B01	
PB-84H016H041		B01	
PB-85A016H043		B01	
PB-85A016H042		B01	
PB-85D016H045		B01	
PB-86001-12		B01	
PB-86001-26			DEMIL INDICATED COND CODE H
PB-86001-27			DEMIL INDICATED COND CODE H
PB-86001-28			DEMIL INDICATED COND CODE H
PB-9-12		B01	
PB-9-14	SIU		DEMIL INDICATED COND CODE H
PB-9-18		B01	
PB-9-4	SIU		DEMIL INDICATED COND CODE H
PB-9-5		B01	
PB-96001-84			DEMIL INDICATED COND CODE H
PBA-1-2			DEMIL INDICATED COND CODE H
PBA-1-3			DEMIL INDICATED COND CODE H
PBA-1-4			DEMIL INDICATED COND CODE H
PBA-2-26		B01	
SWP-1-3		B01	
SWP-1-36		B01	
SWP-1-50		B01	
SWP-1-54		B01	
SWP-1-59	SIU		DEMIL INDICATED COND CODE H
1021-32-125			DEMIL INDICATED COND CODE H
2013-73-10PP			DEMIL INDICATED COND CODE H
2013-74-1008	SIU		DEMIL INDICATED COND CODE H
2013-74-1014		B01	
2013-75-1018	SIU		DEMIL INDICATED COND CODE H
2013-76-1044			DEMIL INDICATED COND CODE H
2014-82-1023	SIU		DEMIL INDICATED COND CODE H
2014-82-1030			DEMIL INDICATED
2014-83-1033			DEMIL INDICATED COND CODE H
2014-83-1033A			DEMIL INDICATED COND CODE H
2014-83-1036			DEMIL INDICATED COND CODE H
2014-85-1067			DEMIL INDICATED COND CODE H
2014-85-1071	SIU		DEMIL INDICATED COND CODE H
2014-85-1073			DEMIL INDICATED COND CODE H
2014-85-1080			DEMIL INDICATED COND CODE H
2014-85-1081	SIU		DEMIL INDICATED COND CODE H
2014-85-1082			DEMIL INDICATED COND CODE H

```
  LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1330-00-0000000-G932  GREN HAND RED SMK M48
  PB-79A021-003V          C10
1330-00-0000000-G937  GREN HAND AND RIFLE WP M34
  PBA-1-26          SIU             RQR X-RAY OF FUZE
  PBA-1-27          SIU             RQR X-RAY OF FUZE
  PBA-500-3         SIU             RQR X-RAY OF FUZE
  RMA-1-2           SIU             RQR X-RAY OF FUZE
  RMA-1-4                           RQR X-RAY OF FUZE
  1021-51-1033                      RQR X-RAY OF FUZE
                                    ASSIGNED COND CODE E
  1023-51-1003      SIU             REPL FUZE
  1023-54-1019                      DEMIL INDICATED COND CODE H
1330-00-0000000-G940  GREN HAND SMOKE GREEN M18
  MEI-1-36                B01
  MEI-2-1                           RQR 100% INSP FOR SAFETY PIN NOT SPREAD
                                    ASSIGNED COND CODE E
  MEI-5-1                           DEMIL INDICATED COND CODE H
  MEI-5-3A                          DEMIL INDICATED COND CODE H
  OPI-1-11                B01
  PB-2-35                 B01
  PB-2-63                 B01
  PB-2-86                 B01
  PB-2-87                 B01
  PB-2-88                 B01
  PB-2-89                 B01
  PB-2-90                 B01
  PB-2-91                 B01
  PB-79K003-019           B01
  PB-81A003H031           B01
  PB-81M004-001                     RQR 100% INSP FOR SAFETY PIN NOT SPREAD
                                    ASSIGNED COND CODE E
  PB-82A004-005                     RQR 100% INSP FOR SAFETY PIN NOT SPREAD
                                    ASSIGNED COND CODE E
  PB-82A004-006                     RQR 100% INSP FOR SAFETY PIN NOT SPREAD
                                    ASSIGNED COND CODE E
  PB-82A004-007                     RQR 100% INSP FOR SAFETY PIN NOT SPREAD
                                    ASSIGNED COND CODE E
  PB-82A004-008                     RQR 100% INSP FOR SAFETY PIN NOT SPREAD
                                    ASSIGNED COND CODE E
  PB-82B004-010           B01
| PB-82B004H014                     RQR 100% INSP FOR SAFETY PIN NOT SPREAD
|                                   ASSIGNED COND CODE E
  PB-83A005-003           B01
  PB-83A005-004           B01
  PB-83H007-001           B01
  PB-83H007-003           B01
| PB-87J011H001           B01
1330-00-2896851-G940  GRENADE HAND SMOKE G       18             B
  ALL LOTS MFG      SIU             DEMIL INDICATED COND CODE H
  1958-61 W/SINGLE
  EMISSION HOLE
  BOTTOM OF GREN
1330-00-0000000-G945  GREN HAND SMOKE YELLOW M18
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1330-00-0000000-G945 GREN HAND SMOKE YELLOW M18			
MEI-20-109		B01	
MEI-20-110		B01	
MEI-20-112			DEMIL INDICATED COND CODE H
MEI-20-115			DEMIL INDICATED COND CODE H
MEI-20-116			DEMIL INDICATED COND CODE H
MEI-20-117			DEMIL INDICATED COND CODE H
MEI-20-118			DEMIL INDICATED COND CODE H
MEI-20-21		B01	
MEI-20-28		B01	
MEI-20-36		B01	
MEI-23-23A		B01	
MEI-25-1	SIU		DEMIL INDICATED COND CODE H
MEI-25-2A		B01	
MEI-26-10		B17	
PB-22-1		B01	
PB-22-124		B01	
PB-22-125		B01	
PB-22-126		B01	
PB-22-127A		B01	
PB-22-148		B01	
PB-22-149		B01	
PB-22-2		B01	
PB-22-5		B01	
PB-22-6		B01	
PB-4443-11	SIU		REPL FUZE
PB-80B023-008		B01	
PB-81M024-002			RQR 100% INSP FOR SAFETY PIN NOT SPREAD ASSIGNED COND CODE E
PB-81M024-003			RQR 100% INSP FOR SAFETY PIN NOT SPREAD ASSIGNED COND CODE E
PB-82E024H010		B01	
PB-83B025-003	SIU		100% INSP FOR AND DEMIL OF PREVIOUSLY OPENED FBR CNTRS DUE TO TAMPERIN ASSIGNED COND CODE E
PB-83H027-003		B01	
PB-84J028-005		B01	
PB-84K028-014		B01	
PB-84L028-026		B01	
PB-84L028-028		B01	
PB-84L028-029		B01	
PB-85J029-013	SIU		REQ 100% INSP F/MISSING OR INCORRECTLY ASSEMBLED SAFETY PINS ASSIGNED COND CODE E
PBA-20-77			REQ 100% INSP F/MISSING OR INCORRECTLY ASSEMBLED SAFETY PINS ASSIGNED COND CODE E
1330-00-0000000-G950 GREN HAND SMOKE RED M18			
CME-40-17	SIU		DEMIL INDICATED COND CODE H
CME-40-27	SIU		DEMIL INDICATED COND CODE H
MEI-40-40	SIU		DEMIL INDICATED COND CODE H
MEI-40-5		B01	
MEI-41-3		B01	
MEI-43-10		B01	
MEI-43-19			RQR 100% INSP FOR CORRECT FUZE MODEL

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1330-00-0000000-G950 GREN HAND SMOKE RED M18			
				ASSIGNED COND CODE F
	OPI-40-2A			DEMIL INDICATED COND CODE H
	PB-44-1		B01	
	PB-44-10		B01	
	PB-44-13	SIU		ASSIGNED COND CODE E
				RQR 100% INSP FOR SAFETY PIN
	PB-44-4		B01	
	PB-44-7		B01	
	PB-78F045-002		B01	
	PB-78F045-003		B01	
	PB-79J045-005		B01	
	PB-80J045-007		B01	
	PB-80J045-008		B01	
	PB-80L045-009		B01	
	PB-80L045-010		B01	
	PB-80L045-011		B01	
	PB-82F047H009		B01	
I	PB-83G049-005		B01 C06	
	PB-86G052-016		B01	
	PBA-41-16		B01	
	PBA-41-34		B01	
	PBA-41-9		B01	
	TAC-41-23		B01	
	TAC-41-27		B01	
	TAC-41-6			DEMIL INDICATED COND CODE H
	1330-00-0000000-G955 GREN HAND SMOKE VIOLET M18			
	MEI-60-56		B01	
	MEI-60-60	SIU		DEMIL INDICATED COND CODE H
	MEI-62-2A		B01	
	MEI-62-3	SIU		DEMIL INDICATED COND CODE H
	MEI-63-2A		B01	
	MEI-63-4		B01	
	MEI-63-5A		B01	
	MEI-63-8		B01	
	MEI-63-9		B01	
	MEI-64-10	SIU		DEMIL INDICATED COND CODE H
	MEI-64-3		B01	
	MEI-64-8	SIU		DEMIL INDICATED COND CODE H
	MEI-64-9	SIU		DEMIL INDICATED COND CODE H
	MEI-65-3A		B01	
	MEI-65-5A		B01	
	MEI-65-6A		B01	
	MEI-65-7		B01	
	OPI-60-7A		B01	
	PB-61-75		B01	
	PB-82D063H006		B01	
	PB-82D063H007		B01	
	PB-83B064-001	SIU		DEMIL INDICATED COND CODE H
	PB-83D064H006		B01 C06	
I	PB-83H064-007	SIU		DEMIL INDICATED COND CODE H
	PB-84C065-005 .		B01	

```
   LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

 1330-00-0000000-G955  GREN HAND SMOKE VIOLET M18
|  PB-85E067-001     SIU              RQR 100% INSP FOR SAFETY PIN SPREAD
|                                     ASSIGNED COND CODE F
|  PB-86H068-010           B01 C06
|  PB-87H070-016           B01 C06
|  PB-87H071-004           B01 C06
   PB86H068-006            B01 C06
   TAC-61-13A        SIU              DEMIL INDICATED COND CODE H
   UNV-60-108A       SIU              REPL FUZE
   UNV-60-27               B01
 1330-00-0000000-G963  GRENADE HAND RIOT CON TYPE ABC CS M7 SERIES
   FDL-1-26                           DEMIL INDICATED COND CODE H
   FDL-1-34                           RQR 100% INSP FOR SAFETY PIN SPREAD
                                      ASSIGNED COND CODE E
   FDL-1-41                B01
   FDL-1-63                           DEMIL INDICATED
   FDL-2-22                           RQR 100% INSP FOR SAFETY PIN NOT SPREAD
                                      ASSIGNED COND CODE E
   PB-1-12                 B01
   1023-73-7004      SIU              ASSIGNED COND CODE E
                                      RQR 100% INSP FOR SAFETY PIN SPREAD
   1026-42-140       SIU              DEMIL INDICATED COND CODE H
|  2011-55-1002            B01
   2012-63-1005                       DEMIL INDICATED COND CODE H
   2014-71-1006      SIU              DEMIL INDICATED COND CODE H
   2014-73-1022            B01
   2015-81-1004            B01
|  2015-82-1005            B01
   2015-82-1010            B01
   2021-56-1001            B01
   2021-63-1019      SIU              DEMIL INDICATED COND CODE H
   2021-64-1021      SIU              DEMIL INDICATED COND CODE H
   2021-64-1022      SIU              DEMIL INDICATED COND CODE H
   2021-64-1023      SIU              DEMIL INDICATED COND CODE H
   2021-64-1024      SIU              DEMIL INDICATED COND CODE H
   2021-64-1025      SIU              DEMIL INDICATED COND CODE H
   2021-64-1026      SIU              DEMIL INDICATED COND CODE H
   2021-64-1027      SIU              DEMIL INDICATED COND CODE H
 1330-00-0000000-G970  GREN RIFLE HE AT M28 T41E1
   LS-29-28A               B01
   PA-8-18A                           RQR 100% INSP OF GRENADE CTG FOR LEAKING PROPELLANT
                                      ASSIGNED COND CODE E
 1330-00-0285919-G970  GRENADE RIFLE HEAT M28
   ALL LOTS          SIMU             DEMIL INDICATED COND CODE H
 1330-00-0000000-H050  LAUNCHER AND GRENADE SMOKE HC AND WP M176
   PB-4-15                            DEMIL INDICATED COND CODE H
   PB-4-17                 B01
   PB-4-19           SIU              DEMIL INDICATED COND CODE H
   PB-4-22                 B01
   PB-4-25                 B01
   PB-4-28           SIU              DEMIL INDICATED COND CODE H
   PB-4-32                 B01
```

1330-00-0000000-H050 LAUNCHER AND GRENADE SMOKE HC AND WP M176

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
PB-4-7	SIU		DEMIL INDICATED COND CODE H
PB-4-8			DEMIL INDICATED COND CODE H
PBA-1-1		B01	
PBA-1-10		B01	
PBA-1-11		B01	
PBA-1-12		B01	
PBA-1-13		B01	
PBA-1-14	SIU		DEMIL INDICATED COND CODE H
PBA-1-15			DEMIL INDICATED COND CODE H
PBA-1-16		B01	
PBA-1-17		B01	
PBA-1-18			DEMIL INDICATED COND CODE H
PBA-1-19			DEMIL INDICATED COND CODE H
PBA-1-2		B01	
PBA-1-20		B01	
PBA-1-21		B01	
PBA-1-22		B01	
PBA-1-23			DEMIL INDICATED COND CODE H
PBA-1-24		B01	
PBA-1-25		B01	
PBA-1-26		B01	
PBA-1-27		B01	
PBA-1-28		B01	
PBA-1-29		B01	
PBA-1-3		B01	
PBA-1-30		B01	
PBA-1-34		B01	
PBA-1-35			DEMIL INDICATED COND CODE H
PBA-1-36	SIU		DEMIL INDICATED COND CODE H
PBA-1-37	SIU		DEMIL INDICATED COND CODE H
PBA-1-38		B01	
PBA-1-39			DEMIL INDICATED COND CODE H
PBA-1-4		B01	
PBA-1-40			DEMIL INDICATED COND CODE H
PBA-1-42			DEMIL INDICATED COND CODE H
PBA-1-43	SIU		DEMIL INDICATED COND CODE H
PBA-1-44	SIU		DEMIL INDICATED COND CODE H
PBA-1-46			DEMIL INDICATED COND CODE H
PBA-1-47	SIU		DEMIL INDICATED COND CODE H
PBA-1-48			DEMIL INDICATED COND CODE H
PBA-1-5		B01	
PBA-1-52			DEMIL INDICATED COND CODE H
PBA-1-53			DEMIL INDICATED COND CODE H
PBA-1-55			DEMIL INDICATED COND CODE H
PBA-1-56			DEMIL INDICATED COND CODE H
PBA-1-57	SIU		DEMIL INDICATED COND CODE H
PBA-1-58	SIU		DEMIL INDICATED COND CODE H
PBA-1-59	SIU		DEMIL INDICATED COND CODE H
PBA-1-6	SIU		DEMIL INDICATED COND CODE H
PBA-1-60	SIU		DEMIL INDICATED COND CODE H
PBA-1-62			DEMIL INDICATED COND CODE H

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1330-00-0000000-H050 LAUNCHER AND GRENADE SMOKE HC AND WP M176			
PBA-1-64	SIU		DEMIL INDICATED COND CODE H
PBA-1-67	SIU		DEMIL INDICATED COND CODE H
PBA-1-68			DEMIL INDICATED COND CODE H
PBA-1-7		B01	
PBA-1-72			DEMIL INDICATED COND CODE H
PBA-1-76			DEMIL INDICATED COND CODE H
PBA-1-77			DEMIL INDICATED COND CODE H
PBA-1-8			DEMIL INDICATED COND CODE H
PBA-1-81			DEMIL INDICATED COND CODE H
PBA-1-82			DEMIL INDICATED COND CODE H
PBA-1-9		B01	
PBA-2-3	SIU		DEMIL INDICATED COND CODE H
PBA-2-4A			DEMIL INDICATED COND CODE H
PBA-3-10	SIU		DEMIL INDICATED COND CODE H
PBA-3-11	SIU		DEMIL INDICATED COND CODE H
PBA-3-12		B01	
PBA-3-13		B01	
PBA-3-14		B01	
PBA-3-15	SIU		DEMIL INDICATED COND CODE H
PBA-3-16	SIU		DEMIL INDICATED COND CODE H
PBA-3-18			DEMIL INDICATED COND CODE H
PBA-3-2			DEMIL INDICATED COND CODE H
PBA-3-21	SIU		DEMIL INDICATED COND CODE H
PBA-3-22			DEMIL INDICATED COND CODE H
PBA-3-3	SIU		DEMIL INDICATED COND CODE H
PBA-3-34	SIU		DEMIL INDICATED COND CODE H
PBA-3-4			DEMIL INDICATED COND CODE H
PBA-3-41	SIU		DEMIL INDICATED COND CODE H
PBA-3-42			DEMIL INDICATED COND CODE H
PBA-3-43	SIU		DEMIL INDICATED COND CODE H
PBA-3-44		B01	
PBA-3-45			DEMIL INDICATED COND CODE H
PBA-3-46	SIU		DEMIL INDICATED COND CODE H
PBA-3-5	SIU		DEMIL INDICATED COND CODE H
PBA-3-6	SIU		DEMIL INDICATED COND CODE H
PBA-3-7			DEMIL INDICATED COND CODE H
PBA-3-8			DEMIL INDICATED COND CODE H
1330-00-0000000-H051 LAUNCHER AND GRENADE SMOKE HC M226			
PB-1-1			DEMIL INDICATED COND CODE H
PB-1-10	SIU		DEMIL INDICATED COND CODE H
PB-1-11		B01	
PB-1-13		B01	
PB-1-14			DEMIL INDICATED COND CODE H
PB-1-15	SIU		DEMIL INDICATED COND CODE H
PB-1-16	SIU		DEMIL INDICATED COND CODE H
PB-1-17	SIU		DEMIL INDICATED COND CODE H
PB-1-18	SIU		DEMIL INDICATED COND CODE H
PB-1-19		B01	
PB-1-2			DEMIL INDICATED COND CODE H
PB-1-5	SIU		DEMIL INDICATED COND CODE H
PB-1-7		B01	

```
  LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1330-00-0000000-H051  LAUNCHER AND GRENADE SMOKE HC M226
  PB-1-8                          DEMIL INDICATED COND CODE H
  PB-2-1                          DEMIL INDICATED COND CODE H
  PB-2-2                          DEMIL INDICATED COND CODE H
  PB-2-3                  B01
1330-00-0000000-0000  CTG GRENADE AUXILIARY CAL .30 M7
  ALL LOTS P0652                  RQR RADIOGRAPHIC INSP
1330-00-8623229-0000  FUZE HAND GRENADE M204A1 OR M204A2
  ALL LOTS W/O                    RQR RADIOGRAPHIC INSP
  HARD PLATE X-RAY
  NFO-3-13                        DEMIL INDICATED COND CODE H
1330                  DRAWING # 10998765    FUZE HAND GRENADE M217
  ALL LOTS          SIU           DEMIL INDICATED COND CODE H
1340-00-0000000-HY71  WARHEAD WDU-4A/A PN 67D9700
  NRT-7-1           SIU           DEMIL INDICATED COND CODE H
  NRT-8-12          SIU           DEMIL INDICATED COND CODE H
1340-00-0000000-H110  RKT  INCENDIARY 66MM XM74
  ALL LOTS W/O                    RQR 100% INSP FOR CORR ON RKT MTR COND CODE E
  ANY LTR S FOLLOW
  ING LOT SUFFIX
  BWG-15-7AS                      RELEASED FROM TEMPORARY SUSPENSION
  MSO-1-001                       RQR 100% INSP FOR PRIMERS ABOVE FLUSH
  MSO-9-011                       RQR 100% INSP FOR PRIMERS ABOVE FLUSH
  PB-1-2                           RQR 100% INSP FOR SOFT WHDS
  PB-1-4                           RQR 100% INSP FOR SOFT WHDS
  PB-2-2                           RQR 100% INSP FOR SOFT WHDS
  PB-2-4                           RQR 100% INSP FOR SOFT WHDS
  PB-4-1                           RQR 100% INSP FOR SOFT WHDS
  PB-4-2                           RQR 100% INSP FOR SOFT WHDS
| PB-4-3BS                        RELEASED FROM PERMANENT SUSPENSION
  PB-4-4                           RQR 100% INSP FOR SOFT WHDS
  PB-4-5                           RQR 100% INSP FOR SOFT WHDS
  PB-4-6                           RQR 100% INSP FOR SOFT WHDS
  PB-5-1                           RQR 100% INSP FOR SOFT WHDS
  PB-5-3                           RQR 100% INSP FOR SOFT WHDS
1340-00-1320482-H110  ROCKET 66MM INCENDIA                     B
  ALL W/O LTR S                   RQR 100% INSP FOR CORR ON RKT MTR COND CODE E
  FOL LOT SUFFIX
1340-00-1695413-H110  ROCKET 66MM INCENDIA                     B
  ALL W/O LTR S                   RQR 100% INSP FOR CORR ON RKT MTR COND CODE E
  FOL LOT SUFFIX
1340-00-1695414-H110  ROCKET 66MM INCENDIA                     B
  ALL W/O LTR S                   RQR 100% INSP FOR CORR ON RKT MTR COND CODE E
  FOL LOT SUFFIX
1340-00-0000000-H180  RKT 2.75 INCH FLARE M257
  UFD79M001-006           T03
  UFD80A001-007           T03
  UFD80H002-002           B01
  UFD82E004-001           B01
  UFD82F004-002           B01
  UFD82G004-003           B01
| UFD82K004-005     SIU           REPL RKT MTR INTERNAL GRD CLIP
```

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1340-00-0000000-H180 RKT 2.75 INCH FLARE M257			
I				ASSIGNED COND CODE F
	UFD82L004-006		B01	
	UFD82M004-007		B01	
	UFD83D005M001-A		B01	
	UFD83D005M001-B		B01	
	UFD83K005-002		B01	
	UFD83M005-003		B01	
	UFD84B005-004		B01	
	1340-00-0000000-H413 IGNITER RKT MTR MK173 MOD 1			
	BER-1-15			DEMIL INDICATED
	1340-00-0000000-H459 ROCKET 2.75IN W/WHD WDU-4A/A			
	LOP-411-16	SIU		DEMIL INDICATED COND CODE H
	LOP-411-18		B01	
	LOP-411-21		B01	
I	LOP-411-24	SIU		DEMIL INDICATED COND CODE H
	LOP-411-25	SIU		DEMIL INDICATED COND CODE H
	LOP-411-8	SIU		100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP
				ASSIGNED COND CODE F
I	LOP-412-14		B01	
	LOP-412-2		B01	
	1340-00-0000000-H471 RKT HE 2.75 IN. W/WHD M151 W/M433 FUZE W/MK40 MTR			
	LOP82B820-001			ASSIGNED COND CODE F
				REPL RKT MTR INTERNAL GRD CLIP
	LOP82C820-002			REPL RKT MTR INTERNAL GRD CLIP
				ASSIGNED COND CODE F
	LOP82C820-003			REPL RKT MTR INTERNAL GRD CLIP
				ASSIGNED COND CODE F
	LOP83C821-005			REPL RKT MTR INTERNAL GRD CLIP
				ASSIGNED COND CODE F
	LOP83C821-005A			REPL RKT MTR INTERNAL GRD CLIP
				ASSIGNED COND CODE F
	1340-00-0000000-H487 RKT HE 2.75 IN W/WHD MK5 MODS FUZE MK181 MTR MK40 MODS			
	ALL LOTS			DEMIL INDICATED COND CODE H
	1340-00-0000000-H488 RKT 2.75 INCH HE M229 W/FUZE PROX AND MTR MK40 MOD3			
	LOP-362-22			ASSIGNED COND CODE F
				RQR REPL OF GROUND CLIP
				RQR REPL OF EXTERNAL LIVE LEAD SOLDER CONNECTORS
	LOP-366-5			ASSIGNED COND CODE F
				REPL RKT MTR INTERNAL GRD CLIP
	LOP-368-2	SIU		REPL RKT MTR INTERNAL GRD CLIP
				ASSIGNED COND CODE F
	LOP-369-1			ASSIGNED COND CODE F
				RQR REPL OF GROUND CLIP
	1340-00-0000000-H489 RKT HE 2.75 INCH W/WHD M151 FUZE M429 MTR MK40 MOD3			
	LOP-312-10	SIU		DOWNRANGE PREMATURE
	LOP-313-1	SIU		DOWNRANGE PREMATURE
	LOP-313-15	SIU		DOWNRANGE PREMATURE
				ASSIGNED COND CODE J
	LOP-313-15A	SIU		DOWNRANGE PREMATURE
				ASSIGNED COND CODE J
	LOP-313-16	SIU		DOWNRANGE PREMATURE

```
  LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

1340-00-0000000-H489  RKT HE 2.75 INCH W/WHD M151 FUZE M429 MTR MK40 MOD3
  LOP-313-4         SIU          DOWNRANGE PREMATURE
  LOP-313-5         SIU          DOWNRANGE PREMATURE
  LOP-313-8         SIU          DOWNRANGE PREMATURE
  LOP-314-10                     ASSIGNED COND CODE F
                                 REPL RKT MTR INTERNAL GRD CLIP
1340-00-0000000-H490  RKT HE 2.75 IN W/WHD M151 FUZE M423 MTR MK40 MOD3
  LOP-214-24        SIU          100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP
                                 ASSIGNED COND CODE E
  LOP-214-40                     100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP
                                 ASSIGNED COND CODE E
  LOP-214-41                     100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP
                                 ASSIGNED COND CODE E
  LOP-214-44                     100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP
  LOP-214-44A                    RQR REPL OF GROUND CLIP
                                 ASSIGNED COND CODE F
  LOP-214-48                     ASSIGNED COND CODE F
                                 REPL RKT MTR INTERNAL GRD CLIP
| LOP-214-50        SIU          100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP
|                                ASSIGNED COND CODE E
  LOP-216-1         SIU          REPL RKT MTR INTERNAL GRD CLIP
                                 ASSIGNED COND CODE F
1340-00-0000000-H519  RKT 2.75IN SMK WP W/WHD M156 W/RKT MTR MK40 MOD 3
  LS-4-1A           SIU          REPL FUZE
                                 ASSIGNED COND CODE F
  LS-4-1B           SIU          REPL FUZE
                                 ASSIGNED COND CODE F
  MCA-46-1          SIU          100 PERCENT INSP FOR INEFFECTIVE SHORTING CLIP (EXTERNAL)
                                 ASSIGNED COND CODE F
1340-00-7161450-H520  ROCKET CHEMICAL AGENT 115MM GB M55 W/FUZE PD M417
  ALL LOTS                       DEMIL INDICATED COND CODE H
1340-00-7243567-H521  ROCKET CHEMICAL AGENT 115MM VX M55 W/FUZE PD M417
  ALL LOTS                       DEMIL INDICATED COND CODE H
1340-00-0000000-H534  ROCKET 2.75 INCH HE W/WHD W/FZ
  LOP-266-42        SIU          ASSIGNED COND CODE F
                                 REPL FUZE
  LOP-270-10        SIU          ASSIGNED COND CODE F
                                 REPL FUZE
  LOP-270-21        SIU          ASSIGNED COND CODE F
                                 REPL FUZE
  LOP-270-23        SIU          ASSIGNED COND CODE F
                                 REPL FUZE
  LOP-270-34             B01
  LOP-271-1              B01
  LOP-271-13             B01
  LOP-271-14             B01
1340-00-0000000-H557  RKT HE 66MM HEAT M72A2
  ALL LS-220-69                  NO FIX AUTH. ASG COND CODE N.
  THRU LS-225-SERI
| LC-54-5C-R                     RQR 100% SCREENING FOR CRACKED IGNITER TUBES
|                                ASSIGNED COND CODE F
  LS-201-2R              B01
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1340-00-0000000-H557 RKT HE 66MM HEAT M72A2			
LS-202-2R			DEMIL INDICATED COND CODE H
LS-214-23R			RQR SEGREGATION OF MIXED LOTS
LS-214-28R		B01	
LS-214-30R		B01	
LS-214-34R		B01	RELEASED WITH RESTRICTION
LS-214-42AR			RQR 100% SCREENING FOR CRACKED IGNITER TUBES
			ASSIGNED COND CODE F
LS-214-43AR		B01	
LS-214-44R			REPLACE ROCKET LAUNCHERS
LS-219-1R	SIU		RQR 100% SCREENING FOR CRACKED IGNITER TUBES
			ASSIGNED COND CODE F
LS-220-137RWA			DEMIL INDICATED COND CODE H
LS-220-176RW		B01	
LS-220-33ARW		B01	
LS-220-34AR			RQR NOZZLE WRAP
LS-220-34R			RQR NOZZLE WRAP
			RQR SCREENING
LS-220-43ARW			DEMIL INDICATED COND CODE H
LS-220-43BRW	SIU		DEMIL INDICATED COND CODE H
LS-220-49RW		B01	
LS-220-50RW		B01 T01	
LS-220-56RW			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LS-220-62R			RQR NOZZLE WRAP
LS-220-64R			RQR NOZZLE WRAP
LS-220-64RW			NO FIX AUTHORIZED
LS-220-66RW		B01	
LS-220-67RW		B01	
LS-220-96RW			RQR PULL TEST
			RQR X-RAY
			ASSIGNED COND CODE F
LS-222-32RW	SIU		DEMIL INDICATED COND CODE H
LS-224-2RW	SIU		ROCKET MOTOR EXPLODED IN LAUNCHER TUBE
			ASSIGNED COND CODE J
LS-225-14RW			DEMIL INDICATED COND CODE H
LS-225-15RW			DEMIL INDICATED COND CODE H
LS-225-16RW			DEMIL INDICATED COND CODE H
LS-225-17RW			DEMIL INDICATED COND CODE H
LS-225-18RW			DEMIL INDICATED COND CODE H
LS-225-19RW			DEMIL INDICATED COND CODE H
LS-225-20RW			DEMIL INDICATED COND CODE H
LS-225-21RW			DEMIL INDICATED COND CODE H
LS-225-22RW			DEMIL INDICATED COND CODE H
LS-225-23RW			DEMIL INDICATED COND CODE H
LS-225-24RW			DEMIL INDICATED COND CODE H
LS-225-25RW			DEMIL INDICATED COND CODE H
LS-37-48BR		B01	
LS-90-13R		B01	
PA-3-3RW		B01	
RAN87B001-013			RELEASED FROM TEMPORARY SUSPENSION
RR-501-1-R		B01	
1340-00-0000000-H600 RKT HE 3.5IN HEAT M28A2			

```
LOT NUMBER      LIMIT RESTRICTION       FIX    OR    REASON

1340-00-0000000-H600  RKT HE 3.5IN HEAT M28A2
  ALL LOTS           SIU          DEMIL INDICATED COND CODE H
1340-00-0000000-H601  RKT 3.5 INCH PRACTICE M29A2
  COP-2-241                       RQR CONTINUITY TEST
  COP-2-243                       REPL IGN & PROP
  COP-2-331          SIU          REPL IGN & PROP
  COP-3-226                       DEMIL INDICATED
  COP-3-227          SIU          REPL MOTORS
  COP-3-232          SIU          REPL MOTORS
  NOP-1-261          SIU          REPL IGN & PROP
  NOP-1-642          SIU          REPL IGN & PROP
1340-00-0000000-H602  RKT SMK 3.5IN WP M30
  ALL LOTS           SIU          DEMIL INDICATED COND CODE H
1340-00-0000000-H708  RKT PRAC 35MM SUBCALIBER M73
  ENB80C001-038      SIU          ASSIGNED COND CODE E
                                  100% INSP FOR PRESENCE OF SAFETY CLIP.
  OL-7-41            SIU          MOTOR BODY SPLIT
                                  ASSIGNED COND CODE J
  OL-7-41A                        RQR X-RAY
                                  ASSIGNED COND CODE F
  OL-8-35                         RQR X-RAY
                                  ASSIGNED COND CODE F
1340-00-0000000-H826  RKT 2.75 INCH HEDP C/O WHD M247 FUZE M238 MTR MK40 MOD
  LOP-1-1                         RQR REWORK
  LOP-1-2                         RQR REWORK
  LOP-1-3                         RQR REWORK
  LOP-1-4                         RQR REWORK
  LOP-1-5                         RQR REWORK
  LOP-1-6                         RQR REWORK
  PA-E-01187                      RQR REWORK
  PA-E-01189                      RQR REWORK
  PA-E-01276                      RQR REWORK
  PA-E-01281                      RQR REWORK
  PA-E-01283                      RQR REWORK
  PA-E-01306                      RQR REWORK
  PA-E-01306A             B01
  PA-E-01368                      RQR REWORK
1340-00-0000000-H855  WHD 2.75 IN M156 WP W/FUZE M427
  LS-36-54                        REPL FUZE
                                  ASSIGNED COND CODE F
  MCA-500-SERIES          B18
  MCA-500-7          SIU          RQR 100% INSP FOR SUSPENDED FUZE LOTS (1340-J346)
  MCA-500-8          SIU          RQR 100% INSP FOR SUSPENDED FUZE LOTS (1340-J346)
  MCA-500-9          SIU          RQR 100% INSP FOR SUSPENDED FUZE LOTS (1340-J346)
1340-00-0000000-H928  WHD 5IN RKT HE MK29 MOD 0
  RHKA-12-MCA-54     SIU          RQR 100% INSP FOR MISSING GAS CHECK SEAL AROUND FUZE BASE PLUG
                                  ASSIGNED COND CODE E
1340-00-0000000-H933  WHD 5 INCH RKT HE MK63 MOD 0 W/O FUZE
  RHKK-1-HAW-71      SIU          RQR 100% INSP FOR EXPLOSIVE CONTAMINATION IN FUZE WELL
                                  ASSIGNED COND CODE E
  RHKK-40-HAW-72     SIU          RQR 100% INSP FOR EXPLOSIVE CONTAMINATION IN FUZE WELL
                                  ASSIGNED COND CODE E
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1340-00-0000000-H933 WHD 5 INCH RKT HE MK63 MOD 0 W/O FUZE			
RHKK-68-HAW-74	SIU		RQR 100% INSP FOR EXPLOSIVE CONTAMINATION IN FUZE WELL ASSIGNED COND CODE E
1340-00-0000000-J102 RKT MTR 2.75 INCH MK4 MOD 10			
BBG78F012-047			100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP ASSIGNED COND CODE E
1340-00-0000000-J106 RKT MTR 2.75 INCH MK40 MOD3			
BBG79B333-001		B01	
BBG79E002-517			ASSIGNED COND CODE F REPL RKT MTR INTERNAL GRD CLIP
BBG79F002-518		B01	
BBG79F002-519		B01	
BBG79G002-520		B01	
RMHD-175-MCA-68	SIU		100 PERCENT INSP FOR INEFFECTIVE SHORTING CLIP (EXTERNAL) ASSIGNED COND CODE E
1340-00-9356021-J106 ROCKET MOTOR 2.75 INCH MK 40 MOD 3			
BBG77K002-511		B29	
BBG79B333-001		B29	
BBG79F002-518		B29	
BBG79F002-519		B29	
1340-00-0000000-J146 RKT MTR 2.75IN MK66MOD1			
BBG84F001-003		S19 S22	
1340-00-0000000-J165 ROCKET MOTOR 5 INCH MK10 MOD 7			
RMDA-594-S-52			RQR 100% INSP FOR INEFFECTIVE SHUNTS ASSIGNED COND CODE E
1340-00-0000000-J247 RKT MTR 5 INCH MK 16 MOD 3			
RMDG-87-MCA-63			RQR 100% INSP FOR MISSING RADHAZ BARRIER ASSIGNED COND CODE E
1340-00-0000000-J281 FUZE RKT M404A2 BD F/3.5IN RKT			
ALL LOTS	SIU		DEMIL INDICATED COND CODE H
1340-00-0000000-J349 FUZE RKT PROX M423			
LOP-40-3	SIU		DEMIL INDICATED COND CODE H
1340-00-0000000-J350 FUZE RKT PROX M429			
LOP-3-8			DOWNRANGE PREMATURE ASSIGNED COND CODE J
1340 DRAW # 10048500 RKT MOTOR M54 FOR 66 M			
LSDZ-3731			RQR NOZZLE WRAP
LSDZ-3742			RQR NOZZLE WRAP
1340 DRAWING # 9210200K LAUNCHER F/ROCKET 66MM M72A1			
BTA-3-22		W25	
1345-00-0000000-K002 ACTIVATOR AT MINE PRAC M1			
IOP-3-43	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LOP-3-36	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LOP-3-43	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LOP-3-44	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LOP-3-59	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LS-84G015-011	SIU		DEMIL INDICATED COND CODE H

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1345-00-0000000-K058 FUZE MINE COMBINATION M605			
IOP-4-8	SIU		DEMIL INDICATED COND CODE H
IOP-7-11	SIU		DEMIL INDICATED COND CODE H
IOP-7-18	SIU		DEMIL INDICATED COND CODE H
IOP-7-23	SIU		DEMIL INDICATED COND CODE H
IOP-7-7	SIU		DEMIL INDICATED COND CODE H
IOP-7-9	SIU		DEMIL INDICATED COND CODE H
IOP79K016-003	SIU		DEMIL INDICATED COND CODE H
IOP79K016-004	SIU		DEMIL INDICATED COND CODE H
IOP79L016-005	SIU		DEMIL INDICATED COND CODE H
IOP79M016-006	SIU		DEMIL INDICATED COND CODE H
IOP79M016-007	SIU		DEMIL INDICATED COND CODE H
LS-1-21	SIU		ASSIGNED COND CODE J PREMATURE FIRING PIN RELEASE
LS-12-12	SIU		DEMIL INDICATED COND CODE H
LS-12-13	SIU		DEMIL INDICATED COND CODE H
LS-12-16	SIU		DEMIL INDICATED COND CODE H
LS-12-19	SIU		DEMIL INDICATED COND CODE H
LS-12-20	SIU		DEMIL INDICATED COND CODE H
LS-12-9	SIU		DEMIL INDICATED COND CODE H
LS-13-1	SIU		DEMIL INDICATED COND CODE H
LS-4-104	SIU		DEMIL INDICATED COND CODE H
LS-4-107	SIU		DEMIL INDICATED COND CODE H
LS-4-15	SIU		DEMIL INDICATED COND CODE H
LS-4-21	SIU		DEMIL INDICATED COND CODE H
LS-4-24	SIU		DEMIL INDICATED COND CODE H
LS-4-29	SIU		DEMIL INDICATED COND CODE H
LS-4-33	SIU		DEMIL INDICATED COND CODE H
LS-4-34	SIU		DEMIL INDICATED COND CODE H
LS-4-35	SIU		DEMIL INDICATED COND CODE H
LS-4-41	SIU		DEMIL INDICATED COND CODE H
LS-4-52	SIU		DEMIL INDICATED COND CODE H
LS-4-53	SIU		DEMIL INDICATED COND CODE H
LS-4-54	SIU		DEMIL INDICATED COND CODE H
LS-4-58	SIU		DEMIL INDICATED COND CODE H
LS-4-6	SIU		DEMIL INDICATED COND CODE H
LS-4-62A	SIU		DEMIL INDICATED COND CODE H
LS-4-69	SIU		DEMIL INDICATED COND CODE H
LS-4-78	SIU		DEMIL INDICATED COND CODE H
LS-4-80	SIU		DEMIL INDICATED COND CODE H
LS-4-86	SIU		DEMIL INDICATED COND CODE H
LS-4-87	SIU		DEMIL INDICATED COND CODE H
LS-6-10	SIU		DEMIL INDICATED COND CODE H
LS-6-20	SIU		DEMIL INDICATED COND CODE H
LS-6-8	SIU		DEMIL INDICATED COND CODE H
LS-6-7	SIU		DEMIL INDICATED COND CODE H
LS-7-5	SIU		DEMIL INDICATED COND CODE H
PA-799-5		B01	
PA-799-8		B01	
1345-00-0000000-K092 MINE AP M16A1			
PA-27-8 THRU	SIU		REPL FUZE ASSIGNED COND CODE F
PA-27-10 AND			

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1345-00-0000000-K092 MINE AP M16A1		
ALL SUFFIXES CONTAINING FUZE LOTS LS-4-15 AND LS-4-21		
AOY-600-2		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
BGD-503-4		REPL FUZE ASSIGNED COND CODE F
CAD-600-2	SIU	ASSIGNED COND CODE F REPL FUZE
IOP-1-17	SIU	DEMIL INDICATED COND CODE H
LOD-600-3		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOD-600-4		REPL FUZE ASSIGNED COND CODE F
LOD-600-5		REPL FUZE ASSIGNED COND CODE F
LOD-600-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOD-600-7		REPL FUZE ASSIGNED COND CODE F
LOD-600-9		REPL FUZE ASSIGNED COND CODE F
LOP-25-13A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-4A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-4B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-5B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-5C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-5D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-6B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-27-1A	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-12D		REPL FUZE ASSIGNED COND CODE F
LOP-28-13A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-13B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-15A	SIU	FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-15B	SIU	FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-16A	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-28-19C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-21A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-22A		ASSIGNED COND CODE F REPL FUZE
LOP-28-24A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-24B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-24C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-24D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-25D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-26A	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-28-26B	SIU	REPL FUZE

1345-00-0000000-K092 MINE AP M16A1

LOT NUMBER	LIMIT	RESTRICTION FIX OR REASON
LOP-28-27A	SIU	REPL FUZE
LOP-28-27B	SIU	REPL FUZE
LOP-28-27C	SIU	REPL FUZE
LOP-28-28B	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-29C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-30A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-30B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-30C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-31C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-32A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-32B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-32C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-32D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-39B		ASSIGNED COND CODE F REPL UNSVC FUZE LOT
LOP-28-39D	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-28-40		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
LOP-28-43C	SIU	RQR INSP AND TEST
LOP-28-45		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
LOP-28-45G		REPL FUZE ASSIGNED COND CODE F
LOP-28-46C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-46D	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-47C	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-51A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-51B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-51C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-55L	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-56C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57B	SIU	REQ INSP OF FUZE
LOP-28-57C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-58A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-58B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-58C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

1345-00-0000000-K092 MINE AP M16A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LOP-28-58D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-59A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-60C	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-28-61A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-62A	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-63A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-63B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-63C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-64	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-64A		REPL FUZE ASSIGNED COND CODE F
LOP-28-64B		REPL FUZE ASSIGNED COND CODE F
LOP-28-66		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
LOP-28-8A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-8B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-8C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-1B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-10		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
LOP-35-10F	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-35-11B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-12A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-12B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-14		ASSIGNED COND CODE F REPL FUZE
LOP-35-14A		ASSIGNED COND CODE F REPL FUZE
LOP-35-14B		REPL FUZE ASSIGNED COND CODE F
LOP-35-15A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1345-00-0000000-K092 MINE AP M16A1		
LOP-35-15B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-16A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-17A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-19A		REPL FUZE ASSIGNED COND CODE F
LOP-35-2		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-2A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-2B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21B	SIU	ASSIGNED COND CODE F UNDETERMINED AT THIS TIME
LOP-35-21C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21J		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-22B	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-35-22D	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-35-22F	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-35-24C	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-35-24D		REPL FUZE ASSIGNED COND CODE F
LOP-35-25		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25J		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-26J	SIU	FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-27A		ASSIGNED COND CODE F REPL UNSVC FUZE LOT
LOP-35-28F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-29B		REPL FUZE ASSIGNED COND CODE F
LOP-35-3A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-3B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-31A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-32A		REPL FUZE ASSIGNED COND CODE F
LOP-35-32B		REPL FUZE ASSIGNED COND CODE F
LOP-35-33A		ASSIGNED COND CODE F

1345-00-0000000-K092 MINE AP M16A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		REPL FUZE
LOP-35-33B		ASSIGNED COND CODE F
		REPL FUZE
LOP-35-34A		REPL FUZE
		ASSIGNED COND CODE F
LOP-35-34B		ASSIGNED COND CODE F
		REPL FUZE
LOP-35-37H	SIU	REPL FUZE
		ASSIGNED COND CODE F
LOP-35-39F		ASSIGNED COND CODE F
		REPL FUZE
LOP-35-40D	SIU	FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-41A		ASSIGNED COND CODE F
		REPL UNSVC FUZE LOT
LOP-35-41B		ASSIGNED COND CODE F
		REPL FUZE
LOP-35-45A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-46A	SIU	RQR INSP OF FUZE FOR PRESENCE OF SAFETY HEAD (SUPPORT SLEEVE)
LOP-35-46B		REPL FUZE
		ASSIGNED COND CODE F
LOP-35-46G	SIU	REPL FUZE
		ASSIGNED COND CODE F
LOP-35-46J	SIU	REPL FUZE
		ASSIGNED COND CODE F
LOP-35-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-6B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-7A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-7B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-9B		ASSIGNED COND CODE F
		REPL UNSVC FUZE LOT
LOP-41-10C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-29C		REPL FUZE
		ASSIGNED COND CODE F
LOP-41-29G		REPL FUZE
		ASSIGNED COND CODE F
LOP-41-29J	SIU	REPL FUZE
		ASSIGNED COND CODE F
LOP-41-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-6B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-6C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-6D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-8B	SIU	REPL FUZE
		ASSIGNED COND CODE F
LOP-41-8C	SIU	ASSIGNED COND CODE F

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1345-00-0000000-K092 MINE AP M16A1		
		REPL FUZE
LOP-41-8D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-9		REPL FUZE ASSIGNED COND CODE F
LOP-41-9B	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-41-9C	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-42-4A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-42-4B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-42-4C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-43-14A		REPL FUZE ASSIGNED COND CODE F
LOP-43-19D		ASSIGNED COND CODE F REPL FUZE
LOP-43-20F		ASSIGNED COND CODE F REPL FUZE
LOP-43-23C		ASSIGNED COND CODE F REPL FUZE
LOP-44-11A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-45-1		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-45-19		REPL FUZE ASSIGNED COND CODE F
LOP-45-4		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-45-4A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-45-4B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-45-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-45-7		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-45-7A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-45-8		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-27-13D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-27-15C		REPL FUZE ASSIGNED COND CODE F
PA-27-15D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-27-15G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-27-16		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
PA-27-17B		REPL FUZE ASSIGNED COND CODE F
PA-27-19A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-27-4B	SIU	RQR INSP AND TEST
PA-27-6B	SIU	REPL UNSVC FUZE LOT ASSIGNED COND CODE F
PA-30-1C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-30-11B	SIU	RQR INSP FOR CRITICAL DEFECTS
PA-30-12B	SIU	RQR INSP FOR CRITICAL DEFECTS
PA-30-2C		REPL FUZE ASSIGNED COND CODE F
PA-30-2D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-30-7		REPL FUZE ASSIGNED COND CODE F

1345-00-0000000-K092 MINE AP M16A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
PA-30-7C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-30-7G	SIU	REPL UNSVC FUZE LOT
PA-30-7J		ASSIGNED COND CODE F REPL FUZE
PA-30-8B	SIU	REPL FUZE
PA-30-9B	SIU	REPL FUZE
PA-30-9C	SIU	REPL FUZE
PA-30-9D	SIU	RQR INSP FOR CRITICAL DEFECTS
PA-30-9J	SIU	REPL FUZE ASSIGNED COND CODE F
PA-31-2B	SIU	REPL FUZE
PA-31-2C		REPL FUZE ASSIGNED COND CODE F
PA-31-2J		REPL FUZE ASSIGNED COND CODE F
PA-31-3B	SIU	REPL FUZE
PA-31-4B	SIU	REPL FUZE ASSIGNED COND CODE F
PA-31-5D		REPL FUZE ASSIGNED COND CODE F
PA-31-6D	SIU	REPL FUZE ASSIGNED COND CODE F
PA-31-7B	SIU	REPL FUZE
PA-31-7C		REPL FUZE ASSIGNED COND CODE F
PA-31-7D	SIU	ASSIGNED COND CODE E RQR INSP FOR PRESENCE OF SAFETY PIN
PA-31-7G		REPL FUZE ASSIGNED COND CODE F
PA-31-8A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-31-8C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-31-8D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-31-8F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PB-31-2D	SIU	RQR INSP FOR CRITICAL DEFECTS
RHN-600-1	SIU	REPL FUZE
RHN-600-3A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
RHN-600-4		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
RHN-600-6		ASSIGNED COND CODE F REPL FUZE
RHN81E001H001		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
RHN82E001G001		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SND-500-1A	SIU	ASSIGNED COND CODE E RQR INSP FOR PRESENCE OF SAFETY PIN
SND-500-2		REPL FUZE ASSIGNED COND CODE F
SND-500-2A		REPL FUZE ASSIGNED COND CODE F
SND-500-4		REPL FUZE ASSIGNED COND CODE F
SND-500-4A		ASSIGNED COND CODE F REPL FUZE

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1345-00-0000000-K092 MINE AP M16A1		
SND-500-5	SIU	REPL FUZE ASSIGNED COND CODE F
SND-500-6		REPL FUZE ASSIGNED COND CODE F
SND-500-6A		ASSIGNED COND CODE F REPL FUZE
1345-00-0000000-K121 MINE AP NM M14 W/INTEGRAL FUZE		
JA-3-20		DEMIL INDICATED COND CODE H
LOP-15-9		100% INSP FOR PRESENCE OF SAFETY CLIP ASSIGNED COND CODE E
LOP-26-13		DEMIL INDICATED COND CODE H
LOP-32-33	SIU	DEMIL INDICATED COND CODE H
LOP-33-49		RQR INSP FOR CRITICAL DEFECTS ASSIGNED COND CODE E
LOP-33-9		DEMIL INDICATED COND CODE H
LOP-7-1	SIU	RQR 100% INSP OF SAFETY CLIP/PIN FOR RQR TENSION ASSIGNED COND CODE E
1345-00-0000000-K139 MINE AP PRACTICE M68		
ALL LOTS EXCEPT LOP85C004-001 LOP86A005-001 LOP86A005-002 LOP86C005-003 LOP86C005-004	SIU	ASSIGNED COND CODE J
1345-00-0000000-K143 MINE APERS M18A1 W/ACCESSORIES		
LOP-13-17		ASSIGNED COND CODE E RQR 100% INSP F/DAMAGED FIRING WIRES
LOP-13-4A		RELEASED FROM TEMPORARY SUSPENSION
LOP-2-99	SIU	RQ 100% INSP AND CONTINUITY TEST OF M4 BLASTING CAP ASSY ASSIGNED COND CODE E
1345-00-0000000-K145 MINE APERS M18A1 W/O ACCESSORIES		
LOP-13-4		RELEASED FROM TEMPORARY SUSPENSION
1345-00-0000000-K146 MINE APERS M26		
MA-1-14		DEMIL INDICATED COND CODE H
MA-1-18		DEMIL INDICATED COND CODE H
MA-1-4		DEMIL INDICATED COND CODE H
MA-5-13	SIU	DEMIL INDICATED COND CODE H
MA-5-15		DEMIL INDICATED COND CODE H
MA-5-16		DEMIL INDICATED COND CODE H
MA-5-17		DEMIL INDICATED COND CODE H
MA-5-18		DEMIL INDICATED COND CODE H
MA-5-19		DEMIL INDICATED COND CODE H
MA-5-20		DEMIL INDICATED COND CODE H
MA-5-21		DEMIL INDICATED COND CODE H
MA-5-22		DEMIL INDICATED COND CODE H
MA-5-23		DEMIL INDICATED COND CODE H
MA-5-8A		DEMIL INDICATED COND CODE H
MA-6-2	SIU	DEMIL INDICATED COND CODE H
MA-6-3	SIU	DEMIL INDICATED COND CODE H
MA-6-4	SIU	DEMIL INDICATED COND CODE H
MA-6-6	SIU	DEMIL INDICATED COND CODE H

```
 LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

1345-00-0000000-K146  MINE APERS M26
 MA-7-2            SIU          DEMIL INDICATED COND CODE H
 MA-7-3            SIU          DEMIL INDICATED COND CODE H
1345-00-6789822-K146  MINE APERS M26
 ALL MA-6 SERIES                DEMIL INDICATED COND CODE H
 ALL MA-7 SERIES                DEMIL INDICATED COND CODE H
 ALL MA-8 SERIES                DEMIL INDICATED COND CODE H
1345-00-0000000-K182  MINE ANTI-TANK LIGHT M24
 ALL LOTS          SIU          DEMIL INDICATED COND CODE H
1345-00-0000000-K183  MINE ANTI-TANK LIGHT M66
 ALL LOTS          SIU          DEMIL INDICATED COND CODE H
1345-00-0000000-K257  MINE CHEMICAL AGENT VX M23
 NCP-2-16                W01
 NCP-3-1                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-3-2                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-3-3                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-3-4                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-4-1                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-4-2                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-1                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-10                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-11                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-12                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-13                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-14                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-2                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-3                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-4                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-5                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-6                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-7                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-8                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-9                        ASSIGNED COND CODE E
 LOT NUMBER      LIMIT RESTRICTION         FIX     OR     REASON

1345-00-0000000-K257  MINE CHEMICAL AGENT VX M23
                                          RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
1345-00-1436561-Z132  MINE DISPERSING SUBSYTEM M56 (RELOAD KIT)
 LOP-13-8          SIU              DEMIL INDICATED COND CODE H
1365-00-0000000-K532  DISPENSER AND RIOT CONTROL AGENT M36
 ALL FDL LOTS               B27
1365-00-2773039-K645  CHEMICAL AGENT H (BULK)
 ALL LOTS                           DEMIL INDICATED COND CODE H
1365-00-0000000-K865  SMK POT HC GROUND TYPE M1                    B
 PB-2103-133                B01
 PB-2103-19                         DEMIL INDICATED COND CODE H
 PB-4179-20                 B01
! PB-5378-110       SIU              DEMIL INDICATED COND CODE H
1365-00-0000000-K866  SMOKE POT ABC M5 GROUND TYPE
 ALL LOTS                   W39
 PB-06003-4                 C09
 PB-06003-49                C09
 PB-06003-59       SIU              DEMIL INDICATED COND CODE H
 PB-16003-17                B01
 PB-5467-14                 B01
 PB-5467-71                 B01
 PB-5467-8                  C09
 PB-5532-19                 B01
 PB-84F020-021              B01
 PB-84F020-022              B01
 PB-84H022-004              B01
 PB-84J022-014              B01
 PB-84K022-016              B01
 PB-84K022-017              B01
! PB-84K022-019              B01
 PB-84L023-001              B01
 PB-84M024-007              B01
! PB-85C007-004              B01
 PB-85H025-005              B01
 PB-86A026-010              B01
 PB-86B026-014              B01
 PB-86C026-025              B01
 PB-86C026-027              B01
 PB-96003-4                 B01
 PB-96003-48                B01
 PB-96003-67                B01
 PB-96003-68                B01
 RPB-6039-6                 B01
 RPB-6039-8                 B01
1365-00-0000000-K867  SMOKE POT FLOATING TYPE M4A2 W/HC SMOKE MIXTURE
 PB-2106-91                 B01
 PB-3139-35                         RQR 100% INSP FOR SAFETY PIN SPREAD
                                    ASSIGNED COND CODE E
 PB-3166-38                 B01
 PB-3166-77A                B01
 PB-82L001-008     SIU              RQR 100% INSP F/SVC RDS MIXED W/BLANK RDS
                                    ASSIGNED COND CODE E
```

```
1365-00-0000000-K867  SMOKE POT FLOATING TYPE M4A2 W/HC SMOKE MIXTURE
  PB-85C007-005           B01
  PB-85E007-022           B01
  PB85C007-004            B01
  RDD-691-19              B01
  RDD-745-2                         RQR 100% INSP FOR SAFETY PIN SPREAD
                                    ASSIGNED COND CODE E
  RDD-745-8               B01
  RPB-386-39              B01
  RPB-6002-16        SIU            DEMIL INDICATED
1365-00-0000000-K869  SMK POT ABC AN-M7A1
  EA-1-1                  B01
  EA-1-14                 B01
  EA-1-5                  B01
1365-00-0000000-K910  THICKENER OIL INC M1 5 1/4 LB CAN
  NY-347-250         SIU            DEMIL INDICATED COND CODE H
1365-00-0000000-K913  THICKENER OIL INC M1 15 3/4 LB DRUM
  NY-1159-2057       SIU            DEMIL INDICATED COND CODE H
  NY-1159-2075       SIU            DEMIL INDICATED COND CODE H
1365-00-0000000-K920  THICKENING COMPOUND FUEL M4
  NPC-1-89           SIU            DEMIL INDICATED COND CODE H
  NPC-1-90                          DEMIL INDICATED COND CODE H
  NPC-1-92           SIU            DEMIL INDICATED COND CODE H
  NPC-1-93                          DEMIL INDICATED COND CODE H
  NPC-1-95                          DEMIL INDICATED COND CODE H
1370-00-0000000-LW24  FLARE DECOY MK 46 MOD 0
  3-C-73                  T08
  4-C-73                  T08
  43-C-72            SIU            DEMIL INDICATED
  44-C-72            SIU            DEMIL INDICATED
  7-C-73                  T08
  8-C-73                  T08
1370-00-0000000-L116  SIGNAL KIT PERS DIST      ED M185       B
  COL-1-01                B01
  COL-1-8                 B01
  DEI-4-43                B01
1370-00-0000000-L117  SIGNAL KIT PERS DIST      186 (GREEN RED B WHITE)
  PAL-1-1 THRU            B01
  PAL-1-9
  PAL-1-15           SIU            DEMIL INDICATED COND CODE H
  PAL-1-20                B01
  PAL-1-30                B01
  PAL-1-33                B01
  PAL-2-11                          DEMIL INDICATED COND CODE H
  PAL-2-3                           RELEASED FROM TEMPORARY SUSPENSION
  PAL-2-30                          DEMIL INDICATED COND CODE H
  PAL-2-31                          DEMIL INDICATED COND CODE H
  PAL-2-32                          DEMIL INDICATED COND CODE H
  PAL-2-35                B01
1370-00-0000000-L118  SIGNAL KIT PERSONNEL DISTRESS MK 79 MOD 0
  1-PAI-1969                        DEMIL INDICATED COND CODE H
  1-PII-1969                        DEMIL INDICATED COND CODE H
```

```
   1370-00-0000000-L118  SIGNAL KIT PERSONNEL DISTRESS MK 79 MOD 0
     102-PAI-1967                  DEMIL INDICATED COND CODE H
     14-PAI-66                     DEMIL INDICATED COND CODE H
     15-PAI-66                     DEMIL INDICATED COND CODE H
     16-ESC-67                     DEMIL INDICATED COND CODE H
     25-ESC-67                     DEMIL INDICATED COND CODE H
     5-PAI-1066       SIU          RQR 100% INSP FOR PRIMERS ABOVE FLUSH
   1370-00-0000000-L119  KIT SIGNAL PERSONNEL DISTRESS A/P 255-1
     MBA-5-14              B01
     MBA-7-10         SIU          DEMIL INDICATED COND CODE H
     MBA81G007-007    SIU          DEMIL INDICATED COND CODE H
     MBA81H007-008    SIU          DEMIL INDICATED COND CODE H
  |  MBA83C008-003    SIU          DEMIL INDICATED COND CODE H
     MBA83D008-004                 ASSIGNED COND CODE N
                                   INBORE PREMATURE
     MBA84C009-002    SIU          ASSIGNED COND CODE J
                                   PREMATURE FUNCTIONING
     MBA85D009-001    SIU          FAILURE TO EXPEL ILLUMINANT CANDLE
                                   ASSIGNED COND CODE J
   1370-00-4907362-L119  SIGNAL KIT PERSONNEL DISTRESS
     ALL MBA LOTS MFG SIU          ASSIGNED COND CODE E
                                   RQR 100% INSP FOR OL LAUNCHERS (P/N 4891050)
     P0081
     ALL OL LOTS MFG  SIU          DEMIL INDICATED COND CODE H
     P0075
   1370-00-0000000-L135  CTG PHOTOFLASH M112A1 1 SEC DELAY
     ALL LOTS                      RQR X-RAY
     NFO-9-12                      RQR REMOVAL OF EXCESS PRIMER SEALANT
     PXC-38-5         SIU          RQR X-RAY
   1370-00-0000000-L136  CTG PHOTOFLASH M112A1 2 SEC DELAY
     ALL LOTS                      RQR X-RAY
     PXC-1-45                      RQR 100% INSP FOR INEFFECTIVE SHUNTS
                                   ASSIGNED COND CODE E
     PXC-30-29             B01
   1370-00-0000000-L169  SIGNAL ACFT MK 89 MOD 0 GREEN SMOKE
     ALL LOTS P0180                DEMIL INDICATED COND CODE H
   1370-00-0000000-L226  SIGNAL ILLUM AC DOUBLE STAR AN-M38 YELLOW-YELLOW
     USF-13-12             B01
   1370-00-0000000-L227  SIGNAL ILLUM DBL STA      39A2          B .
     IIA-1-4A         SIU          DEMIL INDICATED COND CODE H
   1370-00-0000000-L228  SIGNAL ILLUM AC DOUBLE STAR AN-M40A2 RED-YELLOW
     OM-31-1               B01
   1370-00-0000000-L230  SIGNAL ILLUM AC DOUBLE STAR AN-M42 A2 GREEN-YELLOW
     OM-41-1               B01
     OM-41-4               B01
   1370-00-0000000-L231  SIGNAL ILLUM ACFT SINGLE STAR RED AN-M43A2
     OM-11-19         SIU          DEMIL INDICATED COND CODE H
   1370-00-0000000-L232  SIGNAL ILLUM AC SS AN-M44A1 YELLOW
     UM-18-17              B01
   1370-00-0000000-L239  SIGNAL ILLUM AC RED TR GREEN-RED AN M58A2
     AFW-6-2          SIU          DEMIL INDICATED
   1370-00-0000000-L275  SIGNAL SMOKE AND ILLUM MARINE MK 13 MOD 0
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1370-00-0000000-L275	SIGNAL SMOKE AND ILLUM MARINE MK 13 MOD 0		
ALL HARVEL-			DEMIL INDICATED COND CODE H
KILGORE P0062			
KILGORE LOTS (K)			DEMIL INDICATED COND CODE H
MFG 1960			
ALL LOTS P0160			DEMIL INDICATED COND CODE H
ALL STOCKS MFG		B01	
1960 - 1970			
HK-1-0363			DEMIL INDICATED COND CODE H
HK-48-0663-195		B01	
KC-81H001-016		B01	
KC-86A001-033	SIU		DEMIL INDICATED COND CODE H
1-KC-0672	SIU		DEMIL INDICATED
105-KC-0767	SIU		DEMIL INDICATED COND CODE H
11-P-0371			DEMIL INDICATED COND CODE H
114-KC-0767			DEMIL INDICATED
12-P-0371			DEMIL INDICATED COND CODE H
12-P-0569	SIU		DEMIL INDICATED COND CODE H
123-KC-0867			100% INSP FOR CORRECT LABELING OF SIGNAL ENDS
13-KC-0971			DEMIL INDICATED COND CODE H
132-HK-0867			100% INSP FOR CORRECT LABELING OF SIGNAL ENDS
132-KC-1967			100% INSP FOR CORRECT LABELING OF SIGNAL ENDS
134-KC-0867			DEMIL INDICATED COND CODE H
14KC-1173		B01	
16-FND-0470		B01	
16-KC-1971			DEMIL INDICATED COND CODE H
16-P-69			DEMIL INDICATED COND CODE H
17-P-0769			DEMIL INDICATED COND CODE H
20-HK-0367	SIU		DEMIL INDICATED COND CODE H
21-KC-1274		B01	
22-FND-0670			DEMIL INDICATED COND CODE H
3-P-0969			DEMIL INDICATED COND CODE H
31-HK-1266			100% INSP FOR CORRECT LABELING OF SIGNAL ENDS
31-P-0771			DEMIL INDICATED COND CODE H
4-HK-1066			DEMIL INDICATED COND CODE H
4-HK-1964			DEMIL INDICATED COND CODE H
40-HK-0365-195			DEMIL INDICATED COND CODE H
5-KC-1170		B01	
6-KC-0777		B01	
73-P-1271			DEMIL INDICATED COND CODE H
8-KC-1971			DEMIL INDICATED COND CODE H
85-HK-0565-195	SIU		DEMIL INDICATED COND CODE H
9-KC-1971			DEMIL INDICATED COND CODE H
9HK-0965-104		B01	
1370-00-0000000-L278	SIGNAL ILLUM GRD RED M187		
PAL-2-0868		B01	
1370-00-0000000-L279	SIG ILL GRD WHITE M188		
ALL PAL-1-1		B01	
AND THRU PAL-1-9			
PAL-1-2	SIU		DEMIL INDICATED COND CODE H
PAL-1-3			DEMIL INDICATED COND CODE H
1370-00-0000000-L280	FLARE DISTRESS GREEN M189		

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1370-00-0000000-L280 FLARE DISTRESS GREEN M189			
ALL PAL-1-1 AND THRU PAL-1-9		B01	
PAL-2-11			DEMIL INDICATED COND CODE H
PAL-3-1068	SIU		DEMIL INDICATED COND CODE H
1370-00-0000000-L305 SIGNAL ILLUM GRD PARACHUTE GREEN STAR M195			
CIA-30-15	SIU		DEMIL INDICATED COND CODE H
CIA-30-21	SIU		DEMIL INDICATED COND CODE H
CIA-30-8		B01	
LOW87H061-010	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87H061-011	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87H061-012	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87H061-013	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87J061-014	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87J061-015	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
1370-00-0000000-L306 SIGNAL ILLUM GND RED STAR CLUSTER M158			
ALL CIA-20SERIES	SIU		DEMIL INDICATED COND CODE H
LOW-31-72		B01	
LOW-33-1A	SIU		DEMIL INDICATED COND CODE H
LOW-33-3	SIU		DEMIL INDICATED COND CODE H
LOW-33-4			REPL PROP SYS
LOW-33-5			REPL PROP SYS
LOW-33-6			REPL PROP SYS
LOW-33-7			REPL PROP SYS
LOW-33-8			REPL PROP SYS
LOW79L036-001		B01	
LOW87H151-001	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87H151-002	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
1370-00-0000000-L307 SIGNAL ILLUM GRD WHITE STAR CLUSTER M159			
LOW-4-12	SIU		DEMIL INDICATED COND CODE H
LOW-4-5			RQR REWORK
LOW-5-2			DEMIL INDICATED COND CODE H
LOW86H013-005	SIU		PREMATURE FUNCTIONING ASSIGNED COND CODE J
LOW87E160-006		B01	
LOW87J161-002	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87K161-003	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87K161-005	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87K161-006	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87K161-007	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87L161-008	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87M161-009	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
PXC-83-69		B01	
PXC-83-77		B01	
1370-00-0000000-L310 SIG ILLUM GRD PARA G TAR M19A2 B			
PXC-5-30			DEMIL INDICATED COND CODE H
PXC-5-31			DEMIL INDICATED COND CODE H
PXC-5-43A			DEMIL INDICATED COND CODE H
PXC-5-48			DEMIL INDICATED COND CODE H
PXC-5-51A	SIU		DEMIL INDICATED COND CODE H
PXC-5-57			DEMIL INDICATED COND CODE H
PXC-6-8	SIU		DEMIL INDICATED COND CODE H

```
   LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

  1370-00-0000000-L311  SIG ILLUM GRD PARA M126 HAND HELD
   ALL M126 LOTS                     REPL PROP AND TAIL ASSY
   LOW-26-2                          REPL PROP SYS
   LOW-26-3                          REPL PROP SYS
   LOW-26-4                          REPL PROP SYS
|  LOW87E110-005          B01
   PA-23-1         SIMU              DEMIL INDICATED
   PA-23-1A        SIMU              DEMIL INDICATED
   PA-23-2         SIMU              DEMIL INDICATED
   PA-23-3         SIMU              DEMIL INDICATED
   PA-23-4         SIMU              DEMIL INDICATED
   PA-23-4A        SIMU              DEMIL INDICATED
   PA-23-5         SIMU              DEMIL INDICATED
  1370-00-0000000-L312  SIG ILLUM GRD PARA M127 WHITE STAR HAND HELD
   ALL M127 LOTS                     REPL PROP AND TAIL ASSY
   CIA-1-21                          DEMIL INDICATED COND CODE H
   CIA-1-22                          UNDETERMINED AT THIS TIME
   CIA-1-24A       SIU               DEMIL INDICATED COND CODE H
   CIA-1-27A       SIMU              RQR INSP FOR CRITICAL DEFECTS
                                     ASSIGNED COND CODE F
   CIA-1-7         SIU               REPLACE DELAY ASSEMBLY
   KC-22-18        SIU               ERRATIC FLIGHT
                                     ASSIGNED COND CODE J
   LOW-19-10       SIU               DEMIL INDICATED COND CODE H
   LOW-19-26              B01
   LOW-19-37                         RQR REPLACEMENT OF COMPONENTS
                                     ASSIGNED COND CODE F
   LOW86F028-028          B01 T01
|  PXC-89-346      SIU               RQR X-RAY
|                                    ASSIGNED COND CODE E
   PXC-89-470                        DEMIL INDICATED COND CODE H
   PXC-91-13       SIU               DEMIL INDICATED COND CODE H
  1370-00-0000000-L314  SIGNAL ILLUM GROUND CLUSTER GREEN STAR M125
   ALL M125 LOTS                     REPL PROP AND TAIL ASSY
   CIA-H-11-10            B01
   CIA-11-8        SIU               DEMIL INDICATED COND CODE H
   LOW-42-10                         REPL PROP SYS
   LOW-42-11                         REPL PROP SYS
   LOW-42-12                         REPL PROP SYS
   LOW-42-13                         REPL PROP SYS
   LOW-42-2                          REPL PROP SYS
   LOW-42-6                          REPL PROP SYS
   LOW-42-7                          REPL PROP SYS
   LOW-42-8                          REPL PROP SYS
   LOW-42-9                          REPL PROP SYS
   LOW-43-9        SIU               RQR 100% X-RAY FOR PRESENCE OF DELAY CHARGE
                                     RQR INSP OF 100 EA FOR DAMAGED ROCKET BARREL TUBES
                                     ASSIGNED COND CODE F
   LOW79M045-002   SIU               ASSIGNED COND CODE F
                                     RQR 100% X-RAY F/ABNORMAL FIN ASSY
   LOW80B045-006          B01
   LOW80C046-002          B01
   LOW80D046-003          B01
```

```
    LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

  1370-00-0000000-L314  SIGNAL ILLUM GROUND CLUSTER GREEN STAR M125
|   LOW87E054-001                     FIN FAILURE
|                                     ERRATIC FLIGHT
  1370-00-0000000-L318  SIGNAL GRD SMK M65 G                          B
    CCG-3-12A         SIU             DEMIL INDICATED COND CODE H
    CCG-3-9           SIU             DEMIL INDICATED COND CODE H
|   PXC-89-346        SIU             RQR X-RAY
|                                     ASSIGNED COND CODE E
  1370-00-0000000-L322  SIGNAL GRD SMK YELLOW M64 T40E1
    CCG-2-18          SIU             DEMIL INDICATED COND CODE H
    CCG-2-3                           DEMIL INDICATED
  1370-00-0000000-L323  SIGNAL SMOKE GND PRCHT M129A1 RED
    KC-15-15                B01
    KC-15-16                B01
    KC-15-27                B01
    KC-15-31                B01
    KC-15-33                B01
    KC-15-35                B01
    KC-15-36                          DEMIL INDICATED COND CODE H
    PA-18-3           SIU             DEMIL INDICATED COND CODE H
    PA-18-4           SIU             DEMIL INDICATED COND CODE H
    PA-18-5           SIU             DEMIL INDICATED COND CODE H
    PA-18-6           SIU             DEMIL INDICATED COND CODE H
|   PXC-26-9          SIU             DEMIL INDICATED COND CODE H
    PXC-80-11         SIU             DEMIL INDICATED COND CODE H
    PXC-80-16A              B01
    PXC-80-18A              B01
    PXC-80-8                B01
    PXC-80-9C         SIU             DEMIL INDICATED COND CODE H
  1370-00-0000000-L324  SIGNAL GRD SMK PARA M128A1 T74E1 GREEN
    KC-10-22                B01
    KC-10-23          SIU             DEMIL INDICATED COND CODE H
    KC-10-6                           DEMIL INDICATED COND CODE H
    PXC-22-13               B01
    PXC-22-17                         DEMIL INDICATED
    PXC-22-18         SIU             DEMIL INDICATED
    PXC-22-19                         DEMIL INDICATED COND CODE H
    PXC-65-1          SIU             DEMIL INDICATED COND CODE H
    PXC-78-16                         DEMIL INDICATED COND CODE H
    PXC-78-18A        SIU             DEMIL INDICATED COND CODE H
    PXC-78-19         SIU             DEMIL INDICATED COND CODE H
    PXC-78-20                         DEMIL INDICATED
  1370-00-0000000-L341  SIG SMK GRD GR M167
    ENB-21-01               B01
  1370-00-0000000-L343  SIGNAL SMK GRD YELLOW M169
    ENB-61-01               B01
  1370-00-0000000-L351  SIMULATOR PROJ AIRBU      7A1B1               B
    HRV-1-12          SIU             DEMIL INDICATED COND CODE H
    HRV-1-13          SIU             DEMIL INDICATED COND CODE H
  1370-00-0000000-L366  1370-00-0000000-L366
    LOW-1 SERIES      SIU             DEMIL INDICATED COND CODE H
  1370-00-0286007-L366  SIMULATOR PROJECTILE AIRBURST M174 SERIES
```

```
    LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

  1370-00-0286007-L366  SIMULATOR PROJECTILE AIRBURST M174 SERIES
|   ALL PXC-1 LOTS    SIU             DEMIL INDICATED COND CODE H
  1370-00-0000000-L367  SIMULATOR LAUNCHING AT GM AND RKT M22
    LOW83A003-002     SIU             RQR INSP FOR CRITICAL DEFECTS
                                      ASSIGNED COND CODE E
    LOW84E004-029     SIU             DEMIL INDICATED COND CODE H
    LOW85K006-002                     RELEASED FROM TEMPORARY SUSPENSION
  1370-00-0000000-L378  DETONATION SIMULATOR M80
    SNO-2-1                           DEMIL INDICATED COND CODE H
    SNO-3-2           SIU             DEMIL INDICATED COND CODE H
    SNO-3-5                           DEMIL INDICATED COND CODE H
  1370-00-8924239-L379  FLARE AIRCRAFT PARACHUTE MK 24 MOD 1
    ALL LOTS                S15
  1370-00-0000000-L410  FLARE ACFT GTMS M206
    BER85B001-002     SIU             FAILED TO FUNCTION AS DESIGNED
                                      SPLIT CARTRIDGE CASE
                                      ASSIGNED COND CODE J
    BER85J001-011     SIU             DAMAGED MAGAZINE MJU-11
    LOW80J005-004                     ASSIGNED COND CODE E
                                      RQR REL OF HYDROGEN GAS FR PA 19 METAL CNTN
    LOW80K005-005                     ASSIGNED COND CODE E
                                      RQR REL OF HYDROGEN GAS FR PA 19 METAL CNTN
    LOW82B009-016                     FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    LOW82C009-017           B01       RELEASED WITH RESTRICTION
    LOW82C010-002     SIU             HANGFIRES
                                      ASSIGNED COND CODE J
|   LOW84C017-001           B01       RELEASED WITH RESTRICTION
|   MBT85D004-023     SIU             DAMAGED MAGAZINE MJU-11
    MBT85E005-006     SIU             DAMAGED MAGAZINE MJU-11
                                      ASSIGNED COND CODE J
    MBT86D006-004     SIU             DAMAGED MAGAZINE MJU-11
                                      ASSIGNED COND CODE J
    MCF83H001-030                     HANGFIRES
|   MCF83J001-031     SIU             MISFIRES
|                                     ASSIGNED COND CODE J
  1370-00-0000000-L416  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
    ALL LOTS                          RQR FUZE REPLACEMENT AND VENTING
                                      ASSIGNED COND CODE F
    10-C-70                           DEMIL INDICATED
    21-C-669                          REPL MK364 MOD 0 FUZE
                                      ASSIGNED COND CODE F
    3-C-70                            DEMIL INDICATED
    6-BER-0870                        REPL FUZE
    9-BER-0970                        REPL FUZE
                                      ASSIGNED COND CODE F
  1370-00-0000000-L423  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
    ALL LOTS                          RQR FUZE REPLACEMENT AND VENTING
                                      ASSIGNED COND CODE F
    10-C-70                           DEMIL INDICATED
    3-C-70                            DEMIL INDICATED
    6-BER-0870                        REPL FUZE
    9-BER-0970                        REPL FUZE
  LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

1370-00-0000000-L423  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
                                ASSIGNED COND CODE F
1370-00-0000000-L424  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  AOY-500-1A              F09
  AOY-500-17B       SIU         DEMIL INDICATED COND CODE H
  AOY-500-18B       SIU         DEMIL INDICATED COND CODE H
  KMK77J001G003                 DEMIL INDICATED COND CODE H
  KMK78B002G001     SIU         DEMIL INDICATED COND CODE H
  KMK78C002G003     SIU         DEMIL INDICATED COND CODE H
  KMK78G003G001     SIU         DEMIL INDICATED COND CODE H
  10-C-70                       DEMIL INDICATED
  3-C-70                        DEMIL INDICATED
  6-BER-0870                    REPL FUZE
  9-BER-0970                    REPL FUZE
                                ASSIGNED COND CODE F
1370-00-4611526-L424  FLARE AIRCRAFT PARACHUTE MK 45 MOD 0 W/ADAPTER
  ALL LOTS WITH A               ASSIGNED COND CODE F
  MK 364 MOD 0 FZ               RQR FUZE REPLACEMENT AND VENTING
                                (CRANE LOTS MFG P0074 (UP TO 1-C-74) & KILGORE LOTS MFG P0075)
1370-00-0000000-L426  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  04-BER-70                     REPL FUZE
                                ASSIGNED COND CODE F
  10-C-70                       DEMIL INDICATED
  16R-C-69                      DEMIL INDICATED COND CODE H
  3-C-70                        DEMIL INDICATED
  6-BER-0870                    REPL FUZE
  8-BER-0970                    REPL FUZE
  9-BER-0970                    REPL FUZE
                                ASSIGNED COND CODE F
1370-00-0000000-L427  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  10-C-70                       DEMIL INDICATED
  3-C-70                        DEMIL INDICATED
  6-BER-0870                    REPL FUZE
  9-BER-0970                    REPL FUZE
                                ASSIGNED COND CODE F
1370-00-0000000-L428  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  10-C-70                       DEMIL INDICATED
  3-C-70                        DEMIL INDICATED
  6-BER-0870                    REPL FUZE
  9-BER-0970                    REPL FUZE
                                ASSIGNED COND CODE F
1370-00-0000000-L473  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  ALL LOTS          SIU         DEMIL INDICATED COND CODE H
1370-00-0000000-L495  FLARE SURFACE TRIP M49 SERIES
  KGM-5-12                B01
  LOW-2-33                B01
  LOW-3-20                B01
  LOW-3-22                B01
  LOW-3-23                B01
  LOW-3-31                      ASSIGNED COND CODE E
                                RQR 100% INSP F/MISSING SEALANT AROUND TOP TO BODY JOINT
  PXC-15-81A        SIU         DEMIL INDICATED
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1370-00-0000000-L495 FLARE SURFACE TRIP M49 SERIES			
PXC-15-81B	SIU		DEMIL INDICATED
PXC-15-82A		B01	
PXC-17-105		B01	
PXC-17-106		B01	
PXC-23-133		B01	
PXC-23-40		B01	
PXC-25-111		B01	
PXC-25-53		B01	
PXC-28-57	SIU		DEMIL INDICATED COND CODE H
PXC-28-58		B01	
PXC-28-64		B01	
1370-00-0000000-L508 FUSEE WARNING RAILROAD RED M72 SERIES			
BFL80F001-003		B01	
CIL-1-2	SIU		DEMIL INDICATED COND CODE H
1370-00-0000000-L542 SIG ILLUM MARINE MK 2 MOD 0 VERY RED			
81-RF-1144		B25	
81-RFC-1144		B25	
1370-00-0000000-L594 SIMULATOR PROJ GRD B 15 SERIES B			
LOW-84L018-001 THRU LOW86B020-023		R24	RELEASED WITH RESTRICTION
LOW79F013-004	SIU		DEMIL INDICATED COND CODE H
LOW79M014-003		R24	RELEASED WITH RESTRICTION
LOW84L018-002		R24	RELEASED WITH RESTRICTION
LOW84L018-006		R24	RELEASED WITH RESTRICTION
1370-00-7528126-L594 SIMULATOR PROJECTILE GROUND BURST M115 SERIES			
ALL DEI-26 LOTS			DEMIL INDICATED COND CODE H
ALL DEI-27 LOTS			DEMIL INDICATED COND CODE H
1370-00-0000000-L596 SIMULATOR FLASH ARTILLERY M110			
BII-2-1		S09	
BII-2-2		S09	
BII-2-3		S09	
BII-2-4		S09	
BII-2-5		S09	
1370-00-0000000-L598 SIMULATOR BOOBYTRAP FLASH M117			
BWG-1-3	SIU		DEMIL INDICATED COND CODE H
DEI-28-01	SIU		DEMIL INDICATED COND CODE H
MAI80C001-001		B01	RELEASED WITH RESTRICTION
MAI80E001-002		B01	RELEASED WITH RESTRICTION
MAI80F001-003	SIU		DEMIL INDICATED COND CODE H
MAI80G001-004	SIU		DEMIL INDICATED COND CODE H
MAI80H001-005		B01	
MAI81F001-001		B01	RELEASED WITH RESTRICTION
MAI81H002-001		B01	
1370-00-0285256-L598 SIMULATOR BOOBYTRAP FLASH M117			
ALL LOTS BWG-2-	SIU		DEMIL INDICATED COND CODE H
1370-00-0000000-L599 SIMULATOR BOOBYTRAP ILLUMINATION M118			
AFB-1-4	SIU		DEMIL INDICATED COND CODE H
AFB-1-8	SIU		DEMIL INDICATED COND CODE H
FLS77M001-002			DEMIL INDICATED COND CODE H
FLS78B001-004	SIU		DEMIL INDICATED COND CODE H

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1370-00-0000000-L599 SIMULATOR BOOBYTRAP ILLUMINATION M118			
	MAI83D001-001	SIU		DEMIL INDICATED COND CODE H
	PYC-20-06	SIU		DEMIL INDICATED COND CODE H
	1370-00-0000000-L600 SIMULATOR BOOBY TRAP WHISTLING M119			
|	DEI-01-10			IMPACT BEYOND 60% OF EXPECTED RANGE
	MAI84H003-002	SIU		DEMIL INDICATED COND CODE H
	MAI84L003-003	SIU		DEMIL INDICATED COND CODE H
	MAI84M003-004	SIU		DEMIL INDICATED COND CODE H
|	MAI85G003-006			IMPACT BEYOND 60% OF EXPECTED RANGE
|	MAI86H004-001			IMPACT BEYOND 60% OF EXPECTED RANGE
	PSI-1-5		B13	
	1370-00-0000000-L601 SIMULATOR HAND GRENADE M116A1 M116E2			
	AFB-1-19	SIU		DEMIL INDICATED COND CODE H
	DEI-81C002-049	SIU		100% INSP FOR PRESENCE OF SAFETY CLIP.
				ASSIGNED COND CODE F
	DEI78F032-024	SIU		DEMIL INDICATED COND CODE H
	DEI78G032-025	SIU		DEMIL INDICATED COND CODE H
	DEI80E002-016	SIU		ASSIGNED COND CODE J
				CRITICAL DEFECT FOUND DURING SURV FUNCTION TEST
	PXC-13-81	SIU		DEMIL INDICATED
	1370-00-0000000-L602 SIMULATOR FLASH ARTILLERY M21			
|	ALL CPA LOTS			MISFIRES
|	W/INTERFIX 003			MISFIRES
|	CPA85K002-002			MISFIRES
|				ASSIGNED COND CODE J
|	CPA85K002-031			EXCESSIVE MISFIRES
	CPA85L002-034	SIU		MISFIRES
				ASSIGNED COND CODE J
	CPA85L002-038			EXCESSIVE MISFIRES
	CPA86H003-007			EXCESSIVE MISFIRES
	CPA86H003-011			EXCESSIVE MISFIRES
	CPA86K003-016			EXCESSIVE MISFIRES
	CPA86K003-019	SIU		EXCESSIVE MISFIRES
				ASSIGNED COND CODE J
	CPA87A003-027			EXCESSIVE MISFIRES
				ASSIGNED COND CODE J
	CPA87A003-028			EXCESSIVE MISFIRES
	CPA87A003-032			EXCESSIVE MISFIRES
|	CPA87B003-041			EXCESSIVE DUDS
	CPA87C003-045			EXCESSIVE MISFIRES
	CPA87C003-047	SIU		EXCESSIVE MISFIRES
	CPA87C003-051			EXCESSIVE MISFIRES
	CPA87C003-054			EXCESSIVE MISFIRES
|	CPA87F004-007			EXCESSIVE MISFIRES
|	CPA87F004-011			EXCESSIVE MISFIRES
	1370-00-4740270-L605 SIMULATOR ATOMIC EXPLOSIVE M142			
	ALL PXC LOTS		R12	
	1370-00-0000000-L621 STARTER FIRE M2 SERIES			
	MAI77F001-002	SIU		DEMIL INDICATED COND CODE H
	MAI77F001-003		B01	
	MAI77H001-004	SIU		DEMIL INDICATED COND CODE H
	MAI82J002-003	SIU		DEMIL INDICATED COND CODE H

```
   LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

  1370-00-0000000-L621  STARTER FIRE M2 SERIES
   MAI82K002-004          B01
   PB-1-11          SIU           DEMIL INDICATED COND CODE H
   PB-1-2           SIU           DEMIL INDICATED COND CODE H
   PB-1-3           SIU           DEMIL INDICATED COND CODE H
   PB-1-4           SIU           DEMIL INDICATED COND CODE H
   PSI-1-1          SIU           DEMIL INDICATED COND CODE H
   PSI-1-3          SIU           DEMIL INDICATED COND CODE H
   PYC-1-1          SIU           DEMIL INDICATED COND CODE H
   PYC-1-10               B01
   PYC-1-11         SIU           DEMIL INDICATED COND CODE H
|  2012-71-1003     SIU           DEMIL INDICATED COND CODE H
   2022-74-1002     SIU           DEMIL INDICATED COND CODE H
   2022-74-1006     SIU           DEMIL INDICATED COND CODE H
   2022-75-1013     SIU           DEMIL INDICATED COND CODE H
   2022-76-1026     SIU           DEMIL INDICATED COND CODE H
   2022-81-1030     SIU           DEMIL INDICATED COND CODE H
  1370-00-0000000-0000  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
   21-C-669                       REPL MK364 MOD 0 FUZE
  1375-00-0000000-ML03  FIRING DEVICE DEMO MULTI-PURPOSE M142
   ALL UNSUFXED           W38
   LOTS W/INTRFXS
   MEI-001 SERIES
   MEI-002 SERIES
   MEI-003 SERIES
   MEI-004 SERIES
   MEI-005 SERIES
  1375-00-2252419-MW49  CONNECTOR DETONATING CORD (PLASTIC) PN 2995437 B
   ALL CONNECTORS   SIU           DEMIL INDICATED COND CODE H
   MFG BY QUALITY
   CONTROLLED
   MELVINDALE MI
   (09-79)
  1375-00-0000000-M023  CHARGE DEMOLITION BLOCK M112
   LOP81F008-005          B08
   LOP82E008-011          B08
|  LOP82J008-018          B08
   LOP82J008-019          B08
   LOP82L008-022          B08
   LOP84A009-001          T13
   LOP85K010-002          B08
  1375-00-0000000-M028  KIT DEMOLITION BANGALORE TORPEDO M1A2
   APW-2-104              B01 C08 RELEASED WITH RESTRICTION
   APW-2-122              B01 C08 RELEASED WITH RESTRICTION
   GOI-2-14               B01
   GOI-3-21               B01 C08 RELEASED WITH RESTRICTION
  1375-00-0000000-M032  CHG DEMO BLOCK TNT 1LB
|  IOP-5-26                       RELEASED FROM TEMPORARY SUSPENSION
  1375-00-0000000-M078  CAP BLASTING ELECTRIC M4
|  HEP-52-34        SIU           RQR 100% INSP F/DAMAGED FIRING WIRES
|                                 ASSIGNED COND CODE E
  1375-00-0000000-M130  CAP BLASTING ELEC M6
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1330-00-0000000-G950 GREN HAND SMOKE RED M18			
			ASSIGNED COND CODE F
OPI-40-2A			DEMIL INDICATED COND CODE H
PB-44-1		B01	
PB-44-10		B01	
PB-44-13	SIU		ASSIGNED COND CODE E RQR 100% INSP FOR SAFETY PIN
PB-44-4		B01	
PB-44-7		B01	
PB-78F045-002		B01	
PB-78F045-003		B01	
PB-79J045-005		B01	
PB-80J045-007		B01	
PB-80J045-008		B01	
PB-80L045-009		B01	
PB-80L045-010		B01	
PB-80L045-011		B01	
PB-82F047H009		B01	
PB-83G049-005		B01 C06	
PB-86G052-016		B01	
PBA-41-16		B01	
PBA-41-34		B01	
PBA-41-9		B01	
TAC-41-23		B01	
TAC-41-27		B01	
TAC-41-6			DEMIL INDICATED COND CODE H
1330-00-0000000-G955 GREN HAND SMOKE VIOLET M18			
MEI-60-56		B01	
MEI-60-60	SIU		DEMIL INDICATED COND CODE H
MEI-62-2A		B01	
MEI-62-3	SIU		DEMIL INDICATED COND CODE H
MEI-63-2A		B01	
MEI-63-4		B01	
MEI-63-5A		B01	
MEI-63-6		B01	
MEI-63-9		B01	
MEI-64-10	SIU		DEMIL INDICATED COND CODE H
MEI-64-3		B01	
MEI-64-8	SIU		DEMIL INDICATED COND CODE H
MEI-64-9	SIU		DEMIL INDICATED COND CODE H
MEI-65-3A		B01	
MEI-65-5A		B01	
MEI-65-6A		B01	
MEI-65-7		B01	
OPI-60-7A		B01	
PB-61-75		B01	
PB-82D063H006		B01	
PB-82D063H007		B01	
PB-83B064-001	SIU		DEMIL INDICATED COND CODE H
PB-83D064H006		B01 C06	
PB-83H064-007	SIU		DEMIL INDICATED COND CODE H
PB-84C065-005		B01	

```
   LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

 1330-00-0000000-G955  GREN HAND SMOKE VIOLET M18
|  PB-85E067-001     SIU              RQR 100% INSP FOR SAFETY PIN SPREAD
|                                     ASSIGNED COND CODE F
|  PB-86H068-010           B01 C06
|  PB-87H070-016           B01 C06
|  PB-87H071-004           B01 C06
   PB86H068-006            B01 C06
   TAC-61-13A        SIU              DEMIL INDICATED COND CODE H
   UNV-60-108A       SIU              REPL FUZE
   UNV-60-27               B01
 1330-00-0000000-G963  GRENADE HAND RIOT CON TYPE ABC CS M7 SERIES
   FDL-1-26                           DEMIL INDICATED COND CODE H
   FDL-1-34                           RQR 100% INSP FOR SAFETY PIN SPREAD
                                      ASSIGNED COND CODE E
   FDL-1-41                B01
   FDL-1-63                           DEMIL INDICATED
   FDL-2-22                           RQR 100% INSP FOR SAFETY PIN NOT SPREAD
                                      ASSIGNED COND CODE E
   PB-1-12                 B01
   1023-73-7004      SIU              ASSIGNED COND CODE E
                                      RQR 100% INSP FOR SAFETY PIN SPREAD
   1026-42-140       SIU              DEMIL INDICATED COND CODE H
|  2011-55-1002            B01
   2012-63-1005                       DEMIL INDICATED COND CODE H
   2014-71-1006      SIU              DEMIL INDICATED COND CODE H
   2014-73-1022            B01
   2015-81-1004            B01
|  2015-82-1005            B01
   2015-82-1010            B01
   2021-56-1001            B01
   2021-63-1019      SIU              DEMIL INDICATED COND CODE H
   2021-64-1021      SIU              DEMIL INDICATED COND CODE H
   2021-64-1022      SIU              DEMIL INDICATED COND CODE H
   2021-64-1023      SIU              DEMIL INDICATED COND CODE H
   2021-64-1024      SIU              DEMIL INDICATED COND CODE H
   2021-64-1025      SIU              DEMIL INDICATED COND CODE H
   2021-64-1026      SIU              DEMIL INDICATED COND CODE H
   2021-64-1027      SIU              DEMIL INDICATED COND CODE H
 1330-00-0000000-G970  GREN RIFLE HE AT M28 T41E1
   LS-29-28A               B01
   PA-8-18A                           RQR 100% INSP OF GRENADE CTG FOR LEAKING PROPELLANT
                                      ASSIGNED COND CODE E
 1330-00-0285919-G970  GRENADE RIFLE HEAT M28
   ALL LOTS          SIMU             DEMIL INDICATED COND CODE H
 1330-00-0000000-H050  LAUNCHER AND GRENADE SMOKE HC AND WP M176
   PB-4-15                            DEMIL INDICATED COND CODE H
   PB-4-17                 B01
   PB-4-19           SIU              DEMIL INDICATED COND CODE H
   PB-4-22                 B01
   PB-4-25                 B01
   PB-4-28           SIU              DEMIL INDICATED COND CODE H
   PB-4-32                 B01
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1330-00-0000000-H050 LAUNCHER AND GRENADE SMOKE HC AND WP M176			
PB-4-7	SIU		DEMIL INDICATED COND CODE H
PB-4-8			DEMIL INDICATED COND CODE H
PBA-1-1		B01	
PBA-1-10		B01	
PBA-1-11		B01	
PBA-1-12		B01	
PBA-1-13		B01	
PBA-1-14	SIU		DEMIL INDICATED COND CODE H
PBA-1-15			DEMIL INDICATED COND CODE H
PBA-1-16		B01	
PBA-1-17		B01	
PBA-1-18			DEMIL INDICATED COND CODE H
PBA-1-19			DEMIL INDICATED COND CODE H
PBA-1-2		B01	
PBA-1-20		B01	
PBA-1-21		B01	
PBA-1-22		B01	
PBA-1-23			DEMIL INDICATED COND CODE H
PBA-1-24		B01	
PBA-1-25		B01	
PBA-1-26		B01	
PBA-1-27		B01	
PBA-1-28		B01	
PBA-1-29		B01	
PBA-1-3		B01	
PBA-1-30		B01	
PBA-1-34		B01	
PBA-1-35			DEMIL INDICATED COND CODE H
PBA-1-36	SIU		DEMIL INDICATED COND CODE H
PBA-1-37	SIU		DEMIL INDICATED COND CODE H
PBA-1-38		B01	
PBA-1-39			DEMIL INDICATED COND CODE H
PBA-1-4		B01	
PBA-1-40			DEMIL INDICATED COND CODE H
PBA-1-42			DEMIL INDICATED COND CODE H
PBA-1-43	SIU		DEMIL INDICATED COND CODE H
PBA-1-44	SIU		DEMIL INDICATED COND CODE H
PBA-1-46			DEMIL INDICATED COND CODE H
PBA-1-47	SIU		DEMIL INDICATED COND CODE H
PBA-1-48			DEMIL INDICATED COND CODE H
PBA-1-5		B01	
PBA-1-52			DEMIL INDICATED COND CODE H
PBA-1-53			DEMIL INDICATED COND CODE H
PBA-1-55			DEMIL INDICATED COND CODE H
PBA-1-56			DEMIL INDICATED COND CODE H
PBA-1-57	SIU		DEMIL INDICATED COND CODE H
PBA-1-58	SIU		DEMIL INDICATED COND CODE H
PBA-1-59	SIU		DEMIL INDICATED COND CODE H
PBA-1-6	SIU		DEMIL INDICATED COND CODE H
PBA-1-60	SIU		DEMIL INDICATED COND CODE H
PBA-1-62			DEMIL INDICATED COND CODE H

1330-00-0000000-H050 LAUNCHER AND GRENADE SMOKE HC AND WP M176

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
PBA-1-64	SIU		DEMIL INDICATED COND CODE H
PBA-1-67	SIU		DEMIL INDICATED COND CODE H
PBA-1-68			DEMIL INDICATED COND CODE H
PBA-1-7		B01	
PBA-1-72			DEMIL INDICATED COND CODE H
PBA-1-76			DEMIL INDICATED COND CODE H
PBA-1-77			DEMIL INDICATED COND CODE H
PBA-1-8			DEMIL INDICATED COND CODE H
PBA-1-81			DEMIL INDICATED COND CODE H
PBA-1-82			DEMIL INDICATED COND CODE H
PBA-1-9		B01	
PBA-2-3	SIU		DEMIL INDICATED COND CODE H
PBA-2-4A			DEMIL INDICATED COND CODE H
PBA-3-10	SIU		DEMIL INDICATED COND CODE H
PBA-3-11	SIU		DEMIL INDICATED COND CODE H
PBA-3-12		B01	
PBA-3-13		B01	
PBA-3-14		B01	
PBA-3-15	SIU		DEMIL INDICATED COND CODE H
PBA-3-16	SIU		DEMIL INDICATED COND CODE H
PBA-3-18			DEMIL INDICATED COND CODE H
PBA-3-2			DEMIL INDICATED COND CODE H
PBA-3-21	SIU		DEMIL INDICATED COND CODE H
PBA-3-22			DEMIL INDICATED COND CODE H
PBA-3-3	SIU		DEMIL INDICATED COND CODE H
PBA-3-34	SIU		DEMIL INDICATED COND CODE H
PBA-3-4			DEMIL INDICATED COND CODE H
PBA-3-41	SIU		DEMIL INDICATED COND CODE H
PBA-3-42			DEMIL INDICATED COND CODE H
PBA-3-43	SIU		DEMIL INDICATED COND CODE H
PBA-3-44		B01	
PBA-3-45			DEMIL INDICATED COND CODE H
PBA-3-46	SIU		DEMIL INDICATED COND CODE H
PBA-3-5	SIU		DEMIL INDICATED COND CODE H
PBA-3-6	SIU		DEMIL INDICATED COND CODE H
PBA-3-7			DEMIL INDICATED COND CODE H
PBA-3-8			DEMIL INDICATED COND CODE H

1330-00-0000000-H051 LAUNCHER AND GRENADE SMOKE HC M226

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
PB-1-1			DEMIL INDICATED COND CODE H
PB-1-10	SIU		DEMIL INDICATED COND CODE H
PB-1-11		B01	
PB-1-13		B01	
PB-1-14			DEMIL INDICATED COND CODE H
PB-1-15	SIU		DEMIL INDICATED COND CODE H
PB-1-16	SIU		DEMIL INDICATED COND CODE H
PB-1-17	SIU		DEMIL INDICATED COND CODE H
PB-1-18	SIU		DEMIL INDICATED COND CODE H
PB-1-19		B01	
PB-1-2			DEMIL INDICATED COND CODE H
PB-1-5	SIU		DEMIL INDICATED COND CODE H
PB-1-7		B01	

```
  1330-00-0000000-H051  LAUNCHER AND GRENADE SMOKE HC M226
    PB-1-8                            DEMIL INDICATED COND CODE H
    PB-2-1                            DEMIL INDICATED COND CODE H
    PB-2-2                            DEMIL INDICATED COND CODE H
    PB-2-3                 B01
  1330-00-0000000-0000  CTG GRENADE AUXILIARY CAL .30 M7
    ALL LOTS P0652                    RQR RADIOGRAPHIC INSP
  1330-00-8623229-0000  FUZE HAND GRENADE M204A1 OR M204A2
    ALL LOTS W/O                      RQR RADIOGRAPHIC INSP
    HARD PLATE X-RAY
    NFO-3-13                          DEMIL INDICATED COND CODE H
  1330                  DRAWING # 10998765    FUZE HAND GRENADE M217
    ALL LOTS          SIU             DEMIL INDICATED COND CODE H
  1340-00-0000000-HY71  WARHEAD WDU-4A/A PN 67D9700
    NRT-7-1           SIU             DEMIL INDICATED COND CODE H
    NRT-8-12          SIU             DEMIL INDICATED COND CODE H
  1340-00-0000000-H110  RKT  INCENDIARY 66MM XM74
    ALL LOTS W/O                      RQR 100% INSP FOR CORR ON RKT MTR COND CODE E
    ANY LTR S FOLLOW
    ING LOT SUFFIX
    BWG-15-7AS                        RELEASED FROM TEMPORARY SUSPENSION
    MSO-1-001                         RQR 100% INSP FOR PRIMERS ABOVE FLUSH
    MSO-9-011                         RQR 100% INSP FOR PRIMERS ABOVE FLUSH
    PB-1-2                             RQR 100% INSP FOR SOFT WHDS
    PB-1-4                             RQR 100% INSP FOR SOFT WHDS
    PB-2-2                             RQR 100% INSP FOR SOFT WHDS
    PB-2-4                             RQR 100% INSP FOR SOFT WHDS
    PB-4-1                             RQR 100% INSP FOR SOFT WHDS
    PB-4-2                             RQR 100% INSP FOR SOFT WHDS
|   PB-4-3BS                          RELEASED FROM PERMANENT SUSPENSION
    PB-4-4                             RQR 100% INSP FOR SOFT WHDS
    PB-4-5                             RQR 100% INSP FOR SOFT WHDS
    PB-4-6                             RQR 100% INSP FOR SOFT WHDS
    PB-5-1                             RQR 100% INSP FOR SOFT WHDS
    PB-5-3                             RQR 100% INSP FOR SOFT WHDS
  1340-00-1320482-H110  ROCKET 66MM INCENDIA                         B
    ALL W/O LTR S                     RQR 100% INSP FOR CORR ON RKT MTR COND CODE E
    FOL LOT SUFFIX
  1340-00-1695413-H110  ROCKET 66MM INCENDIA                         B
    ALL W/O LTR S                     RQR 100% INSP FOR CORR ON RKT MTR COND CODE E
    FOL LOT SUFFIX
  1340-00-1695414-H110  ROCKET 66MM INCENDIA                         B
    ALL W/O LTR S                     RQR 100% INSP FOR CORR ON RKT MTR COND CODE E
    FOL LOT SUFFIX
  1340-00-0000000-H180  RKT 2.75 INCH FLARE M257
    UFD79M001-006          T03
    UFD80A001-007          T03
    UFD80H002-002          B01
    UFD82E004-001          B01
    UFD82F004-002          B01
    UFD82G004-003          B01
|   UFD82K004-005     SIU             REPL RKT MTR INTERNAL GRD CLIP
```

```
  1340-00-0000000-H180  RKT 2.75 INCH FLARE M257
|                                 ASSIGNED COND CODE F
    UFD82L004-006         B01
    UFD82M004-007         B01
    UFD83D005M001-A       B01
    UFD83D005M001-B       B01
    UFD83K005-002         B01
    UFD83M005-003         B01
    UFD84B005-004         B01
  1340-00-0000000-H413  IGNITER RKT MTR MK173 MOD 1
    BER-1-15                      DEMIL INDICATED
  1340-00-0000000-H459  ROCKET 2.75IN W/WHD WDU-4A/A
    LOP-411-16       SIU          DEMIL INDICATED COND CODE H
    LOP-411-18            B01
    LOP-411-21            B01
|   LOP-411-24       SIU          DEMIL INDICATED COND CODE H
    LOP-411-25       SIU          DEMIL INDICATED COND CODE H
    LOP-411-8        SIU          100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP
                                  ASSIGNED COND CODE F
|   LOP-412-14            B01
    LOP-412-2             B01
  1340-00-0000000-H471  RKT HE 2.75 IN. W/WHD M151 W/M433 FUZE W/MK40 MTR
    LOP82B820-001                 ASSIGNED COND CODE F
                                  REPL RKT MTR INTERNAL GRD CLIP
    LOP82C820-002                 REPL RKT MTR INTERNAL GRD CLIP
                                  ASSIGNED COND CODE F
    LOP82C820-003                 REPL RKT MTR INTERNAL GRD CLIP
                                  ASSIGNED COND CODE F
    LOP83C821-005                 REPL RKT MTR INTERNAL GRD CLIP
                                  ASSIGNED COND CODE F
    LOP83C821-005A                REPL RKT MTR INTERNAL GRD CLIP
                                  ASSIGNED COND CODE F
  1340-00-0000000-H487  RKT HE 2.75 IN W/WHD MK5 MODS FUZE MK181 MTR MK40 MODS
    ALL LOTS                      DEMIL INDICATED COND CODE H
  1340-00-0000000-H488  RKT 2.75 INCH HE M229 W/FUZE PROX AND MTR MK40 MOD3
    LOP-362-22                    ASSIGNED COND CODE F
                                  RQR REPL OF GROUND CLIP
                                  RQR REPL OF EXTERNAL LIVE LEAD SOLDER CONNECTORS
    LOP-366-5                     ASSIGNED COND CODE F
                                  REPL RKT MTR INTERNAL GRD CLIP
    LOP-368-2        SIU          REPL RKT MTR INTERNAL GRD CLIP
                                  ASSIGNED COND CODE F
    LOP-369-1                     ASSIGNED COND CODE F
                                  RQR REPL OF GROUND CLIP
  1340-00-0000000-H489  RKT HE 2.75 INCH W/WHD M151 FUZE M429 MTR MK40 MOD3
    LOP-312-10       SIU          DOWNRANGE PREMATURE
    LOP-313-1        SIU          DOWNRANGE PREMATURE
    LOP-313-15       SIU          DOWNRANGE PREMATURE
                                  ASSIGNED COND CODE J
    LOP-313-15A      SIU          DOWNRANGE PREMATURE
                                  ASSIGNED COND CODE J
    LOP-313-16       SIU          DOWNRANGE PREMATURE
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1340-00-0000000-H489 RKT HE 2.75 INCH W/WHD M151 FUZE M429 MTR MK40 MOD3			
LOP-313-4	SIU		DOWNRANGE PREMATURE
LOP-313-5	SIU		DOWNRANGE PREMATURE
LOP-313-8	SIU		DOWNRANGE PREMATURE
LOP-314-10			ASSIGNED COND CODE F REPL RKT MTR INTERNAL GRD CLIP
1340-00-0000000-H490 RKT HE 2.75 IN W/WHD M151 FUZE M423 MTR MK40 MOD3			
LOP-214-24	SIU		100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP ASSIGNED COND CODE E
LOP-214-40			100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP ASSIGNED COND CODE E
LOP-214-41			100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP ASSIGNED COND CODE E
LOP-214-44			100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP
LOP-214-44A			RQR REPL OF GROUND CLIP ASSIGNED COND CODE F
LOP-214-48			ASSIGNED COND CODE F REPL RKT MTR INTERNAL GRD CLIP
LOP-214-50	SIU		100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP ASSIGNED COND CODE E
LOP-216-1	SIU		REPL RKT MTR INTERNAL GRD CLIP ASSIGNED COND CODE F
1340-00-0000000-H519 RKT 2.75IN SMK WP W/WHD M156 W/RKT MTR MK40 MOD 3			
LS-4-1A	SIU		REPL FUZE ASSIGNED COND CODE F
LS-4-1B	SIU		REPL FUZE ASSIGNED COND CODE F
MCA-46-1	SIU		100 PERCENT INSP FOR INEFFECTIVE SHORTING CLIP (EXTERNAL) ASSIGNED COND CODE F
1340-00-7161450-H520 ROCKET CHEMICAL AGENT 115MM GB M55 W/FUZE PD M417			
ALL LOTS			DEMIL INDICATED COND CODE H
1340-00-7243567-H521 ROCKET CHEMICAL AGENT 115MM VX M55 W/FUZE PD M417			
ALL LOTS			DEMIL INDICATED COND CODE H
1340-00-0000000-H534 ROCKET 2.75 INCH HE W/WHD W/FZ			
LOP-266-42	SIU		ASSIGNED COND CODE F REPL FUZE
LOP-270-10	SIU		ASSIGNED COND CODE F REPL FUZE
LOP-270-21	SIU		ASSIGNED COND CODE F REPL FUZE
LOP-270-23	SIU		ASSIGNED COND CODE F REPL FUZE
LOP-270-34		B01	
LOP-271-1		B01	
LOP-271-13		B01	
LOP-271-14		B01	
1340-00-0000000-H557 RKT HE 66MM HEAT M72A2			
ALL LS-220-69 THRU LS-225-SERI			NO FIX AUTH. ASG COND CODE N.
LC-54-5C-R			RQR 100% SCREENING FOR CRACKED IGNITER TUBES ASSIGNED COND CODE F
LS-201-2R		B01	

1340-00-0000000-H557 RKT HE 66MM HEAT M72A2

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
LS-202-2R			DEMIL INDICATED COND CODE H
LS-214-23R			RQR SEGREGATION OF MIXED LOTS
LS-214-26R		B01	
LS-214-30R		B01	
LS-214-34R		B01	RELEASED WITH RESTRICTION
LS-214-42AR			RQR 100% SCREENING FOR CRACKED IGNITER TUBES ASSIGNED COND CODE F
LS-214-43AR		B01	
LS-214-44R			REPLACE ROCKET LAUNCHERS
LS-219-1R	SIU		RQR 100% SCREENING FOR CRACKED IGNITER TUBES ASSIGNED COND CODE F
LS-220-137RWA			DEMIL INDICATED COND CODE H
LS-220-176RW		B01	
LS-220-33ARW		B01	
LS-220-34AR			RQR NOZZLE WRAP
LS-220-34R			RQR NOZZLE WRAP RQR SCREENING
LS-220-43ARW			DEMIL INDICATED COND CODE H
LS-220-43BRW	SIU		DEMIL INDICATED COND CODE H
LS-220-49RW		B01	
LS-220-50RW		B01 T01	
LS-220-56RW			FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LS-220-62R			RQR NOZZLE WRAP
LS-220-64R			RQR NOZZLE WRAP
LS-220-64RW			NO FIX AUTHORIZED
LS-220-66RW		B01	
LS-220-67RW		B01	
LS-220-96RW			RQR PULL TEST RQR X-RAY ASSIGNED COND CODE F
LS-222-32RW	SIU		DEMIL INDICATED COND CODE H
LS-224-2RW	SIU		ROCKET MOTOR EXPLODED IN LAUNCHER TUBE ASSIGNED COND CODE J
LS-225-14RW			DEMIL INDICATED COND CODE H
LS-225-15RW			DEMIL INDICATED COND CODE H
LS-225-16RW			DEMIL INDICATED COND CODE H
LS-225-17RW			DEMIL INDICATED COND CODE H
LS-225-18RW			DEMIL INDICATED COND CODE H
LS-225-19RW			DEMIL INDICATED COND CODE H
LS-225-20RW			DEMIL INDICATED COND CODE H
LS-225-21RW			DEMIL INDICATED COND CODE H
LS-225-22RW			DEMIL INDICATED COND CODE H
LS-225-23RW			DEMIL INDICATED COND CODE H
LS-225-24RW			DEMIL INDICATED COND CODE H
LS-225-25RW			DEMIL INDICATED COND CODE H
LS-37-48BR		B01	
LS-90-13R		B01	
PA-3-3RW		B01	
RAN87B001-013			RELEASED FROM TEMPORARY SUSPENSION
RR-501-1-R		B01	

1340-00-0000000-H600 RKT HE 3.5IN HEAT M28A2

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1340-00-0000000-H600 RKT HE 3.5IN HEAT M28A2			
ALL LOTS	SIU		DEMIL INDICATED COND CODE H
1340-00-0000000-H601 RKT 3.5 INCH PRACTICE M29A2			
COP-2-241			RQR CONTINUITY TEST
COP-2-243			REPL IGN & PROP
COP-2-331	SIU		REPL IGN & PROP
COP-3-226			DEMIL INDICATED
COP-3-227	SIU		REPL MOTORS
COP-3-232	SIU		REPL MOTORS
NOP-1-281	SIU		REPL IGN & PROP
NOP-1-642	SIU		REPL IGN & PROP
1340-00-0000000-H602 RKT SMK 3.5IN WP M30			
ALL LOTS	SIU		DEMIL INDICATED COND CODE H
1340-00-0000000-H708 RKT PRAC 35MM SUBCALIBER M73			
ENB80C001-038	SIU		ASSIGNED COND CODE E 100% INSP FOR PRESENCE OF SAFETY CLIP.
OL-7-41	SIU		MOTOR BODY SPLIT ASSIGNED COND CODE J
OL-7-41A			RQR X-RAY ASSIGNED COND CODE F
OL-8-35			RQR X-RAY ASSIGNED COND CODE F
1340-00-0000000-H826 RKT 2.75 INCH HEDP C/O WHD M247 FUZE M238 MTR MK40 MOD			
LOP-1-1			RQR REWORK
LOP-1-2			RQR REWORK
LOP-1-3			RQR REWORK
LOP-1-4			RQR REWORK
LOP-1-5			RQR REWORK
LOP-1-6			RQR REWORK
PA-E-01187			RQR REWORK
PA-E-01189			RQR REWORK
PA-E-01276			RQR REWORK
PA-E-01281			RQR REWORK
PA-E-01283			RQR REWORK
PA-E-01306			RQR REWORK
PA-E-01306A		B01	
PA-E-01368			RQR REWORK
1340-00-0000000-H855 WHD 2.75 IN M156 WP W/FUZE M427			
LS-36-54			REPL FUZE ASSIGNED COND CODE F
MCA-500-SERIES		B18	
MCA-500-7	SIU		RQR 100% INSP FOR SUSPENDED FUZE LOTS (1340-J346)
MCA-500-8	SIU		RQR 100% INSP FOR SUSPENDED FUZE LOTS (1340-J346)
MCA-500-9	SIU		RQR 100% INSP FOR SUSPENDED FUZE LOTS (1340-J346)
1340-00-0000000-H928 WHD 5IN RKT HE MK29 MOD 0			
RHKA-12-MCA-54	SIU		RQR 100% INSP FOR MISSING GAS CHECK SEAL AROUND FUZE BASE PLUG ASSIGNED COND CODE E
1340-00-0000000-H933 WHD 5 INCH RKT HE MK63 MOD 0 W/O FUZE			
RHKK-1-HAW-71	SIU		RQR 100% INSP FOR EXPLOSIVE CONTAMINATION IN FUZE WELL ASSIGNED COND CODE E
RHKK-40-HAW-72	SIU		RQR 100% INSP FOR EXPLOSIVE CONTAMINATION IN FUZE WELL ASSIGNED COND CODE E

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1340-00-0000000-H933 WHD 5 INCH RKT HE MK63 MOD 0 W/O FUZE			
RHKK-68-HAW-74	SIU		RQR 100% INSP FOR EXPLOSIVE CONTAMINATION IN FUZE WELL ASSIGNED COND CODE E
1340-00-0000000-J102 RKT MTR 2.75 INCH MK4 MOD 10			
BBG78F012-047			100% INSP FOR IMPROPERLY ASSEMBLED SHORTING CLIP ASSIGNED COND CODE E
1340-00-0000000-J106 RKT MTR 2.75 INCH MK40 MOD3			
BBG79B333-001		B01	
BBG79E002-517			ASSIGNED COND CODE F REPL RKT MTR INTERNAL GRD CLIP
BBG79F002-518		B01	
BBG79F002-519		B01	
BBG79G002-520		B01	
RMHD-175-MCA-68	SIU		100 PERCENT INSP FOR INEFFECTIVE SHORTING CLIP (EXTERNAL) ASSIGNED COND CODE E
1340-00-9356021-J106 ROCKET MOTOR 2.75 INCH MK 40 MOD 3			
BBG77K002-511		B29	
BBG79B333-001		B29	
BBG79F002-518		B29	
BBG79F002-519		B29	
1340-00-0000000-J146 RKT MTR 2.75IN MK66MOD1			
BBG84F001-003		S19 S22	
1340-00-0000000-J165 ROCKET MOTOR 5 INCH MK10 MOD 7			
RMDA-594-S-52			RQR 100% INSP FOR INEFFECTIVE SHUNTS ASSIGNED COND CODE E
1340-00-0000000-J247 RKT MTR 5 INCH MK 16 MOD 3			
RMDG-87-MCA-63			RQR 100% INSP FOR MISSING RADHAZ BARRIER ASSIGNED COND CODE E
1340-00-0000000-J281 FUZE RKT M404A2 BD F/3.5IN RKT			
ALL LOTS	SIU		DEMIL INDICATED COND CODE H
1340-00-0000000-J349 FUZE RKT PROX M423			
LOP-40-3	SIU		DEMIL INDICATED COND CODE H
1340-00-0000000-J350 FUZE RKT PROX M429			
LOP-3-8			DOWNRANGE PREMATURE ASSIGNED COND CODE J
1340 DRAW # 10048500 RKT MOTOR M54 FOR 66 M			
LSDZ-3731			RQR NOZZLE WRAP
LSDZ-3742			RQR NOZZLE WRAP
1340 DRAWING # 9210200K LAUNCHER F/ROCKET 66MM M72A1			
BTA-3-22		W25	
1345-00-0000000-K002 ACTIVATOR AT MINE PRAC M1			
IOP-3-43	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LOP-3-36	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LOP-3-43	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LOP-3-44	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LOP-3-59	SIU		RQR INSP FOR LIVE RDS ASSIGNED COND CODE E
LS-84G015-011	SIU		DEMIL INDICATED COND CODE H

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1345-00-0000000-K058 FUZE MINE COMBINATION M605			
IOP-4-8	SIU		DEMIL INDICATED COND CODE H
IOP-7-11	SIU		DEMIL INDICATED COND CODE H
IOP-7-18	SIU		DEMIL INDICATED COND CODE H
IOP-7-23	SIU		DEMIL INDICATED COND CODE H
IOP-7-7	SIU		DEMIL INDICATED COND CODE H
IOP-7-9	SIU		DEMIL INDICATED COND CODE H
IOP79K016-003	SIU		DEMIL INDICATED COND CODE H
IOP79K016-004	SIU		DEMIL INDICATED COND CODE H
IOP79L016-005	SIU		DEMIL INDICATED COND CODE H
IOP79M016-006	SIU		DEMIL INDICATED COND CODE H
IOP79M016-007	SIU		DEMIL INDICATED COND CODE H
LS-1-21	SIU		ASSIGNED COND CODE J PREMATURE FIRING PIN RELEASE
LS-12-12	SIU		DEMIL INDICATED COND CODE H
LS-12-13	SIU		DEMIL INDICATED COND CODE H
LS-12-16	SIU		DEMIL INDICATED COND CODE H
LS-12-19	SIU		DEMIL INDICATED COND CODE H
LS-12-20	SIU		DEMIL INDICATED COND CODE H
LS-12-9	SIU		DEMIL INDICATED COND CODE H
LS-13-1	SIU		DEMIL INDICATED COND CODE H
LS-4-104	SIU		DEMIL INDICATED COND CODE H
LS-4-107	SIU		DEMIL INDICATED COND CODE H
LS-4-15	SIU		DEMIL INDICATED COND CODE H
LS-4-21	SIU		DEMIL INDICATED COND CODE H
LS-4-24	SIU		DEMIL INDICATED COND CODE H
LS-4-29	SIU		DEMIL INDICATED COND CODE H
LS-4-33	SIU		DEMIL INDICATED COND CODE H
LS-4-34	SIU		DEMIL INDICATED COND CODE H
LS-4-35	SIU		DEMIL INDICATED COND CODE H
LS-4-41	SIU		DEMIL INDICATED COND CODE H
LS-4-52	SIU		DEMIL INDICATED COND CODE H
LS-4-53	SIU		DEMIL INDICATED COND CODE H
LS-4-54	SIU		DEMIL INDICATED COND CODE H
LS-4-58	SIU		DEMIL INDICATED COND CODE H
LS-4-6	SIU		DEMIL INDICATED COND CODE H
LS-4-62A	SIU		DEMIL INDICATED COND CODE H
LS-4-69	SIU		DEMIL INDICATED COND CODE H
LS-4-78	SIU		DEMIL INDICATED COND CODE H
LS-4-80	SIU		DEMIL INDICATED COND CODE H
LS-4-86	SIU		DEMIL INDICATED COND CODE H
LS-4-87	SIU		DEMIL INDICATED COND CODE H
LS-6-10	SIU		DEMIL INDICATED COND CODE H
LS-6-20	SIU		DEMIL INDICATED COND CODE H
LS-6-6	SIU		DEMIL INDICATED COND CODE H
LS-6-7	SIU		DEMIL INDICATED COND CODE H
LS-7-5	SIU		DEMIL INDICATED COND CODE H
PA-799-5		B01	
PA-799-8		B01	
1345-00-0000000-K092 MINE AP M16A1			
PA-27-6 THRU	SIU		REPL FUZE ASSIGNED COND CODE F
PA-27-10 AND			

1345-00-0000000-K092 MINE AP M16A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
ALL SUFFIXES CONTAINING FUZE LOTS LS-4-15 AND LS-4-21		
AOY-600-2		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
BGD-503-4		REPL FUZE ASSIGNED COND CODE F
CAD-600-2	SIU	ASSIGNED COND CODE F REPL FUZE
IOP-1-17	SIU	DEMIL INDICATED COND CODE H
LOD-600-3		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOD-600-4		REPL FUZE ASSIGNED COND CODE F
LOD-600-5		REPL FUZE ASSIGNED COND CODE F
LOD-600-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOD-600-7		REPL FUZE ASSIGNED COND CODE F
LOD-600-9		REPL FUZE ASSIGNED COND CODE F
LOP-25-13A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-4A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-4B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-5B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-5C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-5D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-25-6B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-27-1A	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-12D		REPL FUZE ASSIGNED COND CODE F
LOP-28-13A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-13B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-15A	SIU	FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-15B	SIU	FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-16A	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-28-19C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-21A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-22A		ASSIGNED COND CODE F REPL FUZE
LOP-28-24A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-24B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-24C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-24D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-25D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-26A	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-28-26B	SIU	REPL FUZE

1345-00-0000000-K092 MINE AP M16A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LOP-28-27A	SIU	REPL FUZE
LOP-28-27B	SIU	REPL FUZE
LOP-28-27C	SIU	REPL FUZE
LOP-28-28B	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-29C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-30A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-30B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-30C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-31C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-32A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-32B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-32C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-32D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-35F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-39B		ASSIGNED COND CODE F REPL UNSVC FUZE LOT
LOP-28-39D	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-28-40		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
LOP-28-43C	SIU	RQR INSP AND TEST
LOP-28-45		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
LOP-28-45G		REPL FUZE ASSIGNED COND CODE F
LOP-28-46C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-46D	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-47C	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-51A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-51B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-51C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-55L	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-56C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57B	SIU	REQ INSP OF FUZE
LOP-28-57C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-57H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-58A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-58B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-58C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

1345-00-0000000-K092 MINE AP M16A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LOP-28-58D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-59A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-60C	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-28-61A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-61H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-62A	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-63A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-63B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-63C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-64	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-28-64A		REPL FUZE ASSIGNED COND CODE F
LOP-28-64B		REPL FUZE ASSIGNED COND CODE F
LOP-28-66		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
LOP-28-8A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-8B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-8C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-28-9F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-1B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-10		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
LOP-35-10F	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-35-11B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-12A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-12B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-13D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-14		ASSIGNED COND CODE F REPL FUZE
LOP-35-14A		ASSIGNED COND CODE F REPL FUZE
LOP-35-14B		REPL FUZE ASSIGNED COND CODE F
LOP-35-15A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED

1345-00-0000000-K092 MINE AP M16A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
LOP-35-15B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-16A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-17A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-19A		REPL FUZE ASSIGNED COND CODE F
LOP-35-2		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-2A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-2B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21B	SIU	ASSIGNED COND CODE F UNDETERMINED AT THIS TIME
LOP-35-21C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-21J		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-22B	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-35-22D	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-35-22F	SIU	ASSIGNED COND CODE F REPL FUZE
LOP-35-24C	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-35-24D		REPL FUZE ASSIGNED COND CODE F
LOP-35-25		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-25J		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-26J	SIU	FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-27A		ASSIGNED COND CODE F REPL UNSVC FUZE LOT
LOP-35-28F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-29B		REPL FUZE ASSIGNED COND CODE F
LOP-35-3A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-3B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-31A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-32A		REPL FUZE ASSIGNED COND CODE F
LOP-35-32B		REPL FUZE ASSIGNED COND CODE F
LOP-35-33A		ASSIGNED COND CODE F

1345-00-0000000-K092 MINE AP M16A1

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
		REPL FUZE
LOP-35-33B		ASSIGNED COND CODE F REPL FUZE
LOP-35-34A		REPL FUZE ASSIGNED COND CODE F
LOP-35-34B		ASSIGNED COND CODE F REPL FUZE
LOP-35-37H	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-35-39F		ASSIGNED COND CODE F REPL FUZE
LOP-35-40D	SIU	FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-41A		ASSIGNED COND CODE F REPL UNSVC FUZE LOT
LOP-35-41B		ASSIGNED COND CODE F REPL FUZE
LOP-35-45A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-46A	SIU	RQR INSP OF FUZE FOR PRESENCE OF SAFETY HEAD (SUPPORT SLEEVE)
LOP-35-46B		REPL FUZE ASSIGNED COND CODE F
LOP-35-46G	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-35-46J	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-35-5A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-6B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-7A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-7B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-35-9B		ASSIGNED COND CODE F REPL UNSVC FUZE LOT
LOP-41-10C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-22H		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-29C		REPL FUZE ASSIGNED COND CODE F
LOP-41-29G		REPL FUZE ASSIGNED COND CODE F
LOP-41-29J	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-41-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-6B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-6C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-6D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
LOP-41-8B	SIU	REPL FUZE ASSIGNED COND CODE F
LOP-41-8C	SIU	ASSIGNED COND CODE F

1345-00-0000000-K092 MINE AP M16A1

	LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
			REPL FUZE
I	LOP-41-8D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-41-9		REPL FUZE ASSIGNED COND CODE F
	LOP-41-9B	SIU	ASSIGNED COND CODE F REPL FUZE
	LOP-41-9C	SIU	ASSIGNED COND CODE F REPL FUZE
	LOP-42-4A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-42-4B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-42-4C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-43-14A		REPL FUZE ASSIGNED COND CODE F
	LOP-43-19D		ASSIGNED COND CODE F REPL FUZE
	LOP-43-20F		ASSIGNED COND CODE F REPL FUZE
	LOP-43-23C		ASSIGNED COND CODE F REPL FUZE
	LOP-44-11A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-45-1		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-45-19		REPL FUZE ASSIGNED COND CODE F
	LOP-45-4		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-45-4A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
I	LOP-45-4B		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-45-6A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-45-7		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-45-7A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	LOP-45-8		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-27-13D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-27-15C		REPL FUZE ASSIGNED COND CODE F
	PA-27-15D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-27-15G		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-27-16		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED (INCLUDES ALL SUFFIXES ASG P1284)
	PA-27-17B		REPL FUZE ASSIGNED COND CODE F
	PA-27-19A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-27-4B	SIU	RQR INSP AND TEST
	PA-27-6B	SIU	REPL UNSVC FUZE LOT ASSIGNED COND CODE F
	PA-30-1C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-30-11B	SIU	RQR INSP FOR CRITICAL DEFECTS
	PA-30-12B	SIU	RQR INSP FOR CRITICAL DEFECTS
	PA-30-2C		REPL FUZE ASSIGNED COND CODE F
	PA-30-2D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
	PA-30-7		REPL FUZE ASSIGNED COND CODE F

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1345-00-0000000-K092 MINE AP M16A1		
PA-30-7C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-30-7G	SIU	REPL UNSVC FUZE LOT
PA-30-7J		ASSIGNED COND CODE F REPL FUZE
PA-30-8B	SIU	REPL FUZE
PA-30-9B	SIU	REPL FUZE
PA-30-9C	SIU	REPL FUZE
PA-30-9D	SIU	RQR INSP FOR CRITICAL DEFECTS
PA-30-9J	SIU	REPL FUZE ASSIGNED COND CODE F
PA-31-2B	SIU	REPL FUZE
PA-31-2C		REPL FUZE ASSIGNED COND CODE F
PA-31-2J		REPL FUZE ASSIGNED COND CODE F
PA-31-3B	SIU	REPL FUZE
PA-31-4B	SIU	REPL FUZE ASSIGNED COND CODE F
PA-31-5D		REPL FUZE ASSIGNED COND CODE F
PA-31-6D	SIU	REPL FUZE ASSIGNED COND CODE F
PA-31-7B	SIU	REPL FUZE
PA-31-7C		REPL FUZE ASSIGNED COND CODE F
PA-31-7D	SIU	ASSIGNED COND CODE E RQR INSP FOR PRESENCE OF SAFETY PIN
PA-31-7G		REPL FUZE ASSIGNED COND CODE F
PA-31-8A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-31-8C		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-31-8D		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PA-31-8F		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
PB-31-2D	SIU	RQR INSP FOR CRITICAL DEFECTS
RHN-600-1	SIU	REPL FUZE
RHN-600-3A		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
RHN-600-4		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
RHN-600-6		ASSIGNED COND CODE F REPL FUZE
RHN81E001H001		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
RHN82E001G001		FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
SND-500-1A	SIU	ASSIGNED COND CODE E RQR INSP FOR PRESENCE OF SAFETY PIN
SND-500-2		REPL FUZE ASSIGNED COND CODE F
SND-500-2A		REPL FUZE ASSIGNED COND CODE F
SND-500-4		REPL FUZE ASSIGNED COND CODE F
SND-500-4A		ASSIGNED COND CODE F REPL FUZE

LOT NUMBER	LIMIT	RESTRICTION FIX OR REASON
1345-00-0000000-K092 MINE AP M16A1		
SND-500-5	SIU	REPL FUZE ASSIGNED COND CODE F
SND-500-6		REPL FUZE ASSIGNED COND CODE F
SND-500-6A		ASSIGNED COND CODE F REPL FUZE
1345-00-0000000-K121 MINE AP NM M14 W/INTEGRAL FUZE		
JA-3-20		DEMIL INDICATED COND CODE H
LOP-15-9		100% INSP FOR PRESENCE OF SAFETY CLIP ASSIGNED COND CODE E
LOP-26-13		DEMIL INDICATED COND CODE H
LOP-32-33	SIU	DEMIL INDICATED COND CODE H
LOP-33-49		RQR INSP FOR CRITICAL DEFECTS ASSIGNED COND CODE E
LOP-33-9		DEMIL INDICATED COND CODE H
LOP-7-1	SIU	RQR 100% INSP OF SAFETY CLIP/PIN FOR RQR TENSION ASSIGNED COND CODE E
1345-00-0000000-K139 MINE AP PRACTICE M68		
ALL LOTS EXCEPT LOP85C004-001 LOP86A005-001 LOP86A005-002 LOP86C005-003 LOP86C005-004	SIU	ASSIGNED COND CODE J
1345-00-0000000-K143 MINE APERS M18A1 W/ACCESSORIES		
LOP-13-17		ASSIGNED COND CODE E RQR 100% INSP F/DAMAGED FIRING WIRES
LOP-13-4A		RELEASED FROM TEMPORARY SUSPENSION
LOP-2-99	SIU	RQ 100% INSP AND CONTINUITY TEST OF M4 BLASTING CAP ASSY ASSIGNED COND CODE E
1345-00-0000000-K145 MINE APERS M18A1 W/O ACCESSORIES		
LOP-13-4		RELEASED FROM TEMPORARY SUSPENSION
1345-00-0000000-K146 MINE APERS M26		
MA-1-14		DEMIL INDICATED COND CODE H
MA-1-18		DEMIL INDICATED COND CODE H
MA-1-4		DEMIL INDICATED COND CODE H
MA-5-13	SIU	DEMIL INDICATED COND CODE H
MA-5-15		DEMIL INDICATED COND CODE H
MA-5-16		DEMIL INDICATED COND CODE H
MA-5-17		DEMIL INDICATED COND CODE H
MA-5-18		DEMIL INDICATED COND CODE H
MA-5-19		DEMIL INDICATED COND CODE H
MA-5-20		DEMIL INDICATED COND CODE H
MA-5-21		DEMIL INDICATED COND CODE H
MA-5-22		DEMIL INDICATED COND CODE H
MA-5-23		DEMIL INDICATED COND CODE H
MA-5-8A		DEMIL INDICATED COND CODE H
MA-6-2	SIU	DEMIL INDICATED COND CODE H
MA-6-3	SIU	DEMIL INDICATED COND CODE H
MA-6-4	SIU	DEMIL INDICATED COND CODE H
MA-6-6	SIU	DEMIL INDICATED COND CODE H

```
LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

1345-00-0000000-K146  MINE APERS M26
 MA-7-2            SIU          DEMIL INDICATED COND CODE H
 MA-7-3            SIU          DEMIL INDICATED COND CODE H
1345-00-6789822-K146  MINE APERS M26
 ALL MA-6 SERIES                DEMIL INDICATED COND CODE H
 ALL MA-7 SERIES                DEMIL INDICATED COND CODE H
 ALL MA-8 SERIES                DEMIL INDICATED COND CODE H
1345-00-0000000-K182  MINE ANTI-TANK LIGHT M24
 ALL LOTS          SIU          DEMIL INDICATED COND CODE H
1345-00-0000000-K183  MINE ANTI-TANK LIGHT M66
 ALL LOTS          SIU          DEMIL INDICATED COND CODE H
1345-00-0000000-K257  MINE CHEMICAL AGENT VX M23
 NCP-2-16              W01
 NCP-3-1                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-3-2                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-3-3                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-3-4                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-4-1                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-4-2                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-1                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-10                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-11                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-12                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-13                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-14                       ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-2                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-3                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-4                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-5                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-6                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-7                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-8                        ASSIGNED COND CODE E
                                RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
 NCP-5-9                        ASSIGNED COND CODE E
```

```
1345-00-0000000-K257  MINE CHEMICAL AGENT VX M23
                                        RQR 100% INSP FOR DEFECTIVE ARMING PLUGS (ARMED WHEN IN SAFE POS)
1345-00-1436561-Z132  MINE DISPERSING SUBSYTEM M56 (RELOAD KIT)
 LOP-13-8          SIU                  DEMIL INDICATED COND CODE H
1365-00-0000000-K532  DISPENSER AND RIOT CONTROL AGENT M36
 ALL FDL LOTS             B27
1365-00-2773039-K645  CHEMICAL AGENT H (BULK)
 ALL LOTS                               DEMIL INDICATED COND CODE H
1365-00-0000000-K865  SMK POT HC GROUND TYPE M1                  B
 PB-2103-133              B01
 PB-2103-19                             DEMIL INDICATED COND CODE H
 PB-4179-20               B01
| PB-5378-110      SIU                  DEMIL INDICATED COND CODE H
1365-00-0000000-K866  SMOKE POT ABC M5 GROUND TYPE
 ALL LOTS                 W39
 PB-06003-4               C09
 PB-06003-49              C09
 PB-06003-59       SIU                  DEMIL INDICATED COND CODE H
 PB-16003-17              B01
 PB-5467-14               B01
 PB-5467-71               B01
 PB-5467-8                C09
 PB-5532-19               B01
 PB-84F020-021            B01
 PB-84F020-022            B01
 PB-84H022-004            B01
 PB-84J022-014            B01
 PB-84K022-016            B01
 PB-84K022-017            B01
| PB-84K022-019            B01
 PB-84L023-001            B01
 PB-84M024-007            B01
| PB-85C007-004            B01
 PB-85H025-005            B01
 PB-86A026-010            B01
 PB-86B026-014            B01
 PB-86C026-025            B01
 PB-86C026-027            B01
 PB-96003-4               B01
 PB-96003-48              B01
 PB-96003-67              B01
 PB-96003-68              B01
 RPB-6039-6               B01
 RPB-6039-8               B01
1365-00-0000000-K867  SMOKE POT FLOATING TYPE M4A2 W/HC SMOKE MIXTURE
 PB-2106-91               B01
 PB-3139-35                             RQR 100% INSP FOR SAFETY PIN SPREAD
                                        ASSIGNED COND CODE E
 PB-3166-38               B01
 PB-3166-77A              B01
 PB-82L001-008     SIU                  RQR 100% INSP F/SVC RDS MIXED W/BLANK RDS
                                        ASSIGNED COND CODE E
 LOT NUMBER     LIMIT RESTRICTION       FIX    OR    REASON

1365-00-0000000-K867  SMOKE POT FLOATING TYPE M4A2 W/HC SMOKE MIXTURE
  PB-85C007-005           B01
  PB-85E007-022           B01
  PB85C007-004            B01
  RDD-691-19              B01
  RDD-745-2                          RQR 100% INSP FOR SAFETY PIN SPREAD
                                     ASSIGNED COND CODE E
  RDD-745-8               B01
  RPB-386-39              B01
  RPB-6002-16       SIU              DEMIL INDICATED
1365-00-0000000-K869  SMK POT ABC AN-M7A1
  EA-1-1                  B01
  EA-1-14                 B01
  EA-1-5                  B01
1365-00-0000000-K910  THICKENER OIL INC M1 5 1/4 LB CAN
  NY-347-250        SIU              DEMIL INDICATED COND CODE H
1365-00-0000000-K913  THICKENER OIL INC M1 15 3/4 LB DRUM
  NY-1159-2057      SIU              DEMIL INDICATED COND CODE H
  NY-1159-2075      SIU              DEMIL INDICATED COND CODE H
1365-00-0000000-K920  THICKENING COMPOUND FUEL M4
  NPC-1-89          SIU              DEMIL INDICATED COND CODE H
  NPC-1-90                           DEMIL INDICATED COND CODE H
  NPC-1-92          SIU              DEMIL INDICATED COND CODE H
  NPC-1-93                           DEMIL INDICATED COND CODE H
  NPC-1-95                           DEMIL INDICATED COND CODE H
1370-00-0000000-LW24  FLARE DECOY MK 46 MOD 0
  3-C-73                  T08
  4-C-73                  T08
  43-C-72           SIU              DEMIL INDICATED
  44-C-72           SIU              DEMIL INDICATED
  7-C-73                  T08
  8-C-73                  T08
1370-00-0000000-L116  SIGNAL KIT PERS DIST      ED M185        B
  COL-1-01                B01
  COL-1-8                 B01
  DEI-4-43                B01
1370-00-0000000-L117  SIGNAL KIT PERS DIST      186 (GREEN RED B WHITE)
  PAL-1-1 THRU            B01
  PAL-1-9
  PAL-1-15          SIU              DEMIL INDICATED COND CODE H
  PAL-1-20                B01
  PAL-1-30                B01
  PAL-1-33                B01
  PAL-2-11                           DEMIL INDICATED COND CODE H
  PAL-2-3                            RELEASED FROM TEMPORARY SUSPENSION
  PAL-2-30                           DEMIL INDICATED COND CODE H
  PAL-2-31                           DEMIL INDICATED COND CODE H
  PAL-2-32                           DEMIL INDICATED COND CODE H
  PAL-2-35                B01
1370-00-0000000-L118  SIGNAL KIT PERSONNEL DISTRESS MK 79 MOD 0
  1-PAI-1969                         DEMIL INDICATED COND CODE H
  1-PII-1969                         DEMIL INDICATED COND CODE H
```

```
LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1370-00-0000000-L118  SIGNAL KIT PERSONNEL DISTRESS MK 79 MOD 0
  102-PAI-1967                     DEMIL INDICATED COND CODE H
  14-PAI-66                        DEMIL INDICATED COND CODE H
  15-PAI-66                        DEMIL INDICATED COND CODE H
  16-ESC-67                        DEMIL INDICATED COND CODE H
  25-ESC-67                        DEMIL INDICATED COND CODE H
  5-PAI-1066         SIU           RQR 100% INSP FOR PRIMERS ABOVE FLUSH
1370-00-0000000-L119  KIT SIGNAL PERSONNEL DISTRESS A/P 255-1
  MBA-5-14                B01
  MBA-7-10           SIU           DEMIL INDICATED COND CODE H
  MBA81G007-007      SIU           DEMIL INDICATED COND CODE H
  MBA81H007-008      SIU           DEMIL INDICATED COND CODE H
I MBA83C008-003      SIU           DEMIL INDICATED COND CODE H
  MBA83D008-004                    ASSIGNED COND CODE N
                                   INBORE PREMATURE
  MBA84C009-002      SIU           ASSIGNED COND CODE J
                                   PREMATURE FUNCTIONING
  MBA85D009-001      SIU           FAILURE TO EXPEL ILLUMINANT CANDLE
                                   ASSIGNED COND CODE J
1370-00-4907362-L119  SIGNAL KIT PERSONNEL DISTRESS
  ALL MBA LOTS MFG SIU             ASSIGNED COND CODE E
                                   RQR 100% INSP FOR OL LAUNCHERS (P/N 4891050)
  P0081
  ALL OL LOTS MFG  SIU             DEMIL INDICATED COND CODE H
  P0075
1370-00-0000000-L135  CTG PHOTOFLASH M112A1 1 SEC DELAY
  ALL LOTS                         RQR X-RAY
  NFO-9-12                         RQR REMOVAL OF EXCESS PRIMER SEALANT
  PXC-38-6           SIU           RQR X-RAY
1370-00-0000000-L136  CTG PHOTOFLASH M112A1 2 SEC DELAY
  ALL LOTS                         RQR X-RAY
  PXC-1-45                         RQR 100% INSP FOR INEFFECTIVE SHUNTS
                                   ASSIGNED COND CODE E
  PXC-30-29               B01
1370-00-0000000-L169  SIGNAL ACFT MK 89 MOD 0 GREEN SMOKE
  ALL LOTS P0180                   DEMIL INDICATED COND CODE H
1370-00-0000000-L226  SIGNAL ILLUM AC DOUBLE STAR AN-M38 YELLOW-YELLOW
  USF-13-12               B01
1370-00-0000000-L227  SIGNAL ILLUM DBL STA      39A2          B
  IIA-1-4A           SIU           DEMIL INDICATED COND CODE H
1370-00-0000000-L228  SIGNAL ILLUM AC DOUBLE STAR AN-M40A2 RED-YELLOW
  OM-31-1                 B01
1370-00-0000000-L230  SIGNAL ILLUM AC DOUBLE STAR AN-M42 A2 GREEN-YELLOW
  OM-41-1                 B01
  OM-41-4                 B01
1370-00-0000000-L231  SIGNAL ILLUM ACFT SINGLE STAR RED AN-M43A2
  OM-11-19           SIU           DEMIL INDICATED COND CODE H
1370-00-0000000-L232  SIGNAL ILLUM AC SS AN-M44A1 YELLOW
  UM-18-17                B01
1370-00-0000000-L239  SIGNAL ILLUM AC RED TR GREEN-RED AN M58A2
  AFW-6-2            SIU           DEMIL INDICATED
1370-00-0000000-L275  SIGNAL SMOKE AND ILLUM MARINE MK 13 MOD 0
```

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1370-00-0000000-L275 SIGNAL SMOKE AND ILLUM MARINE MK 13 MOD 0			
ALL HARVEL-KILGORE P0062			DEMIL INDICATED COND CODE H
KILGORE LOTS (K) MFG 1960			DEMIL INDICATED COND CODE H
ALL LOTS P0160			DEMIL INDICATED COND CODE H
ALL STOCKS MFG 1960 - 1970		B01	
HK-1-0363			DEMIL INDICATED COND CODE H
HK-48-0663-195		B01	
KC-81H001-016		B01	
KC-86A001-033	SIU		DEMIL INDICATED COND CODE H
1-KC-0672	SIU		DEMIL INDICATED
105-KC-0767	SIU		DEMIL INDICATED COND CODE H
11-P-0371			DEMIL INDICATED COND CODE H
114-KC-0767			DEMIL INDICATED
12-P-0371			DEMIL INDICATED COND CODE H
12-P-0569	SIU		DEMIL INDICATED COND CODE H
123-KC-0867			100% INSP FOR CORRECT LABELING OF SIGNAL ENDS
13-KC-0971			DEMIL INDICATED COND CODE H
132-HK-0867			100% INSP FOR CORRECT LABELING OF SIGNAL ENDS
132-KC-1967			100% INSP FOR CORRECT LABELING OF SIGNAL ENDS
134-KC-0867			DEMIL INDICATED COND CODE H
14KC-1173		B01	
16-FND-0470		B01	
16-KC-1971			DEMIL INDICATED COND CODE H
16-P-69			DEMIL INDICATED COND CODE H
17-P-0769			DEMIL INDICATED COND CODE H
20-HK-0367	SIU		DEMIL INDICATED COND CODE H
21-KC-1274		B01	
22-FND-0670			DEMIL INDICATED COND CODE H
3-P-0969			DEMIL INDICATED COND CODE H
31-HK-1266			100% INSP FOR CORRECT LABELING OF SIGNAL ENDS
31-P-0771			DEMIL INDICATED COND CODE H
4-HK-1066			DEMIL INDICATED COND CODE H
4-HK-1964			DEMIL INDICATED COND CODE H
40-HK-0365-195			DEMIL INDICATED COND CODE H
5-KC-1170		B01	
6-KC-0777		B01	
73-P-1271			DEMIL INDICATED COND CODE H
8-KC-1971			DEMIL INDICATED COND CODE H
85-HK-0565-195	SIU		DEMIL INDICATED COND CODE H
9-KC-1971			DEMIL INDICATED COND CODE H
9HK-0965-104		B01	
1370-00-0000000-L278 SIGNAL ILLUM GRD RED M187			
PAL-2-0868		B01	
1370-00-0000000-L279 SIG ILL GRD WHITE M188			
ALL PAL-1-1 AND THRU PAL-1-9		B01	
PAL-1-2	SIU		DEMIL INDICATED COND CODE H
PAL-1-3			DEMIL INDICATED COND CODE H
1370-00-0000000-L280 FLARE DISTRESS GREEN M189			

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1370-00-0000000-L280 FLARE DISTRESS GREEN M189			
ALL PAL-1-1 AND THRU PAL-1-9		B01	
PAL-2-11			DEMIL INDICATED COND CODE H
PAL-3-1068	SIU		DEMIL INDICATED COND CODE H
1370-00-0000000-L305 SIGNAL ILLUM GRD PARACHUTE GREEN STAR M195			
CIA-30-15	SIU		DEMIL INDICATED COND CODE H
CIA-30-21	SIU		DEMIL INDICATED COND CODE H
CIA-30-8		B01	
LOW87H061-010	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87H061-011	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87H061-012	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87H061-013	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87J061-014	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87J061-015	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
1370-00-0000000-L306 SIGNAL ILLUM GND RED STAR CLUSTER M158			
ALL CIA-20SERIES	SIU		DEMIL INDICATED COND CODE H
LOW-31-72		B01	
LOW-33-1A	SIU		DEMIL INDICATED COND CODE H
LOW-33-3	SIU		DEMIL INDICATED COND CODE H
LOW-33-4			REPL PROP SYS
LOW-33-5			REPL PROP SYS
LOW-33-6			REPL PROP SYS
LOW-33-7			REPL PROP SYS
LOW-33-8			REPL PROP SYS
LOW79L036-001		B01	
LOW87H151-001	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87H151-002	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
1370-00-0000000-L307 SIGNAL ILLUM GRD WHITE STAR CLUSTER M159			
LOW-4-12	SIU		DEMIL INDICATED COND CODE H
LOW-4-5			RQR REWORK
LOW-5-2			DEMIL INDICATED COND CODE H
LOW86H013-005	SIU		PREMATURE FUNCTIONING ASSIGNED COND CODE J
LOW87E160-006		B01	
LOW87J161-002	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87K161-003	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87K161-005	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87K161-006	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87K161-007	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87L161-008	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
LOW87M161-009	SIU		METAL PARTS SEPARATION AFFECTING FLIGHT AND ACCURACY
PXC-83-69		B01	
PXC-83-77		B01	
1370-00-0000000-L310 SIG ILLUM GRD PARA G TAR M19A2 B			
PXC-5-30			DEMIL INDICATED COND CODE H
PXC-5-31			DEMIL INDICATED COND CODE H
PXC-5-43A			DEMIL INDICATED COND CODE H
PXC-5-48			DEMIL INDICATED COND CODE H
PXC-5-51A	SIU		DEMIL INDICATED COND CODE H
PXC-5-57			DEMIL INDICATED COND CODE H
PXC-6-8	SIU		DEMIL INDICATED COND CODE H

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1370-00-0000000-L311 SIG ILLUM GRD PARA M126 HAND HELD			
ALL M126 LOTS			REPL PROP AND TAIL ASSY
LOW-26-2			REPL PROP SYS
LOW-26-3			REPL PROP SYS
LOW-26-4			REPL PROP SYS
LOW87E110-005		B01	
PA-23-1	SIMU		DEMIL INDICATED
PA-23-1A	SIMU		DEMIL INDICATED
PA-23-2	SIMU		DEMIL INDICATED
PA-23-3	SIMU		DEMIL INDICATED
PA-23-4	SIMU		DEMIL INDICATED
PA-23-4A	SIMU		DEMIL INDICATED
PA-23-5	SIMU		DEMIL INDICATED
1370-00-0000000-L312 SIG ILLUM GRD PARA M127 WHITE STAR HAND HELD			
ALL M127 LOTS			REPL PROP AND TAIL ASSY
CIA-1-21			DEMIL INDICATED COND CODE H
CIA-1-22			UNDETERMINED AT THIS TIME
CIA-1-24A	SIU		DEMIL INDICATED COND CODE H
CIA-1-27A	SIMU		RQR INSP FOR CRITICAL DEFECTS ASSIGNED COND CODE F
CIA-1-7	SIU		REPLACE DELAY ASSEMBLY
KC-22-18	SIU		ERRATIC FLIGHT ASSIGNED COND CODE J
LOW-19-10	SIU		DEMIL INDICATED COND CODE H
LOW-19-26		B01	
LOW-19-37			RQR REPLACEMENT OF COMPONENTS ASSIGNED COND CODE F
LOW86F028-028		B01 T01	
PXC-89-346	SIU		RQR X-RAY ASSIGNED COND CODE E
PXC-89-470			DEMIL INDICATED COND CODE H
PXC-91-13	SIU		DEMIL INDICATED COND CODE H
1370-00-0000000-L314 SIGNAL ILLUM GROUND CLUSTER GREEN STAR M125			
ALL M125 LOTS			REPL PROP AND TAIL ASSY
CIA-H-11-10		B01	
CIA-11-8	SIU		DEMIL INDICATED COND CODE H
LOW-42-10			REPL PROP SYS
LOW-42-11			REPL PROP SYS
LOW-42-12			REPL PROP SYS
LOW-42-13			REPL PROP SYS
LOW-42-2			REPL PROP SYS
LOW-42-6			REPL PROP SYS
LOW-42-7			REPL PROP SYS
LOW-42-8			REPL PROP SYS
LOW-42-9			REPL PROP SYS
LOW-43-9	SIU		RQR 100% X-RAY FOR PRESENCE OF DELAY CHARGE RQR INSP OF 100 EA FOR DAMAGED ROCKET BARREL TUBES ASSIGNED COND CODE F
LOW79M045-002	SIU		ASSIGNED COND CODE F RQR 100% X-RAY F/ABNORMAL FIN ASSY
LOW80B045-006		B01	
LOW80C046-002		B01	
LOW80D046-003		B01	

```
   LOT NUMBER      LIMIT RESTRICTION         FIX     OR     REASON

  1370-00-0000000-L314  SIGNAL ILLUM GROUND CLUSTER GREEN STAR M125
|   LOW87E054-001                    FIN FAILURE
|                                    ERRATIC FLIGHT
  1370-00-0000000-L318  SIGNAL GRD SMK M65 G                         B
    CCG-3-12A        SIU             DEMIL INDICATED COND CODE H
    CCG-3-9          SIU             DEMIL INDICATED COND CODE H
|   PXC-89-346       SIU             RQR X-RAY
|                                    ASSIGNED COND CODE E
  1370-00-0000000-L322  SIGNAL GRD SMK YELLOW M64 T40E1
    CCG-2-18         SIU             DEMIL INDICATED COND CODE H
    CCG-2-3                          DEMIL INDICATED
  1370-00-0000000-L323  SIGNAL SMOKE GND PRCHT M129A1 RED
    KC-15-15               B01
    KC-15-16               B01
    KC-15-27               B01
    KC-15-31               B01
    KC-15-33               B01
    KC-15-35               B01
    KC-15-36                         DEMIL INDICATED COND CODE H
    PA-18-3          SIU             DEMIL INDICATED COND CODE H
    PA-18-4          SIU             DEMIL INDICATED COND CODE H
    PA-18-5          SIU             DEMIL INDICATED COND CODE H
    PA-18-6          SIU             DEMIL INDICATED COND CODE H
|   PXC-26-9         SIU             DEMIL INDICATED COND CODE H
    PXC-80-11        SIU             DEMIL INDICATED COND CODE H
    PXC-80-16A             B01
    PXC-80-18A             B01
    PXC-80-8               B01
    PXC-80-9C        SIU             DEMIL INDICATED COND CODE H
  1370-00-0000000-L324  SIGNAL GRD SMK PARA M128A1 T74E1 GREEN
    KC-10-22               B01
    KC-10-23         SIU             DEMIL INDICATED COND CODE H
    KC-10-6                          DEMIL INDICATED COND CODE H
    PXC-22-13              B01
    PXC-22-17                        DEMIL INDICATED
    PXC-22-18        SIU             DEMIL INDICATED
    PXC-22-19                        DEMIL INDICATED COND CODE H
    PXC-65-1         SIU             DEMIL INDICATED COND CODE H
    PXC-78-16                        DEMIL INDICATED COND CODE H
    PXC-78-18A       SIU             DEMIL INDICATED COND CODE H
    PXC-78-19        SIU             DEMIL INDICATED COND CODE H
    PXC-78-20                        DEMIL INDICATED
  1370-00-0000000-L341  SIG SMK GRD GR M167
    ENB-21-01              B01
  1370-00-0000000-L343  SIGNAL SMK GRD YELLOW M169
    ENB-61-01              B01
  1370-00-0000000-L351  SIMULATOR PROJ AIRBU      7A1B1              B
    HRV-1-12         SIU             DEMIL INDICATED COND CODE H
    HRV-1-13         SIU             DEMIL INDICATED COND CODE H
  1370-00-0000000-L366  1370-00-0000000-L366
    LOW-1 SERIES     SIU             DEMIL INDICATED COND CODE H
  1370-00-0286007-L366  SIMULATOR PROJECTILE AIRBURST M174 SERIES
```

```
    LOT NUMBER     LIMIT RESTRICTION         FIX    OR     REASON

  1370-00-0286007-L366  SIMULATOR PROJECTILE AIRBURST M174 SERIES
|   ALL PXC-1 LOTS   SIU          DEMIL INDICATED COND CODE H
  1370-00-0000000-L367  SIMULATOR LAUNCHING AT GM AND RKT M22
    LOW83A003-002    SIU          RQR INSP FOR CRITICAL DEFECTS
                                  ASSIGNED COND CODE E
    LOW84E004-029    SIU          DEMIL INDICATED COND CODE H
    LOW85K006-002                 RELEASED FROM TEMPORARY SUSPENSION
  1370-00-0000000-L378  DETONATION SIMULATOR M80
    SNO-2-1                       DEMIL INDICATED COND CODE H
    SNO-3-2          SIU          DEMIL INDICATED COND CODE H
    SNO-3-5                       DEMIL INDICATED COND CODE H
  1370-00-8924239-L379  FLARE AIRCRAFT PARACHUTE MK 24 MOD 1
    ALL LOTS              S15
  1370-00-0000000-L410  FLARE ACFT GTMS M206
    BER85B001-002    SIU          FAILED TO FUNCTION AS DESIGNED
                                  SPLIT CARTRIDGE CASE
                                  ASSIGNED COND CODE J
    BER85J001-011    SIU          DAMAGED MAGAZINE MJU-11
    LOW80J005-004                 ASSIGNED COND CODE E
                                  RQR REL OF HYDROGEN GAS FR PA 19 METAL CNTN
    LOW80K005-005                 ASSIGNED COND CODE E
                                  RQR REL OF HYDROGEN GAS FR PA 19 METAL CNTN
    LOW82B009-016                 FIX UNDETERMINED AT THIS TIME, COND CODE N ASSIGNED
    LOW82C009-017         B01     RELEASED WITH RESTRICTION
    LOW82C010-002    SIU          HANGFIRES
                                  ASSIGNED COND CODE J
|   LOW84C017-001         B01     RELEASED WITH RESTRICTION
|   MBT85D004-023    SIU          DAMAGED MAGAZINE MJU-11
    MBT85E005-006    SIU          DAMAGED MAGAZINE MJU-11
                                  ASSIGNED COND CODE J
    MBT86D006-004    SIU          DAMAGED MAGAZINE MJU-11
                                  ASSIGNED COND CODE J
    MCF83H001-030                 HANGFIRES
|   MCF83J001-031    SIU          MISFIRES
|                                 ASSIGNED COND CODE J
  1370-00-0000000-L416  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
    ALL LOTS                      RQR FUZE REPLACEMENT AND VENTING
                                  ASSIGNED COND CODE F
    10-C-70                       DEMIL INDICATED
    21-C-669                      REPL MK364 MOD 0 FUZE
                                  ASSIGNED COND CODE F
    3-C-70                        DEMIL INDICATED
    6-BER-0870                    REPL FUZE
    9-BER-0970                    REPL FUZE
                                  ASSIGNED COND CODE F
  1370-00-0000000-L423  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
    ALL LOTS                      RQR FUZE REPLACEMENT AND VENTING
                                  ASSIGNED COND CODE F
    10-C-70                       DEMIL INDICATED
    3-C-70                        DEMIL INDICATED
    6-BER-0870                    REPL FUZE
    9-BER-0970                    REPL FUZE
  LOT NUMBER      LIMIT RESTRICTION        FIX     OR     REASON

1370-00-0000000-L423  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
                                ASSIGNED COND CODE F
1370-00-0000000-L424  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  AOY-500-1A              F09
  AOY-500-17B      SIU          DEMIL INDICATED COND CODE H
  AOY-500-18B      SIU          DEMIL INDICATED COND CODE H
  KMK77J001G003                 DEMIL INDICATED COND CODE H
  KMK78B002G001    SIU          DEMIL INDICATED COND CODE H
  KMK78C002G003    SIU          DEMIL INDICATED COND CODE H
  KMK78G003G001    SIU          DEMIL INDICATED COND CODE H
  10-C-70                       DEMIL INDICATED
  3-C-70                        DEMIL INDICATED
  6-BER-0870                    REPL FUZE
  9-BER-0970                    REPL FUZE
                                ASSIGNED COND CODE F
1370-00-4611526-L424  FLARE AIRCRAFT PARACHUTE MK 45 MOD 0 W/ADAPTER
  ALL LOTS WITH A               ASSIGNED COND CODE F
  MK 364 MOD 0 FZ               RQR FUZE REPLACEMENT AND VENTING
                                (CRANE LOTS MFG P0074 (UP TO 1-C-74) & KILGORE LOTS MFG P0075)
1370-00-0000000-L426  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  04-BER-70                     REPL FUZE
                                ASSIGNED COND CODE F
  10-C-70                       DEMIL INDICATED
  16R-C-69                      DEMIL INDICATED COND CODE H
  3-C-70                        DEMIL INDICATED
  6-BER-0870                    REPL FUZE
  8-BER-0970                    REPL FUZE
  9-BER-0970                    REPL FUZE
                                ASSIGNED COND CODE F
1370-00-0000000-L427  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  10-C-70                       DEMIL INDICATED
  3-C-70                        DEMIL INDICATED
  6-BER-0870                    REPL FUZE
  9-BER-0970                    REPL FUZE
                                ASSIGNED COND CODE F
1370-00-0000000-L428  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  10-C-70                       DEMIL INDICATED
  3-C-70                        DEMIL INDICATED
  6-BER-0870                    REPL FUZE
  9-BER-0970                    REPL FUZE
                                ASSIGNED COND CODE F
1370-00-0000000-L473  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  ALL LOTS         SIU          DEMIL INDICATED COND CODE H
1370-00-0000000-L495  FLARE SURFACE TRIP M49 SERIES
  KGM-5-12                B01
  LOW-2-33                B01
  LOW-3-20                B01
  LOW-3-22                B01
  LOW-3-23                B01
  LOW-3-31                      ASSIGNED COND CODE E
                                RQR 100% INSP F/MISSING SEALANT AROUND TOP TO BODY JOINT
  PXC-15-81A       SIU          DEMIL INDICATED
```

best copy available

```
  LOT NUMBER     LIMIT RESTRICTION      FIX   OR    REASON

1370-00-0000000-L495  FLARE SURFACE TRIP M49 SERIES
  PXC-15-81B      SIU          DEMIL INDICATED
  PXC-15-82A           B01
  PXC-17-105           B01
  PXC-17-106           B01
  PXC-23-133           B01
  PXC-23-40            B01
  PXC-25-111           B01
  PXC-25-53            B01
  PXC-28-57       SIU          DEMIL INDICATED COND CODE H
  PXC-28-58            B01
  PXC-28-64            B01
1370-00-0000000-L508  FUSEE WARNING RAILROAD  RED M72 SERIES
  BFL80F001-003        B01
  CIL-1-2         SIU          DEMIL INDICATED COND CODE H
1370-00-0000000-L542  SIG ILLUM MARINE MK 2 MOD 0 VERY RED
  81-RF-1144           B25
  81-RFC-1144          B25
1370-00-0000000-L594  SIMULATOR PROJ GRD B      15 SERIES       B
  LOW-84L018-001       R24     RELEASED WITH RESTRICTION
  THRU
  LOW86B020-023
  LOW79F013-004   SIU          DEMIL INDICATED COND CODE H
  LOW79M014-003        R24     RELEASED WITH RESTRICTION
  LOW84L018-002        R24     RELEASED WITH RESTRICTION
  LOW84L018-006        R24     RELEASED WITH RESTRICTION
1370-00-7528126-L594  SIMULATOR PROJECTILE GROUND BURST M115 SERIES
  ALL DEI-26 LOTS              DEMIL INDICATED COND CODE H
  ALL DEI-27 LOTS              DEMIL INDICATED COND CODE H
1370-00-0000000-L596  SIMULATOR FLASH ARTILLERY M110
  BII-2-1              S09
  BII-2-2              S09
  BII-2-3              S09
  BII-2-4              S09
  BII-2-5              S09
1370-00-0000000-L598  SIMULATOR BOOBYTRAP FLASH M117
  BWG-1-3         SIU          DEMIL INDICATED COND CODE H
  DEI-28-01       SIU          DEMIL INDICATED COND CODE H
  MAI80C001-001        B01     RELEASED WITH RESTRICTION
  MAI80E001-002        B01     RELEASED WITH RESTRICTION
  MAI80F001-003   SIU          DEMIL INDICATED COND CODE H
  MAI80G001-004   SIU          DEMIL INDICATED COND CODE H
  MAI80H001-005        B01
  MAI81F001-001        B01     RELEASED WITH RESTRICTION
  MAI81H002-001        B01
1370-00-0285256-L598  SIMULATOR BOOBYTRAP FLASH M117
  ALL LOTS BWG-2- SIU          DEMIL INDICATED COND CODE H
1370-00-0000000-L599  SIMULATOR BOOBYTRAP ILLUMINATION M118
  AFB-1-4         SIU          DEMIL INDICATED COND CODE H
  AFB-1-8         SIU          DEMIL INDICATED COND CODE H
  FLS77M001-002                DEMIL INDICATED COND CODE H
  FLS78B001-004   SIU          DEMIL INDICATED COND CODE H
  1370-00-0000000-L599  SIMULATOR BOOBYTRAP ILLUMINATION M118
    MAI83D001-001   SIU          DEMIL INDICATED COND CODE H
    PYC-20-06       SIU          DEMIL INDICATED COND CODE H
  1370-00-0000000-L600  SIMULATOR BOOBY TRAP WHISTLING M119
|   DEI-01-10                    IMPACT BEYOND 60% OF EXPECTED RANGE
    MAI84H003-002   SIU          DEMIL INDICATED COND CODE H
    MAI84L003-003   SIU          DEMIL INDICATED COND CODE H
    MAI84M003-004   SIU          DEMIL INDICATED COND CODE H
|   MAI85G003-006                IMPACT BEYOND 60% OF EXPECTED RANGE
|   MAI86H004-001                IMPACT BEYOND 60% OF EXPECTED RANGE
    PSI-1-5              B13
  1370-00-0000000-L601  SIMULATOR HAND GRENADE M116A1 M116E2
    AFB-1-19        SIU          DEMIL INDICATED COND CODE H
    DEI-81C002-049  SIU          100% INSP FOR PRESENCE OF SAFETY CLIP.
                                 ASSIGNED COND CODE F
    DEI78F032-024   SIU          DEMIL INDICATED COND CODE H
    DEI78G032-025   SIU          DEMIL INDICATED COND CODE H
    DEI80E002-016   SIU          ASSIGNED COND CODE J
                                 CRITICAL DEFECT FOUND DURING SURV FUNCTION TEST
    PXC-13-81       SIU          DEMIL INDICATED
  1370-00-0000000-L602  SIMULATOR FLASH ARTILLERY M21
|   ALL CPA LOTS                 MISFIRES
|   W/INTERFIX 003               MISFIRES
|   CPA85K002-002                MISFIRES
|                                ASSIGNED COND CODE J
|   CPA85K002-031                EXCESSIVE MISFIRES
    CPA85L002-034   SIU          MISFIRES
                                 ASSIGNED COND CODE J
    CPA85L002-038                EXCESSIVE MISFIRES
    CPA86H003-007                EXCESSIVE MISFIRES
    CPA86H003-011                EXCESSIVE MISFIRES
    CPA86K003-016                EXCESSIVE MISFIRES
    CPA86K003-019   SIU          EXCESSIVE MISFIRES
                                 ASSIGNED COND CODE J
    CPA87A003-027                EXCESSIVE MISFIRES
                                 ASSIGNED COND CODE J
    CPA87A003-028                EXCESSIVE MISFIRES
    CPA87A003-032                EXCESSIVE MISFIRES
|   CPA87B003-041                EXCESSIVE DUDS
    CPA87C003-045                EXCESSIVE MISFIRES
    CPA87C003-047   SIU          EXCESSIVE MISFIRES
    CPA87C003-051                EXCESSIVE MISFIRES
    CPA87C003-054                EXCESSIVE MISFIRES
|   CPA87F004-007                EXCESSIVE MISFIRES
|   CPA87F004-011                EXCESSIVE MISFIRES
  1370-00-4740270-L605  SIMULATOR ATOMIC EXPLOSIVE M142
    ALL PXC LOTS         R12
  1370-00-0000000-L621  STARTER FIRE M2 SERIES
    MAI77F001-002   SIU          DEMIL INDICATED COND CODE H
    MAI77F001-003        B01
    MAI77H001-004   SIU          DEMIL INDICATED COND CODE H
    MAI82J002-003   SIU          DEMIL INDICATED COND CODE H
  LOT NUMBER     LIMIT RESTRICTION        FIX    OR    REASON

 1370-00-0000000-L621  STARTER FIRE M2 SERIES
  MAI82K002-004           B01
  PB-1-11          SIU           DEMIL INDICATED COND CODE H
  PB-1-2           SIU           DEMIL INDICATED COND CODE H
  PB-1-3           SIU           DEMIL INDICATED COND CODE H
  PB-1-4           SIU           DEMIL INDICATED COND CODE H
  PSI-1-1          SIU           DEMIL INDICATED COND CODE H
  PSI-1-3          SIU           DEMIL INDICATED COND CODE H
  PYC-1-1          SIU           DEMIL INDICATED COND CODE H
  PYC-1-10                B01
  PYC-1-11         SIU           DEMIL INDICATED COND CODE H
| 2012-71-1003     SIU           DEMIL INDICATED COND CODE H
  2022-74-1002     SIU           DEMIL INDICATED COND CODE H
  2022-74-1006     SIU           DEMIL INDICATED COND CODE H
  2022-75-1013     SIU           DEMIL INDICATED COND CODE H
  2022-76-1026     SIU           DEMIL INDICATED COND CODE H
  2022-81-1030     SIU           DEMIL INDICATED COND CODE H
 1370-00-0000000-0000  FLARE AIRCRAFT PARACHUTE MK45 MOD 0
  21-C-669                       REPL MK364 MOD 0 FUZE
 1375-00-0000000-ML03  FIRING DEVICE DEMO MULTI-PURPOSE M142
  ALL UNSUFXED            W38
  LOTS W/INTRFXS
  MEI-001 SERIES
  MEI-002 SERIES
  MEI-003 SERIES
  MEI-004 SERIES
  MEI-005 SERIES
 1375-00-2252419-MW49  CONNECTOR DETONATING CORD (PLASTIC) PN 2995437 B
  ALL CONNECTORS   SIU           DEMIL INDICATED COND CODE H
  MFG BY QUALITY
  CONTROLLED
  MELVINDALE MI
  (09-79)
 1375-00-0000000-M023  CHARGE DEMOLITION BLOCK M112
  LOP81F008-005           B08
  LOP82E008-011           B08
| LOP82J008-018           B08
  LOP82J008-019           B08
  LOP82L008-022           B08
  LOP84A009-001           T13
  LOP85K010-002           B08
 1375-00-0000000-M028  KIT DEMOLITION BANGALORE TORPEDO M1A2
  APW-2-104               B01 C08 RELEASED WITH RESTRICTION
  APW-2-122               B01 C08 RELEASED WITH RESTRICTION
  GOI-2-14                B01
  GOI-3-21                B01 C08 RELEASED WITH RESTRICTION
 1375-00-0000000-M032  CHG DEMO BLOCK TNT 1LB
| IOP-5-26                       RELEASED FROM TEMPORARY SUSPENSION
 1375-00-0000000-M078  CAP BLASTING ELECTRIC M4
| HEP-52-34        SIU           RQR 100% INSP F/DAMAGED FIRING WIRES
|                                ASSIGNED COND CODE E
 1375-00-0000000-M130  CAP BLASTING ELEC M6
```

1390-00-0000000-N335 FUZE PD M557

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	LS-63-14B		B01 F02	
	LS-63-15		F07	
	LS-63-8A		F02	
	LS-65-13A		F02	
	LS-65-6		F07	
	LS-65-9A		F02	
	LS-66-2	SIU		DEMIL INDICATED COND CODE H
	LS-66-4		B01 W34	
	LS-67-1		F02	
	LS-69-1A		F02	
	LS-69-11		F02	
	LS-69-2A		F02	
|	LS-69-3			RQR REBOOSTERING. RESTR TO TNG USE ONLY AFTER REWORK. COND CODE N APPLIES
	LS-69-4A		F02	
	LS-69-6		F02	
	LS-73-1A		F02	
	LS-73-2		F02	
	LS-73-3A		F02	
	LS-75-2		F02	
	LS-77-11		F02	
	LS-77-16A		F02	
	LS-79-2A		F02	
	LS-8-100B		F02	
	LS-8-100C		F02	
	LS-8-102A		F02	
	LS-8-105A		F02	
	LS-8-106B		F02	
	LS-8-106C		F02	
	LS-8-106D		F02	
	LS-8-107C		F02	
	LS-8-111B		F02	
	LS-8-118A		F02	
	LS-8-122A		F02	
	LS-8-125A		F02	
	LS-8-129H		F02	
	LS-8-13C		B01 F02	
	LS-8-130B		F02	
	LS-8-134B		F02	
|	LS-8-134D		B01 F02	
	LS-8-136A		F02	
	LS-8-14A		F02	
	LS-8-146A		F02	
	LS-8-147B		F02	
	LS-8-15B		F02	
	LS-8-16A		F02	
	LS-8-16C		B01 F02	
	LS-8-81A		F02	
	LS-8-90D		F02	
	LS-8-90F		F02	
	LS-8-93A		F02	

LOT NUMBER	LIMIT RESTRICTION	FIX OR REASON
1390-00-0000000-N335	FUZE PD M557	
LS-8-97A	F02	
LS-8-97D	F02	
LS-81-7A	F02	
LS-81-8	F02	
LS-81-8A	F02	
LS-89-2A	F02	
LS-89-6A	F02	
LS-89-7A	F02	
LS-92-1A	F02	
MA-E-445		DEMIL INDICATED COND CODE H
MA-E-446		DEMIL INDICATED COND CODE H
MA-E-447		DEMIL INDICATED COND CODE H
MA-E-448		DEMIL INDICATED COND CODE H
MA-1-116A	F02	
MA-1-116F	F02	
MA-1-122A	F02	
MA-1-122C	F02	
MA-1-126A	F02	
MA-1-13B	B01 F02	
MA-1-142A	F02	
MA-1-142B	F02	
MA-1-150A	F02	
MA-1-151A	F02	
MA-1-152C	F02	
MA-1-154C	F02	
MA-1-157A	F02	
MA-1-157B	F02	
MA-1-157F	F02	
MA-1-158B	F02	
MA-1-159A	F02	
MA-1-176A	F02	
MA-1-176B	F02	
MA-1-180	F02	
MA-1-183A	F02	
MA-1-196A	F02	
MA-1-196D	B01 F02	
MA-1-196F	F02	
MA-1-199A	F02	
MA-1-203A	F02	
MA-1-218B	F02	
MA-1-22B	F02	
MA-1-240A	F02	
MA-1-245F	F02	
MA-1-247A	F02	
MA-1-252A	F02	
MA-1-255A	F02	
MA-1-259A	B02	
MA-1-266A	F02	
MA-1-266D	F02	
MA-1-295F	F02	
MA-1-297F	F02	

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1390-00-0000000-N335 FUZE PD M557			
	MA-1-298G		F02	
	MA-1-298H		F02	
	MA-1-38A		F02	
	MA-1-39C		F02	
	MA-1-44B		F02	
I	MA-1-48C		B01 F02	
	MA-1-54B		F02	
	MA-1-74A		F02	
	MA-1-86B		F02	
	MA-1-89F		F02	
	MA-12-36J		B01 F02	
	MA-14-102		F02	
	MA-14-107A		F02	
	MA-14-114		F02	
I	MA-14-119	SIU		DEMIL INDICATED COND CODE H
	MA-14-120		F02	
	MA-14-135A		F02	
	MA-14-143		F02	
	MA-14-149	SIU		INBORE PREMATURE ASSIGNED COND CODE J
	MA-14-24	SIU		INBORE PREMATURE ASSIGNED COND CODE J
	MA-14-78A		F02	
	MA-14-82A		F02	
	MA-15-11A		B01 F02	
I	MA-15-11F		B01 F02	
	MA-15-13B		F02	
	MA-15-15A		F02	
	MA-15-15B		B01 F02	
	MA-15-16A		B01 F02	
	MA-15-17A		F02	
I	MA-15-17D		B01 F02	
	MA-15-18B		F02	
I	MA-15-2C		B01 F02	
	MA-15-2D		B01 F02	
	MA-15-20A		F02	
	MA-15-20B		F02	
	MA-15-21A		B01 F02	
	MA-15-3A		B01 F02	
	MA-15-35		F02	
	MA-15-6C		B01 F02	
I	MA-15-7C		B01 F02	
	MA-15-8A		F02	
	MA-15-8B		F02	
	MA-15-9A		F02	
	MA-15-9F		B01 F02	
	MA-16-1A		F02	
	MA-16-1B		F02	
	MA-16-13A		F02	
	MA-16-3A		F02	
	MA-16-4A		F02	

	LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
	1390-00-0000000-N335 FUZE PD M557			
	MA-16-4B		F02	
	MA-16-4C		F02	
	MA-17-1A		B01 F02	
	MA-17-11B		B01 F02	
	MA-17-12A		B01 F02	
	MA-17-14A		F02	
	MA-17-14B		F02	
	MA-17-15C		B01 F02	
I	MA-17-19C		B01 F02	
	MA-17-2B		F02	
I	MA-17-2F		B01 F02	
	MA-17-21B		F02	
	MA-17-24C		F02	
	MA-17-25B		F02	
	MA-17-25C		F02	
	MA-17-25F		B01 F02	
	MA-17-26B		F02	
	MA-17-27A		F02	
	MA-17-28B		F02	
	MA-17-29C		F02	
	MA-17-29D		F02	
	MA-17-3A		F02	
	MA-17-3B		F02	
	MA-17-30F		F02	
	MA-17-30G		F02	
	MA-17-31D		B01 F02	
	MA-17-32A		F02	
	MA-17-33A		F02	
	MA-17-35A		F02	
	MA-17-35B		F02	
I	MA-17-36	SIU		DEMIL INDICATED COND CODE H
	MA-17-36A		F02	
	MA-17-36C		F02	
	MA-17-37B		F02	
	MA-17-37F		F02	
	MA-17-39A		F02	
	MA-17-39B		F02	
	MA-17-40A		F02	
	MA-17-41C		F02	
	MA-17-42B		F02	
	MA-17-42C		F02	
	MA-17-43F		F02	
	MA-17-44C		F02	
	MA-17-44D		F02	
	MA-17-45B		F02	
	MA-17-45C		F02	
	MA-17-46A		F02	
	MA-17-47B		F02	
	MA-17-47C		F02	
	MA-17-48D		F02	
	MA-17-48F		F02	

LOT NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1390-00-0000000-N335 FUZE PD M557			
MA-17-5B		F02	
MA-17-50C		F02	
MA-17-50D		F02	
MA-17-52A		F02	
MA-17-53C		F02	
MA-17-6B		F02	
MA-17-6C		B01 F02	
MA-17-8D		F02	
MA-18-17A		F02	
MA-18-20A		F02	
MA-19-1A		B01 F02	
MA-2-18F		B01 F02	
MA-2-19C		B01 F02	
MA-2-23F		B01 F02	
MA-2-7B		B01 F02	
MA-20-1F		B01 F02	
MA-20-1G		B01 F02	
MA-20-2A		B01 F02	
MA-20-3A		B01 F02	
MA-26-17A		F02	
MA-26-18A		F02	
MA-26-18B		F02	
MA-26-21A		F02	
MA-26-22A		F02	
MA-26-23A		F02	
MA-26-8A		F02	
MA-3-11D		B01 F02	
MA-3-13C		B01 F02	
MA-3-3C		B01 F02	
MA-3-32G		B01 F02	
MA-3-56G		B01 F02	
MA-3-60A		F02	
MA-3-68J		B01 F02	
MA-3-73B		F02	
MA-33-13			RELEASED FROM TEMPORARY SUSPENSION
MA-39-11	SIU		RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY ASSIGNED COND CODE E
MA-39-30			ASSIGNED COND CODE E RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
MA-42-2	SIU		REQS 100 % SCREENING OF OGIVES RQR XRAY OF DELAY PLUNGER ASSIGNED COND CODE F
MA-42-2A	SIU		REQS 100 % SCREENING OF OGIVES RQR XRAY OF DELAY PLUNGER ASSIGNED COND CODE F
MA-42-2B	SIU		REQS 100 % SCREENING OF OGIVES RQR XRAY OF DELAY PLUNGER ASSIGNED COND CODE F
MA-42-2C	SIU		REQS 100 % SCREENING OF OGIVES RQR XRAY OF DELAY PLUNGER ASSIGNED COND CODE F

```
  LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

 1390-00-0000000-N335  FUZE PD M557
|  MA-42-2D         SIU            REQS 100 % SCREENING OF OGIVES
|                                  RQR XRAY OF DELAY PLUNGER
|                                  ASSIGNED COND CODE F
|  MA-42-2F         SIU            REQS 100 % SCREENING OF OGIVES
|                                  RQR XRAY OF DELAY PLUNGER
|                                  ASSIGNED COND CODE F
   MA-5-111A              B01 F02
   MA-5-122D              F02
|  MA-5-144A              B01 F02
|  MA-5-145A              B01 F02
   MA-5-165C              F02
   MA-5-170A              F02
   MA-5-173A              F02
   MA-5-20A               B01 F02
   MA-5-22L               B01 F02
   MA-5-29B               B01 F02
   MA-5-53A               B01 F02
   MA-5-98D               F02
   MA-502-166A            B01 F02
   MA-502-200B            B01 F02
|  MA-504-4F              B01 F02
   MA-6-21A               B01 F02
|  MA-6-5                          RQR REBOOSTERING.  RESTR TO TNG USE ONLY AFTER REWORK.
|                                  COND CODE N APPLIES
   MA-8-150A              F02
   MA-8-156F              B01 F02
   MA-8-178D              B01 F02
   MA-8-212B              B01 F02
   MA-8-225C              B01 F02
   MA-8-239B              B01 F02
   MA-8-242C              B01 F02
   MA-8-242D              B01 F02
   MA-8-311A              F02
   MA-8-378A              B01 F02
   MA-8-383F              B01 F02
   MA-8-393B              B01 F02
   MA-8-393C              F02
|  MA-8-514B              B01 F02
   MA-8-515C              B01 F02
   MA-8-517A              F02
   MA-8-521A              B01 F02
|  MA-81B044-004    SIU            RQR 100% INSP FOR LOOSE OGIVES/HEAD ASSY
|                                  ASSIGNED COND CODE E
   MA-81D044-005          B01 R10
   MA-81E044-006          B01
   MCA-500-1A             B01 F02
   MCA-500-2A             B01 F02
   MCA-500-3A             B01 F02
   MCA-500-4A             B01 F02
   MCA-500-5A             B01 F02
   MCA-500-7A             B01 F02
  LOT NUMBER      LIMIT RESTRICTION         FIX    OR    REASON

 1390-00-0000000-N335  FUZE PD M557
   MCA-500-8A              B01 F02
   MCA-500-8B              B01 F02
   MCA-500-9A              B01 F02
   MCA-500-9B              B01 F02
   NA-15-2C                B01 R15
   NJD-500-6               F02
   NJD-500-7               F02
   NJD-500-8               F02
   NJD-500-9               F02
   PA-36-22205-18A         F02
   PA-36-22205-19A         F02
   PA-36-22205-20A         F02
   PA-36-22205-21A         F02
   POD-500-20              F02
   RR-501-109              F02
   RR-501-110              F02
   RR-501-111              F02
   RR-501-112              F02
   RR-501-113              F02
   RR-501-114              F02
   RR-501-115              F02
   RR-501-116              F02
   RR-501-2                F02
   RR-501-3                F02
   RR-501-4                F02
   RR-504-1                F02
   RR-504-2                F02
   RR-504-3                F02
   RR-504-4                F02
   SOP-246-59A             F02
   SOP-36-265A             B01 F02
   SOP-36-413A             B01 F02
|  8MA-42-2         SIU               REQS 100 % SCREENING OF OGIVES
|                                     RQR XRAY OF DELAY PLUNGER
|                                     ASSIGNED COND CODE F
 1390-00-0000000-N340  FUZE PD M739
|  ALL MA LOTS /W                     SAFETY AND ARMING MECHANISM DEFAULT
|  INTERFIX 003
|  007 010 011 012
   013 OR 014 EXCL                    SAFETY AND ARMING MECHANISM DEFAULT
   MA-87M011-014
   MA-79F001-019    SIU               DEMIL INDICATED COND CODE H
   MA-83A003-022           B01
   MA-87M011-014                      RELEASED FROM TEMPORARY SUSPENSION
 1390-00-0000000-N345  FUZE PD MK27 MOD1
   120-BER-3-56     SIU               NO FIX AUTHORIZED.  ASSIGNED COND CODE J.
   141-AER-3-55     SIU               NO FIX AUTHORIZED.  ASSIGNED COND CODE J.
 1390-00-0000000-N384  FUZE TIME M84
   IOP-1-24                           DEMIL INDICATED COND CODE H
   IOP-1-25                           DEMIL INDICATED COND CODE H
   IOP-2-106               B01
  LOT NUMBER      LIMIT RESTRICTION        FIX    OR    REASON

1390-00-0000000-N384  FUZE TIME M84
  IOP-2-111               B01
1390-00-0000000-N402  FUZE PROXIMITY M532
  BXC-1-021         SIU                DEMIL INDICATED COND CODE H
  BXC-1-028               B01 C18
  BXC-1-053         SIU                DEMIL INDICATED COND CODE H
  RYB-1-013         SIU                DEMIL INDICATED COND CODE H
  RYB-1-016                            PREMATURE FUNCTIONING
                                       ASSIGNED COND CODE N
  RYB-1-019               B01 C18
  RYB-1-023               B01 C18
  RYB-1-030         SIU                DEMIL INDICATED
  RYB-2-011         SIU                DEMIL INDICATED COND CODE H
1390-00-0000000-N411  FUZE PROX M514 SERIE
  ALL LOTS                C13
  SAA-18-H-53       SIU                DEMIL INDICATED COND CODE H
  SAA-4055-H-54     SIU                DEMIL INDICATED COND CODE H
  SAA-4072-H-54     SIU                DEMIL INDICATED COND CODE H
  SAA-5221-H-57     SIU                DEMIL INDICATED COND CODE H
  SAA-5225-H-57     SIU                DEMIL INDICATED COND CODE H
  SAA-7013-H-53     SIU                DEMIL INDICATED COND CODE H
1390-00-0000000-N412  FUZE PROX M513 SERIE
  ALL LOTS                C13
  SAA-3695-HA-56    SIU                DEMIL INDICATED COND CODE H
  SAA-4031-H-54     SIU                DEMIL INDICATED COND CODE H
  SAA-4115-HA-54                       RQR INSP FOR PROPER THREADS
  SAA-4209-HA-55    SIU                DEMIL INDICATED COND CODE H
  SAA-6393-HA-56    SIU                DEMIL INDICATED COND CODE H
  SAA-7521-H-55                        EXCESSIVE DUDS
                                       ASSIGNED COND CODE N
  SAA-8-H-52        SIU                DEMIL INDICATED
1390-00-1929559-N417  FUZE PROXIMITY M517
  ALL LOTS                             DEMIL INDICATED COND CODE H
1390-00-3241420-N417  FUZE PROXIMITY M517
  ALL LOTS                             DEMIL INDICATED COND CODE H
1390-00-0000000-N463  FUZE PROXIMITY XM728
  FCI-3-011A              B01
  FCI-6-002               B01
  FCI-6-003               B01
  RYB-2-013A              B01
1390-00-0000000-N464  FUZE PROXIMITY M732
  LS-81B005-003           B01 R15
  LS-81C005-004           B01 R15
| LS-81D003-002     SIU                RQR SCREENING FOR LEAKING POWER SUPPLIES
|                                      ASSIGNED COND CODE E
| LS-82C004-022     SIU                RQR SCREENING FOR LEAKING POWER SUPPLIES
|                                      ASSIGNED COND CODE E
| LS-82C004-023     SIU                RQR SCREENING FOR LEAKING POWER SUPPLIES
|                                      ASSIGNED COND CODE E
| LS-82C006-019     SIU                RQR SCREENING FOR LEAKING POWER SUPPLIES
|                                      ASSIGNED COND CODE E
  LS-82E006-024           B01 R15
  LOT NUMBER      LIMIT RESTRICTION         FIX     OR     REASON

 1390-00-0000000-N477  FUZE PROXIMITY M514
   ALL LOTS                 C13
 1390-00-0000000-N523  PRIMER PERCUSSION M82 SERIES
   LS-159-49                S22 B17
   LS-159-52                        RELEASED FROM TEMPORARY SUSPENSION
   LS-159-54                S22 B17
   LS-202-14                        DEMIL INDICATED COND CODE H
   LS-259-24         SIU            FAILED NO-FIRE TEST
                                    ASSIGNED COND CODE J
|  LS-79D308-015                    RELEASED FROM TEMPORARY SUSPENSION
 1390-00-0000000-N525  PRIMER PERCUSSION MK2A4
   AOP-3-264         SIU            DEMIL INDICATED COND CODE H
   LS-223-16         SIU            DEMIL INDICATED COND CODE H
   LS-233-16         SIU            DEMIL INDICATED COND CODE H
   LS-78J306-003            B01
   LS-78L306-006            B01
 1390-00-0000000-N528  PRIMER PERC.M34
   MA-3-6                           DEMIL INDICATED
 1390-00-0000000-N532  PRIMER PERCUSSION M71A2
   LS-120-8                         DEMIL INDICATED
   LS-56-15                         DEMIL INDICATED
   MA-2-122          SIU            DEMIL INDICATED COND CODE H
   MA-6-72A                         DEMIL INDICATED COND CODE H
   MA-6-73A                         DEMIL INDICATED COND CODE H
 1390-00-0000000-0000  FUZE PD M48A3 MPTS
   MA-E-721                         DEMIL INDICATED COND CODE H
   MA-88C001-001            B11
   MA-88F050-001            B11
 1390-00-2288383-0000  FUZE PIBD M509 SERIE
   WIT-7-7                  B01
 1390-00-8712828-0000  FUZE PD M503 SERIES
   LOP-3-2           SIU            DEMIL INDICATED COND CODE H
 1390-01-0508897-0000  FUZE MULTI-OPTION M734
   MA-81B001-003            B01     RELEASED WITH RESTRICTION
   MC-82L005-004            B01     RELEASED WITH RESTRICTION
 1390-00-0000000-3280  FUZE TSQ M77
   ALL LOTS          SIU            DEMIL INDICATED
 1390-00-0000000-5500  FUZE PIBD M530
   LS-8-28           SIU            CLOSE IN PREMATURE
                                    ASSIGNED COND CODE J
   LS-8-30           SIU            CLOSE IN PREMATURE
                                    ASSIGNED COND CODE J
 1390                  DRAWING # 8886414 REV A    FUZE BD M62A2
   COP-2-299                S13
```

PART 2

MICOM-MANAGED MUNITIONS

RESTRICTED OR SUSPENDED

	Paragraph	Page
Purpose	2-1	i
Scope	2-2	i
Definitions	2-3	i
General	2-4	iii
Composition and Use	2-5	v
Reporting	2-6	vi
Special Issue of Suspended Munitions	2-7	vii
References	2-8	vii
Recommended Changes	2-9	vii
Identification Data	2-10	vii
Missile System Index	2-11	vii
MICOM Munitions Restricted or Suspended		2-001
Appendix F. AMMUNITION RESTRICTION DEFINITIONS AND CODES		F-1

2-1. Purpose. This section provides a listing of restricted or suspended missile munitions which will assist those responsible for storage, issue, use, testing, inspection and transportation of Class V materiel.

2-2. Scope. This section is applicable to all Department of the Army activities with mission responsibility for storage, issue, use, test and transportation of Class V materiel that is managed by the U.S. Army Missile Command (MICOM).

2-3. Definitions. a. Suspended Munitions. Munition items which are withdrawn from either issue, movement, test and/or use, with or without qualifications, due to a suspected or confirmed unsafe or other defective condition.

b. Types of Suspensions.

(1) Temporary suspension. An interim order prohibiting either issue, movement, and/or use of a munition item, with or without limitation, due to a suspected unsafe or other defective condition. (Munitions are temporarily suspended as a result of firing and handling malfunctions and other failure conditions pending investigations of the circumstances and involved munitions.)

---

*This section supersedes Part 2 of TB 9-1300-385, 1 JAN 1989 and includes MICOM Ammunition Supplemental Notices 89-08 thru 89-12.

(2) Permanent suspension. A permanent order based on an engineering evaluation that prohibits the issue, movement, test and/or use of a munitions item, with or without limitations, due to a confirmed unsafe or other defective condition. (Munitions are permanently suspended as a result of an investigation which confirms that the involved munitions are unsafe or otherwise defective.) Munitions permanently suspended may have a fix (restoring action) assigned. For the instances where a munition item is permanently suspended and action to restore has not been determined, the ``fix'' entry will read: ``No fix authorized'', or ``fix undetermined at this time''.

c. Limitations.

(1) Suspended from issue, movement and use (SIMU). A qualification to a suspension order prohibiting the issue, movement and use of a munitions item under any circumstance due to a suspected or confirmed unsafe condition. Munitions in this category are extremely dangerous to fire, handle, move or transport. All such items are designated SIMU in the limitations column. SIMU assigned to lots permanently suspended with a fix assigned, are not to be worked until special handling instructions are provided by MICOM.

(2) Suspended from issue and use (SIU). A qualification to a suspension order prohibiting the issue and use of a munitions item due to a suspected or confirmed unsafe condition. Munitions in this category are dangerous to fire or function but no movement, handling or transporting limitations are imposed. All such items are designated SIU in the limitations column.

d. Restriction. An order which places special operating limits on the use of munitions for reasons of safety or degraded performance.

CAUTION

1. The restrictions listed in Appendix F are in addition to the precautions, warnings, and restrictions pertaining to firing specific rounds as stated in applicable ARs, FMs, TMs, TBs, firing tables, Safety-of-Use Messages and Missile Advisory Notices.
2. When a lot that is both suspended and restricted is reworked, and the fix that is being applied to restore the item to a serviceable condition will not correct the restriction, the organization performing the rework will notify Commander, U.S. Army Missile Command, ATTN: AMSMI-LC-AM, Redstone Arsenal, AL 35898-5679, listing the basic lot number that was assigned. Conversely, the same procedure will apply when a previously restricted item/lot becomes restricted due to the modification of one end item to a new end item. The U. S. Army Missile Command, ATTN: AMSMI-LC-AM, will issue an interim change to this bulletin assigning the restriction to the new lot.

e. Release Action. An order which rescinds a previously imposed suspension or restriction. Munitions may be released from suspension with a restriction applied.

f. Shelf Life. The total period of time, beginning with the date of manufacture/cure/assembly that an item may remain in the combined wholesale (including manufacturer) and retail storage system and still remain suitable for issue to, and use by the end user (shelf life is not to be confused with service life which is a measurement of anticipated total in-use time).

2-4. General. a. The U.S. Army Missile Command (MICOM), ATTN: AMSMI-LC-AM, Redstone Arsenal, AL 35898-5679 is responsible for the preparation and maintenance of Part 2 of this bulletin.

(1) Revision of this bulletin is accomplished quarterly or on an as required basis. Missile Ammunition Supplemental Notices will be disseminated for all changes to keep this bulletin current between revisions.

(2) Munitions released from this bulletin will be reflected in the identification data for one revision following the distribution of the Missile Ammunition Supplemental Notice.

b. A munitions item suspected of being unsafe or otherwise defective and placed under a temporary suspension order is to be afforded the same precaution and significance as an item which has been confirmed as being unsafe or otherwise defective and placed under a permanent suspension order.

c. Permanently suspended munitions require either renovation, modification, or inspection, for restoration to a usable condition or may be recommended for demilitarization due to involved hazards, major component failure, etc., as determined by the appropriate investigative authority.

d. Installations and activities will comply with the instructions provided by MICOM in response to ACR's submitted on permanently suspended munitions.

e. Suspension and restriction orders normally pertain to individual lots, lot series (lot interfix numbers), serial numbers or munitions type (all lots).

f. All suspended or restricted munitions listed in this bulletin are considered suitable for emergency combat issue and use, except those items with a limitation of SIMU, SIU and training items.

g. Restriction and use limitations contained herein are not intended to conflict with requirements of AR 385-63, and must not be interpreted as replacing any requirements therein.

h. When munitions have been returned to the supply system by another service or country and the suspension status requires clarification, queries are to be directed to Commander, U.S. Army Missile Command, ATTN: AMSMI-LC-AM, Redstone Arsenal, AL 35898-5679.

i. Missile Ammunition supplemental notices which are issued as a result of a malfunction will identify the class of suspensions as A, B, or C as it relates to hazard and usage; classes are defined as follows:

(1) Class A malfunctions are those which have resulted in death or major injury, are similar to previous malfunctions which have resulted in death or major injury, are judged as having had an appreciable probability of causing death or major injury, or which have adverse political implications.

(2) Class B malfunctions are those which have resulted in damage to major equipment which cannot be repaired at the unit level of maintenance, or have resulted in an ammunition suspension which significantly impacts readiness or training.

(3) Class C malfunctions are those which are neither Class A nor Class B.

j. Recipients of Missile Ammunition Supplemental Notices on initial Suspension/Restriction must assure that use of the specific lot is withheld to include 24 hour notification to training ranges and test sites.

k. A suspension or restriction of a lot number or group of lot numbers under a specific NSN or a zero-filled NIIN applies to that lot number or group of lot numbers in other NSNs for that nomenclature item.

l. When a notice of suspension or restriction identifies a specific component or subassembly by model and lot number, the suspension or restriction applies to all items utilizing the affected components or subassemblies. The restriction or suspension will remain in effect until released or a fix has been prescribed and the necessary maintenance, tests or inspections have been accomplished. This applies to installed components or those packed with an end item included for field assembly. Missile items/lots on hand in this category not listed in Part 2 of this Technical Bulletin will be reported to Commander, U.S. Army Missile Command, ATTN: AMSMI-LC-AM, Redstone Arsenal, AL 35898-5679 for necessary suspense or restriction action.

m. Deletions:

(1) Periodically, this part of the bulletin will be reviewed to remove all MICOM-managed items by NSN when the NSN has been deleted from the Federal Cataloging System and where no known assets are reflected in the supply system. Stocks on hand or subsequently received from another

service or unit wherein the applicable MICOM-managed NSN has been deleted from the Federal Cataloging System and which do not appear in this part of the bulletin will be reported to Commander, U.S. Army Missile Command, ATTN: AMSMI-LC-AM, Redstone Arsenal, AL 35898-5679 requesting verification by lot number as to whether the lot(s) had been previously suspended or restricted. This does not eliminate the requirements for submitting a DA Form 1669 (Request for National Stock Number and Department of Defense Identification Code for Ammunition and Explosive Supplies) in accordance with TB 9-1300-256.

(2) Items will also be deleted by lot number where lot is not visible in supply system and has been listed for 5 years or more. Stocks on hand or subsequently received from another service or unit for which there is a question of suspension/restriction status should be reported to AMSMI-LC-AM for resolution.

n. The condition code directed by permanent suspension messages and this publication is based solely on the ``fix.'' Installations and activities therefore must consider both local inspection results along with the ``fix'' code when assigning condition codes. It is important to realize that condition codes listed in temporary and permanent suspension messages and this publication do not necessarily override a locally imposed condition code, but shall do so if the locally assigned condition code is less restrictive.

o. Inquiries concerning ammunition should still be directed to the appropriate Commodity Command, i.e., AMCCOM for artillery ammunition and MICOM for missile ammunition. For standard National Stock Numbers (NSN) the Army Master Data File (AMDF) will list the Commodity Command for each NSN.

p. This edition of TB 9-1300-385 does not contain shelf/service life data for MICOM-managed items.

q. The listing of MICOM Munitions Restricted or Suspended is arranged first by missile system (alphabetically), then by NSN, then by DODIC if available. Paragraph 2-11 contains an index by missile system.

2-5. Composition and Use. Part 2 of this bulletin consists of Identification Data and Appendix F.

a. Identification Data. This data is a listing of items either by nomenclature, Federal Recognized Number (National Stock Number (NSN), Drawing Number or Specification Number where no NSN is applicable) and when used contains the following data in columnar form:

(1) Federally Recognized Number. A number assigned to each item of supply for identification purposes. It takes the following forms:

(a) National Stock Number. NSNs are in sequence, by Federal Supply Class (FSC), Department of Defense Identification Code (DODIC), and National Item Identification Number (NIIN).

(b) Specification number. Specification number is identified by the abbreviation ``SPEC #'' which is not part of the actual specification number.

(c) Drawing number. Drawing number is identified by the abbreviation ``DRAW #'' which is not part of the actual Drawing number.

(2) Generic description. Will consist of an item name and model number.

(3) Lot number. A number systematically assigned to each Ammunition Lot (MIL-STD-1168A). Due to the number of lots which could be involved in a blanket-type suspension or restriction, a group statement wherever applicable will be used in lieu of lot numbers. Some examples are as follows:

(a) All lots.

(b) All lots LS (all lots manufactured by a given manufacturer as illustrated by all lots manufactured by Lone Star AAP).

(c) All lots P0669 (all lots manufactured prior to a given month and/or year as illustrated by all lots manufactured prior to June 1969).

(d) All LS-1 or LS-75A006 (all lots manufactured by a given manufacturer and interfix).

(4) Limitations. A qualification to a suspension precluding use for emergency combat.

(5) Restriction. Restricted to specified uses or conditions.

(6) Release. Self-explanatory.

(7) Reasons. Brief explanation of the reason for suspension; e.g., premature detonation, launch motor rupture.

(8) Fix. Indicates a certain action that will be required to restore that item to a serviceable condition or to indicate demilitarization. This action replaces the reason when the lot is transferred to permanent suspension.

b. Appendix F. Appendix F contains restriction codes with corresponding definitions.

2-6. Reporting. a. DA PAM 738-750 provides guidance for the preparation and submission of reports (where applicable).

b. Stocks of temporarily suspended munitions listed in this part of the bulletin or Missile Ammunition Supplemental Notices will be reported by electrical message to CDR MICOM REDSTONE ARS AL//AMSMI-LC-AM// only when directed by Missile Ammunition Supplemental Notices. Negative response is not required.

2-7. Special Issue of Suspended Munitions. The prohibition against issue and use (except SIMU items) of a suspended munition lot is not applicable when:

a. Shipment is directed by MICOM to a proving ground or other test agency for special testing or investigation.

b. Shipment of permanently suspended munitions with authorized ``fix'' when directed by the NICP for modification, renovation or remanufacture.

c. Shipment of temporarily or permanently suspended munitions when directed by the NICP for demilitarization.

2-8. References. a. AR 385-63 (Regulations for Firing Ammunition for Training, Target Practice and Combat).

b. AR 75-1 (Malfunctions Involving Ammunition and Explosives).

c. DA PAM 738-750 (The Army Maintenance Management System (TAMMS)).

2-9. Recommended Changes. Recommendations for improvement of procedures set forth in this part of the bulletin, or requests for clarification and/or interpretation, are invited and should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms). Any DA Form 2028 prepared on this bulletin will be forwarded through command channels to major commands. Major commands will forward direct to Commander, U.S. Army Armament, Munitions and Chemical Command, ATTN: AMSMC-QAS-P, Rock Island, IL 61299-6000, with an information copy furnished to Commander, U.S. Army Missile Command, ATTN: AMSMI-LC-AM, Redstone Arsenal, AL 35898-5679.

2-10. Identification Data. International Logistics problems on identification data in this bulletin will be forwarded through command channels to Commander, U.S. Army Missile Command, ATTN: AMSMI-SA, Redstone Arsenal, AL 35898-5210.

2-11. Missile System Index. a. The following is an index, by page number, for all MICOM-managed missile systems which have suspension/ restriction information published in this bulletin.

b.

SYSTEM	PAGE NUMBER
BATS	2-001
CHAPARRAL	2-002
DRAGON	2-003
HELLFIRE	2-009
HYDRA-70 (2.75")	2-010
LANCE	2-011
MLRS	2-012
REDEYE	2-013
SHILLELAGH	2-014
SS-11 (M22)	2-015
TOW	2-016

PART 2 TB 9-1300-385 MICOM MUNITIONS SUSPENDED OR RESTRICTED

LOT/SERIAL NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1377-00-863-9387-M158	CART, ENG START, MXU-4A/A FOR BATS		
ALL OLIN CORP LOTS PRIOR TO 1985		A05	ALL ARMY OWNED ASSETS ASG COND CODE B (BRAVO)

1337-01-155-3322-V511 RKT. MTR., MK 50 MOD 0, CHAPARRAL
LOT BER78D001-039 SIU FAILED POROSITY TEST

RKT. MTR. SN:	ASSEMBLED TO MSL SN:	ASG COND CODE J
100995	12299	
100951	12397	
100953	12939	
100962	101149	
100946	101488	
100963	101524	
100945	101554	
100959	101568	
100952	101588	
100966	101666	
100961	101668	
100949	101669	
100954	101682	
100948	101683	
100943	102187	

LOT BER79J001-157 SIU PROPELLANT GRAIN CRACKS
FOLLOWING RKT. MTR. SN: ASG COND CODE J

103867
103868
103869
103872
103873
103875
103876
103877
103878
103881
103886
103887
103888
103889
103890

1420-00-916-6777-PT43 GUID. & CTRL. GRP., MK 28 MOD 0, CHAPARRAL
RAYTHEON PRODUCED A08 ASG COND CODE B
SN 1097 THRU 1392
AND
SN 2248 THRU 2611

```
LOT/SERIAL NUMBER  LIMIT  RESTRICTION    FIX   OR    REASON


1427-00-163-8960-PL22   GM, SURF. ATTK., M223, PRAC., DRAGON
LOT NO  SERIAL NO
RYB-01-05A   ALL SN                 A04      ASG COND CODE B

1427-00-163-8959-PL23   GM, SURF. ATTK., M222, HE, DRAGON
LOT NO  SERIAL NO
MCG-2-263                           A03      ASG COND CODE B
   0365250

MCG77A001-001                       A03      ASG COND CODE B
   0361541    0361551    0361553    0361565    0361622    0361216
   0361664

MCG77A001-002                       A03      ASG COND CODE B
   0362009    0362010    0362028    0362090    0362164    0362174
   0362179    0362200    0362217    0362220    0362222    0362248
   0362250    0362258    0362292    0362298    0362302    0362308
   0362327    0362336    0362344    0362351    0362354    0362358
   0362362    0362364    0362369    0362371    0362376    0362391
   0362401    0362402    0362406    0362407    0362419    0362422
   0362424    0362438    0362440    0362442    0362453    0362456
   0362465    0362469    0362483    0362491    0362498    0362504
   0362524    0362531    0362532    0362540    0362541    0362549
   0362562    0362567    0362574    0362592    0362594    0362604
   0362605    0362612    0362615    0362618    0362621    0362624
   0362628    0362648    0362650    0362651    0362653    0362680
   0362681    0362682    0362683    0362688    0362689    0362696
   0362705    0362721    0362733    0362736    0362740    0362741
   0362756    0362765    0362769    0362770    0362785    0362788
   0362789    0362790    0362821    0362828    0362844    0362860
   0362867    0362870    0362885    0362893    0362900    0362920
   0362977    0362993    0363000    0363028    0363049    0363051
   0363070    0363090    0363102    0363106    0363145    0363146
   0363189    0363197    0363200    0363205    0363206    0363210
   0363212    0363258    0363541

MCG77C002-013                       A03      ASG COND CODE B
   0365125    0365145    0365150    0365194    0365197

MCG77E002-024                       A03      ASG COND CODE B
   0367750    0367786    0367832    0367882    0367883    0367917
   0367945    0367952    0367989

MCG77E002-026                       A03      ASG COND CODE B
   0368287    0368288    0368297    0368304    0368313    0368319
   0368324    0368327    0368335    0368336    0368338    0368348
   0368385    0368445

MCG77F002-034                       A03      ASG COND CODE B
   0370258
```

```
LOT/SERIAL NUMBER  LIMIT  RESTRICTION    FIX   OR   REASON


MCG77F002-035                          A03     ASG COND CODE B
   0370546    0370651    0360656    0360668

MCG77F002-036                          A03     ASG COND CODE B
   0370824    0370827    0370828    0370830    0370838    0370841
   0370854    0370891    0370904

MCG77F002-037                          A03     ASG COND CODE B
   0370985    0371021    0371054    0371059    0371065    0371074
   0371096    0371112    0371115    0371123    0371129    0371145
   0371146    0371149    0371153    0371161    0371177    0371196
   0371199    0371204    0371211    0371213    0371219

MCG77F002-044                          A03     ASG COND CODE B
   0372921    0372922    0372977    0372990    0373003    0373011
   0373023    0373034    0373088    0373100    0373106    0373109
   0373121    0373123    0373124    0373144    0373194

MCG77F002-045                          A03     ASG COND CODE B
   0373310    0373317    0373329    0373394    0373470


MCG77F002-046                          A03     ASG COND CODE B
   0373501

MCG77H002-070                          A03     ASG COND CODE B
   0380577

MCG77LL002-112A                        A03     ASG COND CODE B
   0389780

MCG84J001-004  ALL SN                          ASG COND CODE E
                                               REQ 100% INSP FOR
                                               CRITICAL MARKING
                                               DEFECT

RYB-01-06                              A03     ASG COND CODE B
   0550058    0550073    0550119    0550123    0550149    0550171

RYB-01-07                              A03     ASG COND CODE B
   0550188    0550189    0550192    0550197    0550200    0550203
   0550205    0550211    0550217    0550221    0550223    0550225
   0550226    0550227    0550228    0550230    0550232    0550234
   0550237    0550240    0550241    0550247    0550249    0550250
   0550251    0550255    0550266    0550270    0550288    0550290
   0550291    0550294    0550298    0550299    0550300    0550306
   0550307    0550312    0550317    0550323    0550326    0550328
   0550332    0550333    0550334    0550335    0550336    0550341
   0550343    0550345    0550348    0550351    0550352    0550355
```

RYB-01-07 (CONTINUED) A03 ASG COND CODE B
0550358 0550361 0550365 0550367 0550368 0550374
0550379 0550382 0550383 0550384 0550387 0550391
0550392 0550395 0550396 0550397 0550407 0550411
0550415 0550416 0550427 0550431 0550432 0550442
0550443 0550444 0550460 0550462 0550464 0550465
0550468 0550469 0550472 0550473 0550485 0550489
0550492 0550493 0550502 0550503 0550509 0550512
0550527 0550540 0550543 0550546 0550547 0550551
0550552 0550554 0550555 0550563 0550565 0550566
0550567 0550572 0550581 0550583 0550584

RYB-01-08 A03 ASG COND CODE B
0550585 0550592 0550597 0550603 0550605 0550611
0550627 0550632 0550634 0550658 0550662 0550669
0550676 0550677 0550679 0550704 0550716 0550722
0550723 0550733 0550741 0550744 0550754 0550758
0550794 0550795 0550800 0550815 0550818 0550829
0550831 0550833 0550835 0550840 0550841 0550845
0550865 0550866 0550868 0880871 0550872 0550878
0550881 0550885 0550888 0550897 0550903 0550905
0550909 0550932 0550937 0550956 0550958 0550965
0550967 0550981 0550987 0551012 0551013 0551036
0551046 0551078 0551685

RYB-01-09 A03 ASG COND CODE B
0551106 0551108 0551110 0551125 0551129 0551137
0551138 0551142 0551144 0551153 0551154 0551165
0551203 0551267 0551290 0551360 0551419 0551436
0551585 0551602 0551603 0551607 0551609

RYB-01-10 A03 ASG COND CODE B
0551636 0551638 0551662 0551666 0551677 0551678
0551680 0551687 0551708 0551736 0551743 0551745
0551746 0551747 0551750 0551758 0551773 0551797
0551800 0551805 0551815 0551844 0551859 0551865
0551866 0551875 0551886 0551890 0551892 0551895
0551909 0551958 0551963 0551968 0551969 0551970
0551976 0551984 0551987 0551990 0551992 0551994
0552002 0552006 0552017 0552019 0552021 0552022
0552024 0552025 0552028 0552029 0552030 0552031
0552032 0552034 0552035 0552038 0552056 0552057
0552058 0552059 0552060 0552064 0552065 0552066
0552068 0552071 0552077 0552079 0552082 0552084
0552089 0552094 0552096 0552099 0552100 0552105
0552112 0552117 0552120 0552121 0552128 0552129
0552132 0552133 0552134 0552138 0552139 0552140
0552141 0552143 0552144 0552145 0552146 0552148
0552149 0552151 0552153 0552155 0552156 0552157

RYB-01-11 A03 ASG COND CODE B
0552226 0552520 0552560 0552612 0552659 0552677

```
PART 2 TB 9-1300-385  MICOM MUNITIONS SUSPENDED OR RESTRICTED
LOT/SERIAL NUMBER  LIMIT  RESTRICTION    FIX   OR   REASON


RYB-01-12                                 A03     ASG COND CODE B
    0552685   0552689   0552698   0552699   0552702   0552704
    0552709   0552710   0552711   0552713   0552715   0552720
    0552721   0552722   0552724   0552729   0552732   0552735
    0552737   0552742   0552747   0552748   0552749   0552750
    0552752   0552753   0552754   0552755   0552756   0552758
    0552760   0552761   0552762   0552765   0552767   0552768
    0552772   0552774   0552775   0552776   0552777   0552779
    0552780   0552781   0552783   0552784   0552785   0552786
    0552787   0552789   0552790   0552791   0552792   0552794
    0552796   0552799   0552802   0552805   0552808   0552809
    0552814   0552815   0552817   0552825   0552827   0552833
    0552840   0552841   0552846   0552862   0552871   0552875
    0552877   0552889   0552917   0552919   0552924   0552932
    0552938   0552941   0552944   0552946   0552948   0552957
    0552958   0552959   0552982   0552983   0552985   0552991
    0552997   0553005   0553014   0553020   0553023   0553031
    0553038   0553044   0553053   0553067   0553075   0553090
    0553093   0553099   0553120   0553135   0553137   0553139
    0553141   0553142   0553147   0553149   0553163   0553180
    0553198   0553210   0553214   0553216   0553234   0553239
    0553243   0553244   0553245   0553247   0553252   0553254
    0553258   0553259   0553260   0553262   0553264   0553269
    0553277   0553286

RYB-02-02                                 A03     ASG COND CODE B
    0553418   0553425   0553441   0553460   0553463   0553567
    0553579

R-02-04                                   A03     ASG COND CODE B
    0553918   0553933   0553949   0553963   0553966   0553967
    0553968   0553987   0554013   0554022   0554027   0554056
    0554058   0554063   0554071   0554073   0554085   0554100
    0554132   0554154

R-02-05                                   A03     ASG COND CODE B
    0554242   0554263   0554401   0554408   0554419   0554421
    0554432   0554444   0554487   0554488   0554498   0554524
    0554536   0554575

R-02-06                                   A03     ASG COND CODE B
    0554762   0554775   0554785   0554787   0554788   0554797
    0554798   0554802   0554803   0554807   0554808   0554825
    0554838   0554857   0554869   0554877   0554881   0554886
    0554899   0554903   0554904   0554933   0554952   0555012
    0555014   0555015   0555016   0555023   0555024   0555025
    0555027   0555028   0555061   0555091   0555095   0555097
    0555101   0555106   0555113   0555122   0555125   0555127
    0555136   0555141   0555153   0555158   0555159   0555167
    0555170   0555176   0555180   0555184   0555187   0555196
    0555197   0555216   0555231   0555233   0555235   0555237
    0555243   0555248   0555252   0555253   0555254   0555264
    0555269
```

```
PART 2 TB 9-1300-385  MICOM MUNITIONS SUSPENDED OR RESTRICTED
LOT/SERIAL NUMBER  LIMIT  RESTRICTION    FIX   OR    REASON

R6-07                                   A03      ASG COND CODE B
   0561854    0561879    0561911    0561940

R7-01                                   A03      ASG COND CODE B
   0562156    0562158    0562166    0562175    0562215    0562216
   0562221    0562252    0562278    0562321    0562353    0562364
   0562372    0562428    0562432

R7-08                                   A03      ASG COND CODE B
   0564234    0564246    0564295    0564300    0564328    0564332
   0564335    0564339    0564344

RYB-R7-09                               A03      ASG COND CODE B
   0564496    0564500    0564502    0564503    0564505    0564507
   0564510    0564513    0564516    0564517    0564521    0564523
   0564525    0564527    0564528    0564531    0564533    0564535
   0564536    0564537    0564538    0564555    0564563    0564565
   0564568    0564576    0564579    0564583    0564589    0564590
   0564591    0564592    0564593    0564594    0564595    0564598
   0564601    0564603    0564604    0564605    0564616    0564621
   0564623    0564625    0564629    0564631    0564635    0564638
   0564646    0564651    0564655    0564658    0564677    0564680
   0564681    0564685    0564686    0564687    0564690    0564695
   0564697    0564698    0564699    0564703    0564705    0564707
   0564710    0564712    0564713    0564718    0564719    0564721
   0564725    0564726    0564728    0564733    0564739    0564740
   0564741    0564742    0564743    0564744    0564746    0564747
   0564751    0564752    0564753    0564754    0564758    0564760
   0564765    0564766    0564768    0564771    0564772    0564773
   0564778    0564782    0564784    0564785

RYB77C002-013                           A03      ASG COND CODE B
   0565714    0565721

RYB77D002-018                           A03      ASG COND CODE B
   0566379

RYB77E002-027                           A03      ASG COND CODE B
   0569177    0569209    0569210    0569230

RYB77J002-053                           A03      ASG COND CODE B
   0576646    0576647    0576649    0576651    0576652    0576656
   0576658    0576661    0576662    0576672    0576673    0576674
   0576681    0576682    0576686    0576687    0566688    0576689
   0576691    0576695    0576697    0576698    0576699    0576700
   0576702    0576704    0576706    0576708    0576711    0576712
   0576715    0576719    0576720    0576721    0576726    0576727
   0576729    0576730    0576731    0576732    0576734    0576736
   0576738    0576741    0576745    0576747    0576748    0576750
   0576751    0576752    0576753    0576755    0576757    0576762
```

```
PART 2 TB 9-1300-385  MICOM MUNITIONS SUSPENDED OR RESTRICTED
LOT/SERIAL NUMBER  LIMIT  RESTRICTION    FIX    OR    REASON


RYB77J002-053 (CONTINUED)        A03      ASG COND CODE B
   0576764    0576765    0576766    0576767    0576768    0576769
   0576771    0576772    0576774    0576775    0576776    0576779
   0576783    0576787    0576788    0576789    0576791    0576792
   0576793    0576794    0576795    0576796    0576798    0576804
   0576806    0576807    0576808    0576809    0576812    0576813
   0576814    0576817    0576818    0576823    0576825    0576827
   0576831    0576835    0576836    0576838    0576840    0576843
   0576844    0576845    0576847    0576848    0576851    0576852
   0576853    0576854    0576855    0576856    0576857    0576861
   0576862    0576863    0576864    0576866    0576868    0576870
   0576873    0576874    0576875    0576876    0576878    0576879
   0576881    0576883    0576886    0576887    0576890    0576891
   0576892    0576894    0576895    0576897    0576903    0576904
   0576906    0576908    0576909    0576911    0576912    0576914
   0576915    0576917    0576920    0576922    0576923    0576924
   0576925    0576929    0576930    0576933    0576937    0576938
   0576939    0576940    0576944    0576945    0576948    0576949

RYB77J002-055                    A03      ASG COND CODE B
   0577263    0577265    0577267    0577268    0577271    0577277
   0577278    0577279    0577282    0577284    0577285    0577288
   0577293    0577294    0577299    0577302    0577306    0577307
   0577308    0577310    0577315    0577319    0577321    0577325
   0577328    0577339    0577340    0577342    0577343    0577344
   0577345    0577347    0577349    0577350    0577354    0577356
   0577357    0577358    0577[illegible]0    0577361    0577364    0577365
   0577368    0577369    0577370    0577371    0577375    0577383
   0577386    0577388    0577391    0577394    0577395    0577397
   0577398    0577404    0577405    0577408    0577410    0577411
   0577414    0577415    0577416    0577417    0577423    0577424
   0577425    0577431    0577433    0577434    0577435    0577442
   0577444    0577445    0577450    0577452    0577453    0577455
   0577457    0577460    0577461    0577462    0577464    0577465
   0577467    0577470    0577471    0577472    0577473    0577474
   0577476    0577477    0577478    0577479    0577480    0577481
   0577482    0577485    0577486    0577487    0577488    0577489
   0577491    0577492    0577494    0577495    0577496    0577497
   0577498    0577499    0577500    0577501    0577502    0577503
   0577504    0577506    0577508    0577510    0577511    0577514
   0577515    0577517    0577518    0577519    0577521    0577524
   0577526    0577527    0577531    0577541    0577543    0577545
   0577546    0577547    0577550    0577552    0577553    0577554
   0577555    0577556    0577558    0577563    0577564    0577566
```

1410-01-126-4662-PA79 HELLFIRE, AGM-114A
FOLLOWING 27 LOTS: A09 ASG COND CODE B
NO FIX AUTHORIZED

MGI86A102-010 MSF85B101-003 MSF86C101-014 MSF86G102-011
MGI86A102-018 MSF85C101-004 MSF86C102-011 MSF86H102-020
MGI86G102-019 MSF85G101-005 MSF86C102-014 MSF86J002-022
MGI86J102-023 MSF85J101-006 MSF86D102-012 MSF86K102-025
MGI86K102-024 MSF85K101-007 MSF86E102-013 MSF86K102-026
MSF84A101-001 MSF85K102-009 MSF86F102-015 MSF86J102-021
MSF85A101-002 MSF86A102-008 MSF86F102-017

1410-01-192-0293-PD68 HELLFIRE, MIN-SMOKE, AGM-114C
ALL MSF LOTS SIU LACK OF TEST DATA
TO DETERMINE IF
FORMAL RELEASE IS
WARRANTED
ASG COND CODE J

LOT MGI87D303-508, SIU RISK OF NOZZLE SEP
ONLY THE FOLLOWING ASG COND CODE J
97 SN IN THIS LOT :

603001 603002 603003 603004 603005 603006
603007 603008 603009 603010 603011 603012
603013 603014 603015 603016 603017 603018
603019 603020 603021 603022 603023 603024
603025 603027 603028 603029 603030 603031
603032 603034 603035 603036 603037 603038
603039 603040 603041 603043 603044 603045
603047 603048 603049 603050 603051 603052
603053 603054 603056 603057 603058 603059
603060 603061 603062 603063 603065 603068
603069 603070 603073 603074 603075 603076
603077 603078 603079 603080 603081 603082
603083 603084 603085 603086 603088 603089
603091 603092 603093 603094 603095 603098
603101 603102 603103 603105 603106 603107
603108 603109 603110 603112 603118 603120
603121

FOLLOWING 22 LOTS: A07 ASG COND CODE B
NO FIX AUTHORIZED

MGI87E303-510 MGI87F303-512 MGI87F304-513 MGI87G304-514
MGI87H304-516 MGI87J304-517 MGI87K304-518 MGI87L304-521
MGI87M304-522 MGI88A304-523 MGI88B304-524 MGI88C304-525
MGI88D304-526 MGI88E304-527 MGI88F304-528 MGI88G304-529
MGI88G305-530 MGI88H305-531 MSF87L303-108 MSF88A303-109
MSF88A303-110 MSF88C303-113

```
LOT/SERIAL NUMBER  LIMIT  RESTRICTION    FIX   OR    REASON


1340-00-000-0000-H471   RKT HE 2.75 IN. W/M433 FUZE, HYDRA-70
  ALL LOTS           SIMU                    POSSIBILITY OF
                                             PREMATURE ARMING
                                             ASG COND CODE J

1340-00-000-0000-J351   FUZE M433 F/ 2.75 IN. RKT, HYDRA-70
  ALL LOTS           SIMU                    POSSIBILITY OF
                                             PREMATURE ARMING
                                             ASG COND CODE J
```

LOT/SERIAL NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1420-00-937-0860-PG44	GM, MAIN ASSEMB. (MMA), M5, FUELED, LANCE		
FOLLOWING SN:		A06	ASG COND CODE B
3250CLN			
3256CLN			
3528CLN			
3544CLN			

LOT/SERIAL NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1340-01-149-0918-H108		PRAC RPC, 298MM, M28, MLRS	
VGT85C041-014 ALL SN	SIU		ASG COND CODE J PENDING INVESTIGATION

LOT/SERIAL NUMBER LIMIT RESTRICTION FIX OR REASON

1425-01-078-9258-PJ01 GM SYS, INT-AER, M41A3, REDEYE
LOT GDP-33-030 MALFUNCTION INVOLVING
ALL SN BCU
ASG COND CODE J

```
LOT/SERIAL NUMBER  LIMIT  RESTRICTION    FIX   OR   REASON

1410-00-999-0857-PA45   GM, HEAT, MGM-51A, SHILLELAGH
  ALL LOTS                                 PERM SUSP
                                           NO FIX AUTH
                                           ASG COND CODE N

1410-00-930-4724-PA45   GM, HEAT, MGM-51B, SHILLELAGH
  ALL LOTS                                 PERM SUSP
                                           NO FIX AUTH
                                           ASG COND CODE N

1410-00-878-7219-PA45   GM, HEAT, MGM-51C, SHILLELAGH
  ALL LOTS                                 PERM SUSP
                                           NO FIX AUTH
                                           ASG COND CODE N

1410-00-150-8932-PA45   GM, HEAT, MGM-51C-1, SHILLELAGH
  ALL LOTS                                 PERM SUSP
                                           NO FIX AUTH
                                           ASG COND CODE N

1410-00-150-8940-PA46   GM, PRAC., MTM-51C, SHILLELAGH
  LOT AOY77K001G011   SIU                  TEMP SUSP
  ALL SERIAL NO.                           NO FIX AUTH
                                           ASG COND CODE J
```

LOT/SERIAL NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1427-00-987-9432			GM, SURF ATTK, SS-11, M22
5NAB-64	SIU		ASG COND CODE H
ALL SN			DEMIL INDICATED

LOT/SERIAL NUMBER	LIMIT RESTRICTION	FIX OR REASON
1370-01-190-2301-L592 BLAST SIMULATOR, TOW F/ TRNING SET M70		
LOTS PMT88E002-017 PMT88E002-018	SIU	LEAKING EXPLOSIVE CONTENTS ASG COND CODE J
1410-00-087-1521-PA66 TOW, STD RANGE, HE BGM-71A		
ALL LOTS AND SERIAL NUMBERS PRIOR TO HAQ 1145-6 (NOT INCLUSIVE)		MSL BATT MALF ASG COND CODE N
ALL LOTS AND SERIAL NUMBERS SUBSEQUENT TO HAQ 1145-6 (INCLUSIVE)	A01	LAUNCH MTR RUPTURE ASG COND CODE B
1410-00-087-1527-PB18 TOW, STD RANGE, TNG BTM-71A		
ALL LOTS AND SERIAL NUMBERS PRIOR TO HAQ 2145-5 (NOT INCLUSIVE)	SIU	MSL BATT MALF ASG COND CODE J
ALL LOTS AND SERIAL NUMBERS SUBSEQUENT TO HAQ 2145-5 (INCLUSIVE)	A01	LAUNCH MTR RUPTURE ASG COND CODE B
1410-01-007-2507-PB91 TOW, EXT RANGE, HE BGM-71A1		
ALL LOTS AND SERIAL NUMBERS PRIOR TO HAQ 1145-6 (NOT INCLUSIVE)		MSL BATT MALF ASG COND CODE N
ALL LOTS AND SERIAL NUMBERS SUBSEQUENT TO HAQ 1145-6 (INCLUSIVE)	A01	LAUNCH MTR RUPTURE ASG COND CODE B
LOT HAQ 1132-14	SIU	ASG COND CODE J
1410-01-106-8514-PB92 IMPROVED TOW, HE BGM-71C		
ALL LOTS AND SERIAL NUMBERS PRIOR TO HAQ 1145-4 LOT HAQ 1145-5 ONLY THE FOLLOWING 6 SN IN THIS LOT: 910486, 910498, 910528, 910545, 910791, 910938		MSL BATT MALF ASG COND CODE N
ALL LOTS AND SERIAL NUMBERS SUBSEQUENT TO HAQ 1145-6 (INCLUSIVE) LOT HAQ 1145-5 ALL SN EXCEPT FOR FOLLOWING 6 SN IN THIS LOT: 910486, 910498, 910528 910545, 910791, 910938	A01	LAUNCH MTR RUPTURE ASG COND CODE B

LOT/SERIAL NUMBER	LIMIT	RESTRICTION	FIX OR REASON
1410-01-135-2092-PB93 TOW 2, HE BGM-71D			
ALL LOTS EXCEPT LOTS HAQ 3160-8A HAQ 3160-8B		A01	LAUNCH MTR RUPTURE ASG COND CODE B
LOTS HAQ 3160-8A HAQ 3160-8B		A02	LIMITED SHELF LIFE ASG COND CODE C
LOT HAQ 3149-4			100% INSPECTION FOR DISENGAGED FORWARD QUICK RELEASE COUPLINGS AND INCORRECT DOT/DODIC MARKINGS ASG COND CODE E
1410-01-139-1512-PB94 TOW, STD RANGE, HE BGM-71A2			
ALL LOTS		A01	LAUNCH MTR RUPTURE ASG COND CODE B
1410-01-007-2508-PB95 TOW, EXT RANGE, TNG BTM-71A1			
ALL LOTS AND SERIAL NUMBERS PRIOR TO HAQ 2145-5 (NOT INCLUSIVE)	SIU		MSL BATT MALF ASG COND CODE J
ALL LOTS AND SERIAL NUMBERS SUBSEQUENT TO HAQ 2145-5 (INCLUSIVE)		A01	LAUNCH MTR RUPTURE ASG COND CODE B
1410-01-137-9976-PB96 TOW, STD RANGE, TNG BTM-71A2			
ALL LOTS		A01	LAUNCH MTR RUPTURE ASG COND CODE B
LOT HAQ 124-3B	SIU		ASG COND CODE J
1410-01-181-6032-PB97 TOW, EXT RANGE, HE BGM-71A3			
ALL LOTS		A01	LAUNCH MTR RUPTURE ASG COND CODE B
1410-01-180-6790-PB98 IMPROVED TOW, HE BGM-71C1			
ALL LOTS		A01	LAUNCH MTR RUPTURE ASG COND CODE B
1410-01-180-6791-PB99 TOW, EXT RANGE, TNG BTM-71A3			
ALL LOTS		A01	LAUNCH MTR RUPTURE ASG COND CODE
1410-01-229-9948-PD62 TOW 2A, HE BGM-71E			
ALL LOTS		A01	LAUNCH MTR RUPTURE ASG COND CODE B

```
LOT/SERIAL NUMBER  LIMIT  RESTRICTION    FIX   OR   REASON

1410-01-257-6493-PE03  TOW, STD RANGE, HE BGM-71A-2A
  ALL LOTS                      A02     LIMITED SHELF LIFE
                                        ASG COND CODE C

1410-01-257-7584-PE04  TOW, EXT RANGE, HE BGM-71A-3A
  ALL LOTS                      A02     LIMITED SHELF LIFE
                                        ASG COND CODE C

1410-01-257-7583-PE05  IMPROVED TOW, HE BGM-71C-1A
  ALL LOTS                      A02     LIMITED SHELF LIFE
                                        ASG COND CODE C

1410-01-257-6494-PE63  TOW, STD RANGE, TNG BTM-71A-2A
  ALL LOTS                      A02     LIMITED SHELF LIFE
                                        ASG COND CODE C

1410-01-257-7585-PE64  TOW, EXT RANGE, TNG BTM-71A-3A
  ALL LOTS                      A02     LIMITED SHELF LIFE
                                        ASG COND CODE C
```

APPENDIX A
AMCCOM AMMUNITION RESTRICTION DEFINITIONS

B01	RESTRICTED TO TRAINING USE ONLY.
B02	RESTRICTED TO INDOCTRINATION AND FAMILIARIZATION FIRING ONLY.
B03	RESTRICTED TO TRAINING USE ONLY. INDIVIDUAL WEAPON ZEROING REQUIRED TO OBTAIN FIRST ROUND TARGET HITS AT RANGES GREATER THAN 1500 YARDS.
B04	RESTR TO SVC USE IN BOLT ACTION RIFLES ONLY
B05	FIRING CREWS ARE REQUIRED TO STAY INSIDE THE TANK WITH THE HATCH COVERS CLOSED WHEN FIRING MAIN GUN OR WHEN EXPOSED TO ADJACENT TANKS FIRING DURING TRAINING. EXPOSED PERSONNEL ARE PROHIBITED WITHIN 110 METERS FROM THE FIRING TANK WHEN FIRING DURING TRAINING. FIRING OVER THE HEADS OF UNPROTECTED TROOPS DURING TRAINING IS ALSO PROHIBITED.
B06	RESTRICTED TO TRAINING OR RIFLE ACCEPTANCE USE ONLY.
B07	RESTRICTED TO CONUS TNG USE IN THE DRAGON LAUNCH EFFECTS TRAINER (LET).
B08	RESTRICTED TO TRAINING AND DEMIL USE ONLY.
B09	RESTR TO SIT WHERE DEADLY FORCE IS AUTH OR TNG AGAINST SIM TGT
B10	RESTRICTED TO RIFLE USE ONLY.
B11	RESTRICTED TO CLASSROOM INSTRUCTION ONLY.
B12	RESTRICTED TO TRAINING USE ONLY WITH 25 1/2 OR LESS INCREMENTS.
B13	RESTRICTED TO USE IN TRIP WIRE SETUP ONLY.
B14	RESTRICTED TO MATCH TRAINING USE ONLY.
B15	RESTRICTED TO STORAGE AND FLIGHT COMPARTMENT TEMPERATURE ABOVE MINUS 5 F.
B16	RESTRICTED TO FLEET TRAINING ONLY.
B17	RESTRICTED TO CONUS TRAINING.
B18	RESTRICTED FROM USE ON HIGH PERFORMANCE AIRCRAFT.
B19	RESTRICTED TO THE M75 LAUNCHER.
B20	RESTRICTED TO USE ONLY IN M60 AND M240 MG.
B21	RESTRICTED TO M39 MG WHEN DOWNLOADED, RECYCLED OR RELINKED.
B22	RESTR FROM USE IN OVERHEAD FIRE.
B24	FOR TRAINING AGAINST HARD TARGETS.
B25	RESTRICTED TO USE WHERE BURNING STAR WILL LAND ONLY ON A NONIGNITABLE SURFACE.
B26	RESTRICTED FROM USE IN THE M134 MG
B27	NOT TO BE TRANS IN CLOSED MTR VEH WHERE DISCH WOULD IMPEDE OP, AIR TRANS AUTH ONLY WHEN PKGD.
B28	RESTR TO WPN TESTING BY AIR FORCE.
B29	RESTR TO USE WITH "BATS"
B30	RESTRICTED FROM ISSUE TO AIRCRAFT CARRIER (CV) AND AIRCRAFT CARRIER ESCORT (CVA).
C02	RESTR TO GRD/HELICOPTER APPL ONLY.
C03	RESTR TO SUBSTITUTE F/CTG CAL .22 BALL RIFLE (1305-A086).
C04	SUITABLE FOR FIRING IN M79 LAUNCHER WITH NO SPECIAL PRECAUTIONS. MAY BE FIRED IN M203 LAUNCHER PROVIDED THAT FIRING IS CONDUCTED AT TEMP OF 60 DEGREES F OR ABOVE, AND APPROVED EYE PROTECTION, LEATHER GLOVES AND LONG SLEEVES ARE WORN BY GUNNERS.
C05	RESTR TO TEST USE SPT/DIF 84-18
C06	RESTR FROM USE BY SKYDIVERS
C07	RESTRICTED TO TNG USE ONLY AS SUB FOR BALL SERVICE RD.
C08	RESTR TO DUAL-PRIMING ONLY
C09	RESTR TO IGNITION BY SCRATCHER
C10	REST TO TRG ONLY WHICH DOES NOT INVOLVE OPPOSING FORCES
C11	RESTRICTED TO USE IN VULCAN AIR DEFENSE SYS IN GRND TO AIR OR GRND TO GRND APPLICATION.
C12	RESTRICTED FROM USE UNDER NUC, BIO AND CHEM (NBC) COND'S. BLOCK
C13	RESTRICTED TO COMBAT USE ONLY
C14	RESTRICTED TO TRAINING OR TESTING PURPOSES ONLY
C15	RESTRICTED TO USE IN M129 LAUNCHER ONLY
C16	RESTRICTED TO ACCURACY

	TEST ONLY
C17	RESTRICTED FROM FIRING AT CHG 0 AND ABOVE QUADRANT ELEV OF 1070 MILS F/CHG 1 THRU 4.
C18	RESTRICTED TO PROX MODE ONLY.
F01	RESTRICTED TO USE IN ILLUM CARTRIDGE/PROJECTILE ONLY.
F02	RESTRICTED TO SUPERQUICK (SQ) FUZE SETTING ONLY.
F03	RESTRICTED TO USE IN TIME PHASE ONLY.
F04	RESTRICTED FROM USE WITH IMPROVED CONVENTIONAL MUNITIONS (ICM).
F05	RESTRICTED FROM OVERHEAD FIRE WITH IMPROVED CONVENTIONAL MUNITIONS (ICM).
F06	RESTR TO USE IN SMOKE/ILLUM RDS
F07	RESTRICTED TO USE ON 105MM HE AND WP ROUNDS
F09	RESTRICTED FROM USE W/FUZE SETTING UNDER 1000 FEET.
F10	RESTR TO USE ON 105MM WP AMMO
F11	RESTRICTED TO USE WITH PD FUZE ONLY.
R01	RESTRICTED FROM FIRING IN ZONE SEVEN (7).
R02	RESTRICTED FROM FIRING AT CHARGE 0.
R03	RESTRICTED FROM FIRING IN ZONES 3 AND 4.
R04	RESTRICTED FROM USE IN 105MM HOW IN CHARGES 1 THROUGH 3.
R05	RESTRICTED FROM FIRING AT PERSONNEL AT DISTANCES LESS THAN 200 FEET.
R06	RESTRICTED TO USE IN ZONE 7 ONLY.
R07	RESTRICTED TO FIRING AT ZONE 4 AND ABOVE
R08	RESTRICTED FROM FIRING AT QUADRANT ELEVATIONS BELOW 355 MILS AFTER CORRECTION FOR METEOROLOGICAL MSG.
R09	PERSONNEL SHOULD NOT BE WITHIN 50 FEET WHEN LAUNCHER IS FIRED.
R10	RESTRICTED FROM CHARGE 1 FIRING W/155MM HOW.
R11	RESTR TO USE W/FUZE SET FOR "MUZZLE PRIMING ONLY"
R12	RESTRICTED FROM FIRING IN METAL DRUM. REMOVE AND FIRE IN FIBER DRUM ONLY.
R13	RESTRICTED TO FIRING IN ZONES 1 THROUGH 7 ONLY.
R14	RESTRICTED TO LOW ANGLE FIRE ONLY.
R15	RESTRICTED TO PD MODE ONLY
R16	RESTRICTED FROM FIRING AT QUADRANT ELEV ABOVE 1070 MILS FOR CHARGE 1 THRU 4.
R17	RESTRICTED TO USE IN ZONE 9 ONLY.
R18	RESTRICTED FROM FIRING OVER HEADS OF TROOPS IN ANY CIRCUMSTANCE INCLUDING PROTECTED TROOPS IN ARMOR VEHICLES.
R19	RESTRICTED TO TRAINING USE ONLY EXPECT HIGH DUD RATE
R20	RESTRICTED TO ARMY TNG USE ONLY.
R21	RESTRICTED FROM USE IN GUNNER OR CREW QUALIFICATION TESTING.
R22	RESTRICTED TO FIRING IN TWO INCREMENT PHASE ONLY.
R23	RESTRICTED TO FIRING AT INCREMENT 2 OR ABOVE
R24	RESTRICTED TO TRAINING USE WHERE ALL PROVISIONS OF MESSAGE AMCCOM AMSMC-MA 302033Z OCT 87, SUBJ: SAFETY-OF-USE MESSAGE, OPERATIONAL USE OF M115A2 SIMULATOR PROJ GROUND BURST CAN BE FULLY COMPLIED WITH
S01	RESTR FROM FIRING W/M728 DEEP CAVITY PROX FUZE DUE TO STUCK SUPPL CHARGE
S02	RESTRICTED FROM ISSUE AND USE IN OVERHEAD FIRE.
S03	RESTRICTED TO GUN FUNCTIONING USE ONLY.
S04	RESTRICTED TO REMOTE FIRING.
S05	RESTRICTED TO TEST USE ONLY WHERE GRENADE RELIABILITY DOES NOT AFFECT THE TEST RESULTS.
S06	RESTR TO ISSUE AND USE IN WPN TESTING AUTH BY HQ AMCCOM.
S07	RESTRICTED FROM USE IN SALUTING

	INDIVIDUALS.
S09	RESTRICTED FROM ISSUE AND USE WITH THE M19 IGNITER BUT MAY BE USED WITH S72 COMMERCIAL SQUIB.
S10	RESTRICTED FROM USE IN XM28 SUB-SYSTEM SYSTEM EXCEPT FOR CONUS TRAINING USE, DUE TO UTILIZATION OF ONE-PIECE M16 LINKS.
S11	RESTRICTED FROM USE WITH PROXIMITY FUZE.
S12	RESTRICTED TO FIRING WITH M2 FLASH REDUCER.
S13	RESTRICTED TO USE IN OFF ROUTE MINE PROGRAM.
S14	RESTR FROM FIRING AT ZONE 7 AND RESTR TO FIRING AT TEMPERATURES RANGING FROM +40F TO +145F.
S15	RESTRICTED FROM HAND LAUNCH MODE
S16	RESTRICTED TO USE IN SPECIAL TESTING
S18	RESTRICTED TO FIRING IN THE SINGLE SHOT MODE.
S19	RESTRICTED TO GROUND FIRING USE ONLY.
S20	ALL LOTS MANUFACTURED PRIOR TO 1950 EXCEPT HE-T ASSEMBLED WITH M3A1 TRACERS, AND ALL LOTS RENOVATED OR GRAND LOTTED EARLY 1950'S BY THE NAVY AND INDENTIFIED BY PREFIX UBR, UBGL, UDR, UDGL, UGR, UGGL, UER, OR UEGL ARE RESTRICTED TO GROUND FIRE USE ONLY.
S21	LOTS MANUFACTURED PRIOR TO 1960 CONTAINING M17 PROPELLANT ARE RESTRICTED FROM FIRING AT TEMPERATURES BELOW +32 F.
S22	RESTRICTED TO PROVING GROUND USE ONLY.
S24	RESTRICTED TO USE IN M129 GRENADE LAUNCHER OR MK19 MG IN GROUND MOUNT ONLY
S25	RESTRICTED TO USE IN ENGINEERING TESTS ONLY.
S26	RESTR TO M16A2 LINK ACCEPTANCE TEST OR ENGINEERING TEST
S27	RESTRICTED TO PROVING GROUND/ OTHER CONTROLLED TESTING ONLY.
S28	RESTRICTED TO MARINE CORPS ONLY.
T01	RESTRICTED FROM FIRING AT TEMPERATURES BELOW +32 F.
T02	RESTRICTED FROM FIRING AT TEMPERATURES BELOW +40 F. DURING TRAINING. RESTRICTION DOES NOT APPLY TO LOTS WHICH HAVE BEEN INSPECTED 100 PERCENT FOR MALFORMED PRIMERS. LOT IOP-1 AND ALL LOTS OF SUBSEQUENT MANUFACTURE ARE NOT RESTRICTED.
T03	RESTRICTED FROM FIRING AT TEMPERATURES BELOW 0 F.
T04	RESTRICTED FROM FIRING AT TEMPERATURES BELOW +40 F.
T05	RESTRICTED FROM FIRING AT TEMPERATURES ABOVE +110 F.
T06	RESTR TO GUN WARMER TEST AT TEST FACILITIES
T08	RESTRICTED TO FIRING ALTITUDE OF 10,000 FEET OR LESS.
T09	RESTRICTED TO FIRING TEMPERATURE LIMITS OF +60 F. TO +145 F.
T10	RESTRICTED FROM FIRING AT TEMPERATURES ABOVE +125 F.
T11	RESTRICTED FROM FIRING AT TEMPERATURES ABOVE +135 F.
T12	RESTRICTED FROM USE WITH M19 BLANK FIRING ATTACHMENT
T13	RESTRICTED TO TRAINING, DEMIL AND OPERATION WHERE TAPE IS NOT REQUIRED.
W01	RESTRICTED FROM SIDEWELL FUZING.
W02	RESTRICTED TO USE IN M61A1 WEAPON SYSTEM ONLY
W03	RESTRICTED TO USE IN M249 MG ONLY
W04	RESTRICTED TO USE IN M16A2 RIFLE ONLY
W05	RESTRICTED TO USE IN M60 MACHINE GUNS ONLY.
W06	RESTRICTED TO USE IN M168 WEAPON SYSTEM ONLY
W07	RESTRICTED TO FIRING FROM WEAPONS WITH VENT ASSEMBLY FROM WHICH AT LEAST 250 RDS HAVE BEEN FIRED.
W09	RESTR TO USE IN M14 RIFLE, M60 MG AND M240 MG
W10	RESTRICTED TO USE IN MG ONLY.
W12	RESTRICTED FROM USE IN M73/M219 MG.

W13	RESTRICTED TO WEAPON TEST ONLY.
W14	RESTRICTED FROM USE IN MINI-GUN SYSTEMS
W15	RESTRICTED TO USE IN M134 MINIGUN ONLY.
W16	RESTRICTED TO TRAINING USE ONLY IN M62 AND M240 MG
W17	RESTRICTED TO USE IN THE M3A1 MACHINE GUN ONLY.
W18	RESTRICTED FROM USE IN THE MK19 MOD 3 MACHINE GUN.
W19	RESTRICTED TO USE IN THE M39 GUN SYSTEM ONLY.
W20	RESTR FROM USE IN THE M39 WPN SYSTEM.
W21	RESTRICTED TO USE IN THE M60 MACHINE GUN AND THE M14 RIFLE.
W22	RESTRICTED TO USE IN M2 AND M3 MACHINE GUN.
W23	RESTRICTED TO USE IN THE M2 MG.
W25	RESTRICTED FOR CONVERSION TO M190 SUB CAL PRACTICE LAUNCHER.
W26	RESTR FROM USE IN THE M61A1 WPN SYSTEM IN ACFT APPL.
W27	RESTRICTED TO USAF USE ONLY IN 105MM HOW M137 MOUNTED IN C130 GUN SHIP.
W28	RESTR TO USE IN THE M79 LAUNCHER ONLY AT TEMP ABOVE 60 DEGREES F
W29	RESTRICTED TO USE IN USA AMCCOM CONTROLLED TEST PROGRAM ONLY.
W30	RESTRICTED TO LOW ANGLE FIRE ONLY AND TO FIRING IN ZONES 1 THROUGH 7 ONLY.
W32	RESTRICTED FROM USE WITH NEW PRODUCTION OF CTG 105-MM HEAT-T M456A1/M456A2 AND M622.
W34	RESTRICTED FROM FIRING IN ZONE 1 AND 2 FOR 8 IN, 155MM AND 105MM HOWITZERS AND RESTRICTED FROM USE IN 4.2" MORTAR AT ANY CHARGE.
W35	AGENT LOT CC-B: CASUALTY RATIO WILL BE LESS THAN 85% BUT WILL BE EQUAL TO OR GREATER THAN 70% OF NORMAL EXPECTATION.
W36	AGENT LOT CC-C: CASUALTY RATIO WILL BE LESS THAN 70% BUT WILL BE EQUAL TO OR GREATER THAN 50% OF NORMAL EXPECTATION.
W37	(APPLIES ONLY TO THE M524A5 FUZE)
W38	RESTRICTED FROM USE WITH ANTI-TANK MINES
W39	RESTRICTED FROM ELECTRICAL INITIATION WITHIN 50 FEET OF PERSONNEL
W40	RESTRICTED FROM FIRING FOR MUZZLE ACTION.

APPENDIX B

SHELF/SERVICE LIFE DATA FOR ARMY CLASS V MATERIEL

NSN/DODIC	NOMENCLATURE	SHELF LIFE (YRS)	SERVICE LIFE (MOS)
1377-00-409-1100	SMDC, VENDOR P/N TMCS 813475-25, BHC P/N 209-030-711-25	- ON CONDITION (OC) *	
1377-00-410-8222	SMDC, VENDOR P/N TMCS 813475-21, BHC P/N 209-030-711-21	- ON CONDITION (OC) *	
1377-00-410-8265	FIRING MECHANISM, VENDOR P/N TMCS-813633-4, BHC P/N 209-030-711-37	9	72
1377-00-410-8266	SMDC, VENDOR P/N TMCS 813475-15, BHC P/N 209-030-711-15	- ON CONDITION (OC) *	
1377-00-410-8289	SMDC, VENDER P/N TMCS 813475-17, BHC P/N 209-030-711-17	- ON CONDITION (OC) *	
1377-01-032-1047	LINEAR SHAPED CHARGE, VENDOR P/N TMCS-816986-1, SOS-115362-1, BHC P/N 209-033-009-1	- ON CONDITION (OC) *	
1377-01-032-1048	LINEAR SHAPED CHG, VENDOR P/N TMCS-816986-3 SOS-115362-3, BHC P/N 209-033-009-3	- ON CONDITION (OC) *	
1377-01-032-1049	WCA GUNNER WINDOW, VENDOR P/N TMCS-816987-103 SOS 115406-9, BHC P/N 209-033-010-103	- ON CONDITION (OC) *	
1377-01-032-1050	WCA PILOT WINDOW, VENDOR P/N TMCS-816987-105, SOS-115405-7, BHC P/N 209-033-010-105	- ON CONDITION (OC) *	
1377-01-032-3279	SMDC, VENDOR,P/N TMCS-813475-123, SOS 116415-23 BHC P/N 209-033-011-123	- ON CONDITION (OC) *	
1377-01-032-3280	SMDC, VENDOR P/N TMCS-813475-125, SOS 116415-25 BHC, P/N 209-033-011-125	- ON CONDITION (OC) *	
1377-01-032-3283	SMDC VENDOR P/N TMCS-813475-121, SOS 116415-21, BHC, P/N 209-033-011-121	- ON CONDITION (OC) *	
1377-01-032-3286	SMDC, VENDOR P/N TMCS-	- ON CONDITION (OC) *	

	813475-119, SOS 116415-19, BHC, P/N 209-033-011-119		
1377-01-033-5088	ARM FIRE INITIATOR, P/N TMCS-814033-101, SOS-116416-1 BHC, P/N 209-033-008-101	9	84
1377-01-035-4124	SMDC, P/N TMCS-813475-105 SOS 116415-5, BHC P/N 209-033-011-105	- ON CONDITION (OC) *	
1377-01-037-4090	SMDC, P/N TMCS-813475-109 SOS-116415-9, BHC P/N 209-033-011-109	- ON CONDITION (OC) *	
1377-01-037-4093	SMDC, P/N TMCS-813475-117 SOS-116415-17, BHC P/N 209-033-011-117	- ON CONDITION (OC) *	
1377-01-037-4094	SMDC, P/N TMCS-813475-115 SOS-116415-15, BHC P/N 209-033-011-115	- ON CONDITION (OC) *	
1377-01-037-4095	SMDC, P/N TMCS-813475-113 SOS 116415-13, BHC P/N 209-033-011-113	- ON CONDITION (OC) *	
1377-01-037-4096	SMDC, P/N TMCS-813475-111 SOS 116415-11, BHC P/N 209-033-011-111	- ON CONDITION (OC) *	
1377-01-037-9237	SMDC, P/N TMCS-813475-107 SOS 116415-7, BHC P/N 209-033-011-107	- ON CONDITION (OC) *	
1377-01-062-4196	THRUSTER, P/N TMCS-820810-1 SOS 115138-3, BHC P/N 209-033-007-3	- ON CONDITION (OC) *	
1377-01-064-4927	CUTTER ASSY P/N-FTL-3648-2	8	36
1377-01-073-3831	REFIRE KIT, P/D 42277E182, K303104-1 (FOR USE WITH 1377-01-087-5166)	6	36
1377-01-087-5166	CUTTER, CTG ACTIVATED, P/N 42277E336, 303104-1	6	36
1377-01-100-1718	SMDC, P/N TMCS-813475-127 SOS 116415-27, BHC P/N 209-033-011-127	- ON CONDITION (OC) *	
1377-01-113-8530	CTG, AIRCRAFT FIRE EXTINGUISHER P/N 130350266, 30903824-1	6	48
1377-01-115-3711	CTG, PRESSURE CARGO HOOK P/N 14398-1	5	36
1377-01-149-5917	CTG ASSY, CARGO HOOK, P/N 7590-65	5	36
6135-00-134-1337	BATTERY, DRY, 7.3 VOLTS, BA 1579/U	3	12
1377-01-234-0667-3W84	ARM FIRE INITIATOR JAU-54/A P/N 821798-1 (AH-1 COBRA) (WILL REPLACE 1377-01-033-5088)	8	72
1370-00-000-0000-L116	SIGNAL KIT, PERSONNEL DISTRESS - RED, XM185	INDEFINITE	24
1370-00-319-7579-L117	SIGNAL KIT, PERSONNEL DISTRESS - GREEN, RED AND	INDEFINITE	24

	WHITE, XM186		
1370-00-926-9387-L117	SIGNAL KIT, PERSONNEL DISTRESS - GREEN, RED AND WHITE, XM186	INDEFINITE	24
1370-00-866-9788-L118	SIGNAL KIT, PERSONNEL DISTRESS - RED	INDEFINITE	24
1370-00-490-7362-L119	SIGNAL KIT, PERSONNEL DISTRESS FOLIAGE PENETRATING, RED: M260	INDEFINITE	INDEFINITE
1377-00-793-9926-M012	CTG, IMPULSE, MK19 MOD 0	8	24
1377-00-632-8714-M161	CT, IMP, MK23 MOD 0 P/N TA97155	8	12
1377-00-364-4680-M162 *	CTG, IMPULSE, P/N TA96713, NAVAIR DWG 2518426	17	18
1377-00-999-7463-M162 *	CTG, IMPULSE P/N TA96713, NAVAIR DWG 2518426	17	18
1377-00-756-1384-M182	CTG, AIRCRAFT FIRE EXTINGUISHER, 2518519, P/N 841155, P/N 895188	12	30
1377-01-057-0685-M187	CTG, IMPULSE P/N ARD 446-1	13	15
1377-00-585-9291-M189	CTG, IMPULSE, P/N P7911-2 ARD-863-1	10	15
1377-01-057-0686-M189	CTG, IMPULSE,P/N P7911-2 ARD-863-1	10	15
1377-00-930-9390-M193	CTG, FIRE EXTINGUISHER, P/N HTL-13083-5, DWG NAVAIR 2519614	8.5	42
1377-00-824-5858-M232	CTG, FIRE EXTINGUISHER, VENDOR, P/N WK-894846, DWG NAVAIR 2519707	9	30
1377-00-878-6510-M253	CTG, IMPULSE, P/N R4181-1	10	66
1377-00-707-0590-M291	CTG, IMPULSE, MK104 MOD 0	5	30
1377-00-000-0000-M308	CTG, DELAY, M252, DWG 8886478	12	24
1377-00-958-1048-M308	CTG, DELAY, M252, P/N 100996-1 AND -3 P/N 503123-2A, 11-1-329	12	24
1377-00-845-5242-M397	CTG, SET REDUCED PRIMARY CHARGE	11.5	42
1377-00-011-9082-M405	PARTS KIT, CUTTER, P/N 287C01-10	9	24
1377-00-244-1578-M447	ROCKET MOTOR, M119	6.5	78 (3)
1377-00-060-0885-M500 *	CUTTER, REEFING LINE M21	21 (2)	72
1377-00-508-2464-M500 *	CUTTER REEFING LINE M21	21 (2)	72
1377-00-883-8997-M507	CTG, IMPULSE, DROGUE, 2520002, P/N 7536-1	14	60
1377-00-987-3603-M514	CTG, IMPULSE MK44 MOD 0 P/N 2240772	5	30
1377-00-883-8998-M520 *	CTG, IMPULSE GUILLOTINE, DWG 2519698 P/N 16650-1	18	72
1377-00-412-4377-M554	CUTTER, CTG ACTUATED,	8	72

	P/N 14195-1		
1377-00-168-5802-M657	CTG, IMPULSE P/N 300051-1	8	60
1377-00-978-7644-MD01	CUTTER, CTG ACTUATED P/N 100996-1, -3	9	24
1377-00-410-8271-MD15	CORD, DETONATING, FCDC P/N 209-030-711-11 DWG 857AS500-2	9	36
1377-00-409-1099-MD16	FCDC, VENDOR P/N TMCS-813592-5, BHC P/N 209-030-711-13, DWG 857AS500-1	9	72
1377-00-410-8297-MD17	SMDC, VENDOR P/N TMCS 813475-19, BHC P/N 209-030-711-19	- ON CONDITION (OC) *	
1377-00-409-1098-MD18	SMDC VENDOR P/N TMCS 813475-27, BHC P/N 209-030-711-27	- ON CONDITION (OC) *	
1377-00-409-1096-MD33	CUTTING ASSY, PILOT WINDOW P/N TMCS 814280-15, BHC P/N 209-030-711-105, DWG 857AS300-15	- ON CONDITION (OC) *	
1377-00-409-1095-MD34	CUTTING ASSY, GUNNER WINDOW P/N TMCS 814280-09, BHC P/N 209-030-711-99, DWG 857AS300-3	- ON CONDITION (OC) *	
1377-00-106-7773-MD35	CUTTING ASSY, GUNNER DOOR P/N TMCS 814280-102, BHC P/N 209-030-711-31, DWG 857AS300-2	- ON CONDITION (OC) *	
1377-00-409-1097-MD36	CUTTING ASSY, PILOT DOOR P/N TMC 814280-13, BHC P/N 209-030-711-103, DWG 857AS300-13	- ON CONDITION (OC) *	
1377-01-063-3166-MD65	CTG, IMPULSE CCU-45/B	5	12
1377-01-063-3164-MD66	CTG, IMPULSE CCU-44/B	6	24
1377-01-049-6365-MD73	CTG, IMPULSE M796, P/N 9311660	9	12
1377-01-078-6433-MF24	THRUSTER, TCU-1/B, P/N 5184910	8	36
1377-01-082-4175-MF29	CTG, IMPULSE, CCU-63/B (REPLACES MK131, MOD 0 IMPULSE CTG) (1377-M197)	5	12
1377-01-178-6691-MH88	CTG, IMPULSE CCU-89/B REPLACES 1377-M308	12	24
1377-01-185-2622-MH92 *	FIRE EXTINGUISHER CTG CCU-90/A, VENDOR P/N (HTL) 30903824-1 DWG1512AS105 (WILL REPLACE 1377-01-113-8530)	7	48
1377-01-211-7212-MJ20	THRUSTER, TCU-3/A, VENDOR P/N (AEROQUIP) FE7590-98	5	36
1377-01-211-7211-MJ21	CARGO HOOK CARTRIDGE CCU-92/A, VENDOR P/N (SDI) 103377-3	5	36

1377-01-170-5244-MS80	SMDC, VENDOR, P/N 51134-47, HH P/N 7-311112017-17 (AH-64 APACHE)	- ON CONDITION (OC) *	
1377-01-170-5245-MS81	SMDC, VENDOR, P/N 51134-53, HH P/N 7-311112017-15 (AH-64 APACHE)	- ON CONDITION (OC) *	
1377-01-170-5246-MS82	SMDC, VENDOR, P/N 51134-51, HH P/N 7-311112017-13 (AH-64 APACHE)	- ON CONDITION (OC) *	
1377-10-170-5261-MS83	SMDC, VENDOR P/N 51134-45, HH P/N 7-311112017-27 (AH-64 APPACHE)	- ON CONDITION (OC) *	
1377-01-170-5262-MS84	SMDC, VENDOR P/N 511134-57, HH P/N 7-311112017-25 (AH-64 APACHE)	- ON CONDITION (OC) *	
1377-01-170-5263-MS85	SMDC, VENDOR P/N 51134-55, HH P/N 7-311112017-23 (AH-64 APACHE)	- ON CONDITION (OC) *	
1377-01-170-5264-MS86	SMDC, VENDOR P/N 51134-23, HH P/N 7-311112017-21 (AH-64 APACHE)	- ON CONDITION (OC) *	
1377-01-170-5265-MS87	SMDC, VENDOR, P/N 51134-49, HH P/N 7-311112017-19, (AH-64 APACHE)	- ON CONDITION (OC) *	
1377-01-186-9898-MS88	SMDC, VENDOR P/N 51134-35, HH P/N 7-311112017-29 (AH-64 APACHE)	- ON CONDITION (OC) *	
1377-01-170-5260-MS89	FCDC, VENDOR P/N 51135-5, HH P/N 7-311112017-43 (AH-64 APACHE)	12	60
1377-01-186-9899-MS90 *	FCDC, VENDOR P/N 51135-1, HH P/N 7-311112017-31 (AH-64 APACHE)	12	30
1377-01-186-9900-MS91	FCDC, VENDOR P/N 51135-2, HH P/N 7-311112017-33 (AH-64 APACHE)	12	60
1377-01-186-9901-MS92	FCDC, VENDOR P/N 51135-7, HH P/N 7-311112017-35 (AH-64 APACHE)	12	60
1377-01-186-9902-MS93 *	FCDC, VENDOR P/N 51135-4, HH P/N 7-311112017-37 (AH-64 APACHE)	12	30
1377-01-184-6112-MS94	WCA, GUNNER WINDOW, VENDOR, 51388-1, HH P/N 7-311112017-5 (AH-64 APACHE)	12	60
1377-01-184-6113-MS95	WCA, PILOT WINDOW,VENDOR, P/N 51390-1 HH P/N 7-311112017-7 (AH-64 APACHE)	12	60
1377-01-185-8908-MS96	WCA, PILOT DOOR, VENDOR P/N 51391-1, HH P/N 7-211112017-11 (AH-64 APACHE)	12	60

1377-01-187-4477-MS97	WCA, GUNNER DOOR, VENDOR, P/N 51389-1, HH P/N 7-311112017-9 (AH-64 APACHE)	12	60
1377-01-269-6496-MT06	INITIATOR, MECH ACT JAU-59/A, P/N 51207-3, HH P/N 7-311112017-39 (AH-64 APACHE)	12	60
1377-01-263-3627-MT20	CTG, FIRE EXT P/N 897899 (UH-60 BLACKHAWK)	8	30 (1)

* ON CONDITION (OC): NO SHELF/SERVICE LIFE. REPLACE ITEM WHEN WORN OR DEFECTIVE.

(1) SERVICE LIFE TEMPORARILY EXTENDED TO 36 MONTHS. THIS EXTENSION EXPIRES 31 JULY 89. SHELF LIFE REMAINS AT 8 YEARS.
(2) SHELF LIFE OF ALL OPI PREFIXED LOTS IS TEMPORARILY EXTENDED ONE YEAR TO 22 YEARS.
(3) SERVICE LIFE OF LOT UPC82J001-003 IS EXTENDED 60 DAYS. NEW EXPIRATION DATE IS 30 MAY 89.

APPENDIX C
AMMUNITION CLEARED FOR OVERHEAD FIRE

C443 1315	KN-816-85
C443 1315	LS-103-01
C443 1315	LS-60-20
C444 1315	LS-29-103
C444 1315	LS-29-107
C444 1315	LS-29-108
C444 1315	LS-29-99
C444 1315	LS-30-4
C444 1315	LS-44-18
C444 1315	LS-44-20
C444 1315	LS-44-29
C444 1315	LS-44-31
C444 1315	LS-54-13
C444 1315	LS-54-2
C444 1315	LS-54-30
C444 1315	LS-54-48
C444 1315	LS-54-8
C444 1315	LS-57-13
C444 1315	LS-57-20
C444 1315	LS-57-21
C444 1315	LS-57-33
C444 1315	LS-57-34
C445 1315	JA-16-20B
C445 1315	JA-19-18XA
C445 1315	JA-19-29C
C445 1315	JA-21-2P
C445 1315	JA-5-6
C445 1315	JA-67-155
C445 1315	JA-67-166
C445 1315	JA-67-170
C445 1315	JA-67-171
C445 1315	JA-67-176
C445 1315	JA-67-177
C445 1315	JA-67-178
C445 1315	JA-69-10
C445 1315	JA-69-11
C445 1315	JA-69-16
C445 1315	JA-69-17
C445 1315	JA-69-18
C445 1315	JA-69-19
C445 1315	JA-69-2
C445 1315	JA-69-20
C445 1315	JA-69-21
C445 1315	JA-69-22
C445 1315	JA-69-23
C445 1315	JA-69-24
C445 1315	JA-69-25
C445 1315	JA-69-26
C445 1315	JA-69-27
C445 1315	JA-69-32
C445 1315	JA-69-33
C445 1315	JA-69-34
C445 1315	JA-69-35
C445 1315	JA-69-36
C445 1315	JA-69-39
C445 1315	JA-69-7
C445 1315	JA-69-8
C445 1315	JA-69-9
C445 1315	JA-74-11B
C445 1315	JA-75-13
C445 1315	JA-75-2
C445 1315	JA-77-115B
C445 1315	JA-77-121
C445 1315	JA-77-149
C445 1315	JA-77-150
C445 1315	JA-77-194
C445 1315	JA-77-213
C445 1315	JA-77-214
C445 1315	JA-77-261
C445 1315	JA-77-262
C445 1315	JA-77-263
C445 1315	JA-77-375
C445 1315	JA-77-393
C445 1315	JA-77-3A
C445 1315	JA-77-409
C445 1315	JA-77-430
C445 1315	JA-77-431
C445 1315	JA-77-466
C445 1315	JA-77-467
C445 1315	JA-77-469
C445 1315	JA-77-470
C445 1315	JA-77-477
C445 1315	JA-77-478
C445 1315	JA-77-48
C445 1315	JA-77-485
C445 1315	JA-77-489B
C445 1315	JA-77-490
C445 1315	JA-77-495
C445 1315	JA-77-4A
C445 1315	JA-77-500
C445 1315	JA-77-501
C445 1315	JA-77-503
C445 1315	JA-77-504
C445 1315	JA-77-510
C445 1315	JA-77-511
C445 1315	JA-77-512
C445 1315	JA-77-513
C445 1315	JA-77-518
C445 1315	JA-77-519

C445 1315	JA-77-520	C445 1315	KN-75-5C
C445 1315	JA-77-521	C445 1315	KN-77E001-009
C445 1315	JA-77-532	C445 1315	KN-77E002-001
C445 1315	JA-77-533	C445 1315	KN-77E002-002A
C445 1315	JA-77-534	C445 1315	KN-77G001-011
C445 1315	JA-77-535	C445 1315	KN-77H001-014
C445 1315	JA-77-536	C445 1315	KN-77K822-001
C445 1315	JA-77-537	C445 1315	KN-78-2H
C445 1315	JA-77-539	C445 1315	KN-78A822-005
C445 1315	JA-77-540	C445 1315	KN-78A822-006
C445 1315	JA-77-542	C445 1315	KN-78B822-007
C445 1315	JA-77-543	C445 1315	KN-78D822-010
C445 1315	JA-77-544	C445 1315	KN-79-2A
C445 1315	JA-77-546	C445 1315	KN-801-6
C445 1315	JA-77-547	C445 1315	KN-803-15
C445 1315	JA-77-549	C445 1315	KN-803-15A
C445 1315	JA-77-550	C445 1315	KN-803-16
C445 1315	JA-77-551	C445 1315	KN-804-23A
C445 1315	JA-77-552	C445 1315	KN-805-26
C445 1315	JA-77-553	C445 1315	KN-805-30
C445 1315	JA-77-554	C445 1315	KN-808-44
C445 1315	JA-77-555	C445 1315	KN-808-62
C445 1315	JA-77-76	C445 1315	KN-808-63
C445 1315	JA-77-77	C445 1315	KN-808-65
C445 1315	JA-77-81	C445 1315	KN-809-40
C445 1315	KN-1-106B	C445 1315	KN-809-42
C445 1315	KN-1-106C	C445 1315	KN-810-72
C445 1315	KN-1-106F	C445 1315	KN-810-72A
C445 1315	KN-1-106G	C445 1315	KN-811-62
C445 1315	KN-1-11	C445 1315	KN-814-113
C445 1315	KN-1-12	C445 1315	KN-814-116
C445 1315	KN-1-36	C445 1315	KN-814-117
C445 1315	KN-1-39F	C445 1315	KN-814-118
C445 1315	KN-1-45	C445 1315	KN-814-12
C445 1315	KN-1-62	C445 1315	KN-814-124
C445 1315	KN-1-65	C445 1315	KN-814-126
C445 1315	KN-1-96F	C445 1315	KN-814-128
C445 1315	KN-1-99	C445 1315	KN-814-132
C445 1315	KN-19-63C	C445 1315	KN-814-15
C445 1315	KN-33-75A	C445 1315	KN-814-151
C445 1315	KN-33-75B	C445 1315	KN-814-15A
C445 1315	KN-33-75C	C445 1315	KN-814-162
C445 1315	KN-33-75D	C445 1315	KN-814-167
C445 1315	KN-33-75F	C445 1315	KN-814-21
C445 1315	KN-38-21	C445 1315	KN-814-24
C445 1315	KN-43-32XG	C445 1315	KN-814-25
C445 1315	KN-46-3A	C445 1315	KN-814-28
C445 1315	KN-46-3X	C445 1315	KN-814-30
C445 1315	KN-46-7A	C445 1315	KN-814-31
C445 1315	KN-46-7X	C445 1315	KN-814-4

C445 1315	KN-814-70A
C445 1315	KN-814-88
C445 1315	KN-814-88A
C445 1315	KN-815-30
C445 1315	KN-815-30A
C445 1315	KN-815-56
C445 1315	KN-815-57
C445 1315	KN-815-60A
C445 1315	KN-815-61
C445 1315	KN-815-62
C445 1315	KN-815-63
C445 1315	KN-815-64
C445 1315	KN-815-65
C445 1315	KN-815-66
C445 1315	KN-815-67
C445 1315	KN-815-70
C445 1315	KN-815-72
C445 1315	KN-816-20
C445 1315	KN-816-30
C445 1315	KN-816-31
C445 1315	KN-816-89
C445 1315	KN-817-1
C445 1315	KN-817-11
C445 1315	KN-817-14
C445 1315	KN-817-18
C445 1315	KN-817-2
C445 1315	KN-817-20
C445 1315	KN-817-21
C445 1315	KN-817-22
C445 1315	KN-817-23
C445 1315	KN-817-4
C445 1315	KN-817-5
C445 1315	KN-817-6
C445 1315	KN-818-1
C445 1315	KN-818-10
C445 1315	KN-818-11
C445 1315	KN-818-12
C445 1315	KN-818-14
C445 1315	KN-818-15
C445 1315	KN-818-2
C445 1315	KN-818-24
C445 1315	KN-818-25
C445 1315	KN-818-26
C445 1315	KN-818-28
C445 1315	KN-818-29
C445 1315	KN-818-3
C445 1315	KN-818-30
C445 1315	KN-818-31
C445 1315	KN-818-32
C445 1315	KN-818-33
C445 1315	KN-818-34
C445 1315	KN-818-35
C445 1315	KN-818-36
C445 1315	KN-818-37
C445 1315	KN-818-38
C445 1315	KN-818-39
C445 1315	KN-818-4
C445 1315	KN-818-40
C445 1315	KN-818-40B
C445 1315	KN-818-40C
C445 1315	KN-818-41
C445 1315	KN-818-42
C445 1315	KN-818-42A
C445 1315	KN-818-43
C445 1315	KN-818-46
C445 1315	KN-818-47
C445 1315	KN-818-48
C445 1315	KN-818-49
C445 1315	KN-818-50
C445 1315	KN-818-51
C445 1315	KN-818-52
C445 1315	KN-818-53
C445 1315	KN-818-54B
C445 1315	KN-818-54D
C445 1315	KN-818-55
C445 1315	KN-818-56
C445 1315	KN-818-57
C445 1315	KN-818-58
C445 1315	KN-818-59
C445 1315	KN-818-60
C445 1315	KN-818-61
C445 1315	KN-818-62
C445 1315	KN-818-63
C445 1315	KN-818-64
C445 1315	KN-818-65
C445 1315	KN-818-66
C445 1315	KN-818-68
C445 1315	KN-818-70
C445 1315	KN-818-71
C445 1315	KN-818-73
C445 1315	KN-818-74
C445 1315	KN-818-8
C445 1315	KN-819-1
C445 1315	KN-819-10
C445 1315	KN-819-11
C445 1315	KN-819-11
C445 1315	KN-819-12
C445 1315	KN-819-13
C445 1315	KN-819-14
C445 1315	KN-819-15

C445 1315	KN-819-16	C445 1315	LS-21-203F
C445 1315	KN-819-17	C445 1315	LS-21-203G
C445 1315	KN-819-18	C445 1315	LS-21-206
C445 1315	KN-819-19	C445 1315	LS-21-207
C445 1315	KN-819-20	C445 1315	LS-21-214
C445 1315	KN-819-21	C445 1315	LS-21-214A
C445 1315	KN-819-22	C445 1315	LS-21-216
C445 1315	KN-819-2A	C445 1315	LS-21-231
C445 1315	KN-819-3	C445 1315	LS-21-242
C445 1315	KN-819-4	C445 1315	LS-21-243
C445 1315	KN-819-5	C445 1315	LS-21-244
C445 1315	KN-819-6	C445 1315	LS-21-245
C445 1315	KN-819-7	C445 1315	LS-21-245D
C445 1315	KN-819-8	C445 1315	LS-21-248
C445 1315	KN-819-9	C445 1315	LS-21-250
C445 1315	KN-820-12	C445 1315	LS-21-251C
C445 1315	KN-820-16	C445 1315	LS-21-253
C445 1315	KN-820-20	C445 1315	LS-21-253C
C445 1315	KN-820-21	C445 1315	LS-21-45B
C445 1315	KN-820-24	C445 1315	LS-21-78
C445 1315	KN-820-5	C445 1315	LS-27-30B
C445 1315	KN-820-7	C445 1315	LS-27-46
C445 1315	KN-820-8	C445 1315	LS-27-47
C445 1315	KN-820-9	C445 1315	LS-27-50A
C445 1315	KN-821-5	C445 1315	LS-28-9
C445 1315	KN-821-6	C445 1315	LS-29-80B
C445 1315	KN-821-7	C445 1315	LS-29-88B
C445 1315	KN-821-9	C445 1315	LS-29-90B
C445 1315	KN-828-63	C445 1315	LS-39-2C
C445 1315	KN-901-6	C445 1315	LS-39-3B
C445 1315	KN-901-9	C445 1315	LS-40-32
C445 1315	LOW-29-13A	C445 1315	LS-40-33
C445 1315	LS-103-1	C445 1315	LS-40-34
C445 1315	LS-103-1A	C445 1315	LS-40-35
C445 1315	LS-119-3	C445 1315	LS-40-35A
C445 1315	LS-121-196A	C445 1315	LS-40-36
C445 1315	LS-17-18	C445 1315	LS-40-37
C445 1315	LS-17-20	C445 1315	LS-40-49
C445 1315	LS-21-168	C445 1315	LS-40-51
C445 1315	LS-21-171	C445 1315	LS-40-54
C445 1315	LS-21-172	C445 1315	LS-40-55
C445 1315	LS-21-173	C445 1315	LS-40-7
C445 1315	LS-21-180	C445 1315	LS-44-20
C445 1315	LS-21-186	C445 1315	LS-44-20A
C445 1315	LS-21-194	C445 1315	LS-50-18
C445 1315	LS-21-196B	C445 1315	LS-50-4
C445 1315	LS-21-200	C445 1315	LS-50-7
C445 1315	LS-21-200A	C445 1315	LS-50-8
C445 1315	LS-21-202	C445 1315	LS-50-8A
C445 1315	LS-21-203D	C445 1315	LS-50-9

C445 1315	LS-54-48B
C445 1315	LS-56-117
C445 1315	LS-56-118
C445 1315	LS-56-119
C445 1315	LS-56-120
C445 1315	LS-56-13F
C445 1315	LS-56-161
C445 1315	LS-56-182
C445 1315	LS-56-191
C445 1315	LS-56-194B
C445 1315	LS-56-208
C445 1315	LS-56-212B
C445 1315	LS-56-2C
C445 1315	LS-56-34
C445 1315	LS-56-34A
C445 1315	LS-56-89
C445 1315	LS-56-90
C445 1315	LS-57-22B
C445 1315	LS-57-26B
C445 1315	LS-60-10A
C445 1315	LS-60-17A
C445 1315	LS-60-9A
C445 1315	LS-60-9B
C445 1315	LS-60-9C
C445 1315	LS-65-3
C445 1315	LS-67-1A
C445 1315	LS-67-2
C445 1315	LS-67-2A
C445 1315	LS-67-2A
C445 1315	LS-68-1
C445 1315	LS-68-1A
C445 1315	LS-85M125-001A
C445 1315	LS-86B125-003
C445 1315	LS-86B125-004
C445 1315	LS-86B125-005
C445 1315	LS-86C125-006
C445 1315	LS-86D125-007
C445 1315	MCA88E001-001
C445 1315	MCA88F001-002
C445 1315	MCA88F001-003
C445 1315	MCA88G001-004
C445 1315	NOP-3-55X
C445 1315	NOP-3-58X
C445 1315	NOP-3-61X
C445 1315	NOP-3-66X
C445 1315	NOP-3-84X
C445 1315	SA-500-1
C445 1315	SA-500-1A
C445 1315	SA-500-36B
C445 1315	SA-500-36C
C445 1315	SA-501-1
C445 1320	LS-21-248
C448 1315	MA-1-1
C448 1315	MA-1-2
C448 1315	MA-7-12F
C448 1315	MA-7-5X
C448 1315	MA-7-8C
C448 1315	MA-7-8D
C448 1315	MA-7-9H
C449 1315	LOW-11-5
C449 1315	LOW-13-15
C449 1315	LOW-14-14
C449 1315	LOW-14-16
C449 1315	LOW-14-7
C449 1315	LOW-14-8
C449 1315	LOW-14-9
C449 1315	LOW-16-134
C449 1315	LOW-16-135
C449 1315	LOW-16-136
C449 1315	LOW-16-137
C449 1315	LOW-16-156
C449 1315	LOW-16-157
C449 1315	LOW-16-161
C449 1315	LOW-16-169
C449 1315	LOW-16-23
C449 1315	LOW-16-36
C449 1315	LOW-17-6
C449 1315	LOW-20-13A
C449 1315	LOW-20-15
C449 1315	LOW-20-34
C449 1315	LOW-20-35
C449 1315	LOW-20-51
C449 1315	LOW-20-53
C449 1315	LOW-20-59
C449 1315	LOW-21-100
C449 1315	LOW-21-103
C449 1315	LOW-21-114
C449 1315	LOW-21-117
C449 1315	LOW-21-118
C449 1315	LOW-21-122
C449 1315	LOW-21-122A
C449 1315	LOW-21-127
C449 1315	LOW-21-130
C449 1315	LOW-21-131
C449 1315	LOW-21-17
C449 1315	LOW-21-18
C449 1315	LOW-21-51A
C449 1315	LOW-21-59
C449 1315	LOW-21-72
C449 1315	LOW-21-73

C449	1315	LOW-21-99
C449	1315	LOW-22-49
C449	1315	LOW-22-50
C449	1315	LOW-24-32A
C449	1315	LOW-24-36
C449	1315	LOW-24-37
C449	1315	LOW-27-11
C449	1315	LOW-27-14
C449	1315	LOW-27-3
C449	1315	LOW-27-4
C449	1315	LOW-28-3A
C449	1315	LOW-30-1
C449	1315	LOW-31-1
C449	1315	LOW-31-10A
C449	1315	LOW-31-12A
C449	1315	LOW-31-1A
C449	1315	LOW-31-6
C449	1315	LOW-32-1A
C449	1315	LOW-33-13
C449	1315	LOW-33-14
C449	1315	LOW-33-14A
C449	1315	LOW-33-4
C449	1315	LOW-33-9
C449	1315	LOW-35-10
C449	1315	LOW-35-11
C449	1315	LOW-35-12
C449	1315	LOW-35-13
C449	1315	LOW-35-15
C449	1315	LOW-35-16A
C449	1315	LOW-35-18
C449	1315	LOW-35-1A
C449	1315	LOW-35-20A
C449	1315	LOW-35-22
C449	1315	LOW-35-23
C449	1315	LOW-35-23A
C449	1315	LOW-35-6
C449	1315	LOW-37-6B
C449	1315	LOW-39-12
C449	1315	LOW-39-13
C449	1315	LOW-39-2
C449	1315	LOW-39-3
C449	1315	LOW-39-4
C449	1315	LOW-39-6
C449	1315	LOW-39-8
C449	1315	LOW-4-11
C449	1315	LOW-40-10
C449	1315	LOW-40-11
C449	1315	LOW-40-12
C449	1315	LOW-40-13
C449	1315	LOW-40-2
C449	1315	LOW-40-23
C449	1315	LOW-40-25B
C449	1315	LOW-40-25F
C449	1315	LOW-40-26A
C449	1315	LOW-40-27A
C449	1315	LOW-40-28A
C449	1315	LOW-40-29A
C449	1315	LOW-40-3
C449	1315	LOW-40-5
C449	1315	LOW-40-6
C449	1315	LOW-40-7
C449	1315	LOW-40-9
C449	1315	LOW-41-10
C449	1315	LOW-41-5
C449	1315	LOW-41-6
C449	1315	LOW-41-7
C449	1315	LOW-41-8
C449	1315	LOW-41-9
C449	1315	LOW-42-1
C449	1315	LOW-43-2
C449	1315	LOW-43-3
C449	1315	LOW-43-4
C449	1315	LOW-43-5
C449	1315	LOW-43-6
C449	1315	LOW-43-7
C449	1315	LOW-44-2
C449	1315	LOW-50-12
C449	1315	LOW-50-13
C449	1315	LOW-50-14
C449	1315	LOW-50-15
C449	1315	LOW78J044-001
C449	1315	LOW78J044-002
C449	1315	LOW78K044-003
C449	1315	LOW78K044H004
C449	1315	RD-29-10A
C449	1315	RD-29-13B
C449	1315	RD-29-17A
C449	1315	RD-29-34C
C449	1320	LOW-14-9
C451	1315	AOY-503-7
C451	1315	BGD-502-1D
C451	1315	SUD-502-1A
C452	1315	AKZ80J002-003
C452	1315	AKZ80L002-004
C452	1315	AKZ80L003-001A
C452	1315	AOY-500-15XA
C452	1315	AOY-500-1C
C452	1315	AOY-500-5F
C452	1315	AOY-504-5A
C452	1315	BGD-525-21B

C452	1315	BGD-525-33B
C452	1315	BGD-525-37A
C452	1315	LOW-1-1
C452	1315	LOW-2-2A
C452	1315	LOW-2-2C
C452	1315	LOW-2-2F
C452	1315	LOW-2-3A
C452	1315	LOW-4-1
C452	1315	LOW-4-2
C452	1315	LOW-4-3
C452	1315	LOW-4-3A
C452	1315	LOW-4-3B
C452	1315	LOW-4-4
C452	1315	LOW-4-5
C452	1315	LOW-4-6
C452	1315	LOW-4-8
C452	1315	LOW-4-9
C452	1315	NJD-500-2A
C452	1315	PB-77F040A001
C452	1315	PB-77G040-002
C452	1315	PB-77G040-003
C452	1315	PB-77J040-006
C452	1315	PB-77L040-010
C452	1315	PB-77M040-011
C452	1315	PB-78A040-012
C452	1315	PB-78A040-012
C452	1315	POD-500-32A
C452	1315	RAN-1-1C
C452	1315	RAN-1-4A
C452	1315	RD-12-23B
C452	1315	RD-3-309P
C452	1315	RD-3-360D
C453	1315	NJD-500-7A
C453	1315	RD-28-2B
C453	1315	RD-5-1P
C453	1315	RD-5-7K
C453	1315	UOD-500-1B
C454	1315	LS-123-1
C454	1315	LS-43-18L
C454	1315	LS-43-23A
C454	1315	LS-43-30
C454	1315	LS-46-1
C454	1315	LS-46-13
C454	1315	LS-46-13B
C454	1315	LS-46-18
C454	1315	LS-46-18B
C454	1315	LS-46-8A
C454	1315	LS-49-21B
C454	1315	LS-49-22
C454	1315	LS-49-23B
C454	1315	LS-58-10
C454	1315	LS-58-11
C454	1315	LS-58-12
C454	1315	LS-58-14
C454	1315	LS-58-15
C454	1315	LS-58-4
C454	1315	LS-58-9
C454	1315	LS-59-1
C454	1315	PB-10-1
C454	1315	PB-10-10
C454	1315	PB-10-13
C454	1315	PB-10-15
C454	1315	PB-10-16
C454	1315	PB-10-17
C454	1315	PB-10-18
C454	1315	PB-10-22A
C454	1315	PB-10-22B
C454	1315	PB-10-25
C454	1315	PB-10-27
C454	1315	PB-10-3
C454	1315	PB-10-3
C454	1315	PB-10-30
C454	1315	PB-10-31
C454	1315	PB-10-36
C454	1315	PB-10-37
C454	1315	PB-10-39
C454	1315	PB-10-41
C454	1315	PB-10-6
C454	1315	PB-10-7
C454	1315	PB-10-8
C454	1315	PB-10-9
C454	1315	PB-11-1
C454	1315	PB-11-10
C454	1315	PB-11-11
C454	1315	PB-11-12
C454	1315	PB-11-13
C454	1315	PB-11-14
C454	1315	PB-11-2
C454	1315	PB-11-3
C454	1315	PB-11-6A
C454	1315	PB-11-9
C454	1315	RD-1-4D
C454	1315	RD-1-6P
C454	1315	RD-10-31C
C454	1315	RD-10-32J
C454	1315	RD-10-34F
C454	1315	RD-2-139C
C454	1315	RD-2-147D
C454	1315	RD-2-180D
C454	1315	RD-2-189F

C454	1315	RD-2-196D
C454	1315	RD-26-2B
C454	1315	RD-32-117G
C454	1315	RD-32-145B
C454	1315	RD-32-145C
C454	1315	RD-32-145K
C454	1315	RD-32-145L
C454	1315	RD-32-184XC
C454	1315	RD-32-196K
C454	1315	RD-32-1J
C454	1315	RD-32-38A
C454	1315	RD-32-69C
C454	1315	RD-32-74A
C455	1315	BGD-527-1A
C455	1315	BGD-527-2
C455	1315	BGD-527-3
C455	1315	RD-17-5P
C455	1315	RD-27-11C
C455	1315	RD-27-40
C457	1315	AOY-500-1
C457	1315	AOY-500-2
C468	1315	LOW-4-1
C468	1315	LOW-4-1A
C468	1315	LOW-4-1C
C468	1315	LOW-5-1
C468	1315	LOW-6-1
C468	1315	LOW-6-2
C477	1315	CH-500-2A
C477	1315	CH-500-9A
C477	1315	LS-43-21C
C477	1315	LS-43-21J
C477	1315	LS-43-21P
C477	1315	LS-43-25A
C477	1315	LS-43-30A
C477	1315	LS-43-30B
C477	1315	LS-43-30C
C477	1315	LS-43-33A
C477	1315	LS-43-40L
C477	1315	LS-49-15B
C477	1315	LS-49-1A
C477	1315	LS-49-20A
C477	1315	LS-49-22B
C477	1315	LS-49-22C
C477	1315	LS-49-27B
C477	1315	LS-49-2C
C477	1315	LS-49-32C
C477	1315	LS-49-5A
C477	1315	LS-49-5D
C477	1315	LS-49-6A
C477	1315	LS-49-6B
C477	1315	OH-500-1A
C477	1315	OH-500-1F
C477	1315	PB-3-10
C477	1315	PB-3-14
C477	1315	PB-3-16
C477	1315	PB-3-18
C477	1315	PB-3-24
C477	1315	PB-3-25
C477	1315	PB-3-26
C477	1315	PB-3-27
C477	1315	PB-3-28
C477	1315	PB-3-3
C477	1315	PB-3-31
C477	1315	PB-3-32
C477	1315	PB-3-4
C477	1315	PB-3-5
C477	1315	PB-3-6
C477	1315	PB-3-7
C477	1315	PB-3-8
C477	1315	RD-10-41A
C477	1315	RD-10-44B
C477	1315	RD-10-44C
C477	1315	RD-32-106J
C477	1315	RD-32-107B
C477	1315	RD-32-107C
C477	1315	RD-32-109B
C477	1315	RD-32-110D
C477	1315	RD-32-114XB
C477	1315	RD-32-123C
C477	1315	RD-32-14D
C477	1315	RD-32-156A
C477	1315	RD-32-24XC
C477	1315	RD-32-27C
C477	1315	RD-32-29C
C477	1315	RD-32-29D
C477	1315	RD-32-35A
C477	1315	RD-32-43B
C477	1315	SA-501-1B
D361	1320	BAJ-63309C
D361	1320	BAJ-63314
D361	1320	BAJ-63314B
D361	1320	BAJ-63314C
D361	1320	BAJ-63317A
D361	1320	BAJ-63317B
D361	1320	BAJ-67800
D361	1320	BAJ-67803
D361	1320	BAJ-67806
D361	1320	BAJ-67812
D361	1320	BAJ-67813
D361	1320	IND-1-10A

D361 1320	IND-1-11
D361 1320	IND-1-38A
D361 1320	IND-1-53A
D361 1320	IND-1-7A
D361 1320	IND-66886
D361 1320	IND-66891
D361 1320	IND-66894
D361 1320	IND-66899
D361 1320	IND-66908
D361 1320	IND-66914
D361 1320	IND-66915
D361 1320	IND-66920
D361 1320	IND-66921
D361 1320	RAD-67123
D361 1320	RAD-67881
D505 1320	HAW87G001-001
D505 1320	HAW87H001-003
D505 1320	HAW87H001-004
D505 1320	HAW87H001-005
D505 1320	HAW87J001-008
D505 1320	HAW87J001-009
D505 1320	HAW87K001-018
D505 1320	HAW87K001-019
D505 1320	HAW87L001-024
D505 1320	HAW87L001-039
D505 1320	LOW-23-12
D505 1320	LOW-23-12A
D505 1320	LOW-23-14
D505 1320	LOW-23-16A
D505 1320	LOW-23-16D
D505 1320	LOW-23-6
D505 1320	LOW-23-6A
D505 1320	LOW-24-17
D505 1320	LOW-24-17B
D505 1320	LOW-24-6
D505 1320	LOW-24-6A
D505 1320	LOW-25-15
D505 1320	LOW-25-15A
D505 1320	LOW-25-29
D505 1320	LOW-25-3A
D505 1320	LOW-25-3B
D505 1320	LOW-25-4C
D505 1320	LOW-27-29
D505 1320	LOW-27-4A
D505 1320	LOW-27-51A
D505 1320	LOW-27-51B
D505 1320	LOW-27-51C
D505 1320	LOW-27-52
D505 1320	LOW-27-53A
D505 1320	LOW-27-53C
D505 1320	LOW-27-53D
D505 1320	LOW-27-54
D505 1320	LOW-27-55C
D505 1320	LOW-27-55D
D505 1320	LOW-27-56
D505 1320	LOW-27-56A
D505 1320	LOW-27-57
D505 1320	LOW-27-58
D505 1320	LOW-27-61A
D505 1320	LOW-27-61C
D505 1320	LOW-27-61F
D505 1320	LOW-27-62
D505 1320	LOW-27-62C
D505 1320	LOW-27-63
D505 1320	LOW-27-63A
D505 1320	LOW-27-63B
D505 1320	LOW-27-63D
D505 1320	LOW-27-64
D505 1320	LOW-27-65
D505 1320	LOW-27-65A
D505 1320	LOW-27-71A
D505 1320	LOW-27-73
D505 1320	LOW-27-76A
D505 1320	LOW-27-77
D505 1320	LOW-27-77A
D505 1320	LOW-27-77B
D505 1320	LOW-27-78A
D505 1320	LOW-27-80
D505 1320	LOW-27-80A
D505 1320	LOW-27-85A
D505 1320	LOW-27-87A
D505 1320	LOW-28-1
D505 1320	LOW-28-2
D505 1320	LOW-28-31A
D505 1320	LOW-29-10A
D505 1320	LOW-29-11
D505 1320	LOW-29-11A
D505 1320	LOW-29-12
D505 1320	LOW-29-121
D505 1320	LOW-29-122
D505 1320	LOW-29-14
D505 1320	LOW-29-144A
D505 1320	LOW-29-14A
D505 1320	LOW-29-150
D505 1320	LOW-29-15A
D505 1320	LOW-29-161
D505 1320	LOW-29-165
D505 1320	LOW-29-166
D505 1320	LOW-29-167
D505 1320	LOW-29-168
D505 1320	LOW-29-169

D505 1320	LOW-29-17
D505 1320	LOW-29-170
D505 1320	LOW-29-171
D505 1320	LOW-29-172
D505 1320	LOW-29-174
D505 1320	LOW-29-175
D505 1320	LOW-29-175A
D505 1320	LOW-29-176
D505 1320	LOW-29-177
D505 1320	LOW-29-178
D505 1320	LOW-29-18
D505 1320	LOW-29-181
D505 1320	LOW-29-182
D505 1320	LOW-29-183
D505 1320	LOW-29-184
D505 1320	LOW-29-185
D505 1320	LOW-29-189
D505 1320	LOW-29-18A
D505 1320	LOW-29-19
D505 1320	LOW-29-190
D505 1320	LOW-29-191
D505 1320	LOW-29-192
D505 1320	LOW-29-193
D505 1320	LOW-29-193A
D505 1320	LOW-29-194
D505 1320	LOW-29-196
D505 1320	LOW-29-198
D505 1320	LOW-29-199
D505 1320	LOW-29-19A
D505 1320	LOW-29-200
D505 1320	LOW-29-22A
D505 1320	LOW-29-22B
D505 1320	LOW-29-24
D505 1320	LOW-29-25D
D505 1320	LOW-29-26B
D505 1320	LOW-29-27B
D505 1320	LOW-29-28
D505 1320	LOW-29-28A
D505 1320	LOW-29-29
D505 1320	LOW-29-30A
D505 1320	LOW-29-31
D505 1320	LOW-29-32
D505 1320	LOW-29-32A
D505 1320	LOW-29-33
D505 1320	LOW-29-33A
D505 1320	LOW-29-33B
D505 1320	LOW-29-37
D505 1320	LOW-29-39
D505 1320	LOW-29-39A
D505 1320	LOW-29-68
D505 1320	LOW-29-69
D505 1320	LOW-29-69A
D505 1320	LOW-29-72
D505 1320	LOW-29-73A
D505 1320	LOW-29-78
D505 1320	LOW-29-78A
D505 1320	LOW-29-79
D505 1320	LOW-29-80
D505 1320	LOW-29-82
D505 1320	LOW-29-82A
D505 1320	LOW-29-83
D505 1320	LOW-29-84
D505 1320	LOW-29-84A
D505 1320	LOW-29-85
D505 1320	LOW-29-86
D505 1320	LOW-29-87
D505 1320	LOW-29-87A
D505 1320	LOW-29-88
D505 1320	LOW-29-89
D505 1320	LOW-29-89A
D505 1320	LOW-29-94
D505 1320	LOW-29-95
D505 1320	LOW-29-96
D505 1320	LOW-30-1
D505 1320	LOW-30-2
D505 1320	LOW-30-3
D505 1320	LOW-32-17
D505 1320	LOW-32-24A
D505 1320	LOW-32-24B
D505 1320	LOW-32-26A
D505 1320	LOW-32-27
D505 1320	LOW-32-30
D505 1320	LOW-32-32
D505 1320	LOW-32-32A
D505 1320	LOW-32-33A
D505 1320	LOW-32-37
D505 1320	LOW-32-38
D505 1320	LOW-34-15A
D505 1320	LOW-34-20B
D505 1320	LOW-34-22
D505 1320	LOW-34-23
D505 1320	LOW-34-24
D505 1320	LOW-34-25
D505 1320	LOW-34-26
D505 1320	LOW-34-26A
D505 1320	LOW-34-27
D505 1320	LOW-34-28
D505 1320	LOW-34-28A
D505 1320	LOW-34-31
D505 1320	LOW-34-35

D505 1320	LOW-34-37
D505 1320	LOW-34-38
D505 1320	LOW-34-38A
D505 1320	LOW-34-41
D505 1320	LOW-34-44
D505 1320	LOW-34-46
D505 1320	LOW-34-47
D505 1320	LOW-34-48
D505 1320	LOW-34-49
D505 1320	LOW-34-5A
D505 1320	LOW-34-6
D505 1320	LOW-34-60
D505 1320	LOW-34-61
D505 1320	LOW-34-62
D505 1320	LOW-34-63
D505 1320	LOW-34-64
D505 1320	LOW-34-65
D505 1320	LOW-34-66
D505 1320	LOW-34-6A
D505 1320	LOW-34-71
D505 1320	LOW-34-72
D505 1320	LOW-34-73
D505 1320	LOW-34-74
D505 1320	LOW-34-75
D505 1320	LOW-34-76
D505 1320	LOW-34-8A
D505 1320	LOW-35-1
D505 1320	LOW-35-2
D505 1320	LOW-35-3
D505 1320	LOW-36-10
D505 1320	LOW-36-11
D505 1320	LOW-36-1A
D505 1320	LOW-36-3
D505 1320	LOW-36-4
D505 1320	LOW-36-5
D505 1320	LOW-36-6
D505 1320	LOW-36-7
D505 1320	LOW-36-9A
D505 1320	LOW-37-1
D505 1320	LOW-37-12A
D505 1320	LOW-37-19
D505 1320	LOW-37-19A
D505 1320	LOW-37-2
D505 1320	LOW-37-6
D505 1320	LOW-37-8A
D505 1320	LOW-37-9
D505 1320	LOW-38-10
D505 1320	LOW-38-12
D505 1320	LOW-38-1A
D505 1320	LOW-38-1B
D505 1320	LOW-38-2
D505 1320	LOW-38-3
D505 1320	LOW-38-4
D505 1320	LOW-38-5A
D505 1320	LOW-38-6
D505 1320	LOW-38-6A
D505 1320	LOW-38-6C
D505 1320	LOW-38-7A
D505 1320	LOW-38-7B
D505 1320	LOW-38-8A
D505 1320	LOW-39-10A
D505 1320	LOW-39-11
D505 1320	LOW-39-12
D505 1320	LOW-39-13
D505 1320	LOW-39-13B
D505 1320	LOW-39-14
D505 1320	LOW-39-16
D505 1320	LOW-39-17
D505 1320	LOW-39-18
D505 1320	LOW-39-2
D505 1320	LOW-39-22
D505 1320	LOW-39-23
D505 1320	LOW-39-23B
D505 1320	LOW-39-24
D505 1320	LOW-39-24A
D505 1320	LOW-39-33
D505 1320	LOW-39-39
D505 1320	LOW-39-40
D505 1320	LOW-39-43
D505 1320	LOW-39-44
D505 1320	LOW-39-46
D505 1320	LOW-39-47
D505 1320	LOW-39-48
D505 1320	LOW-39-49
D505 1320	LOW-39-49A
D505 1320	LOW-39-4A
D505 1320	LOW-39-50
D505 1320	LOW-39-51
D505 1320	LOW-39-52
D505 1320	LOW-39-53
D505 1320	LOW-39-54
D505 1320	LOW-39-55
D505 1320	LOW-39-56
D505 1320	LOW-39-57
D505 1320	LOW-39-58
D505 1320	LOW-39-59
D505 1320	LOW-39-5A
D505 1320	LOW-39-6
D505 1320	LOW-39-60
D505 1320	LOW-39-61

D505 1320	LOW-39-62
D505 1320	LOW-39-63
D505 1320	LOW-39-6A
D505 1320	LOW-39-7
D505 1320	LOW-39-8
D505 1320	LOW-39-8A
D505 1320	LOW-39-9
D505 1320	LOW-76-26B
D505 1320	LOW85A040-001
D505 1320	LOW85A040-002
D505 1320	LOW85B041-001
D505 1320	LOW85H041-002
D505 1320	LOW85H041-005
D505 1320	LOW85J041-006
D505 1320	LOW85J041-009
D505 1320	LOW85K041-013
D505 1320	LOW85L041-014
D505 1320	LOW85L041-015
D505 1320	LOW85M041-016
D505 1320	LOW86A041-017
D505 1320	LOW86B041-023
D505 1320	LOW86C041-025
D505 1320	LOW86D041-026
D505 1320	LS-74-11
D506 1320	PB-79H001-002B
D506 1320	PB-79H001-003A
D506 1320	PB-79H001-004C
D506 1320	PB-79H001-004F
D506 1320	PB-79H001-004G
D506 1320	PB-79H001-004G
D506 1320	PB-79J001-005D
D506 1320	PB-79J001-005F
D506 1320	PB-79J001-005J
D506 1320	PB-79J001-005M
D506 1320	PB-79J001-005N
D506 1320	PB-79J001-006C
D506 1320	PB-79K001-008B
D506 1320	PB-79K001-008C
D506 1320	PB-79K001-008D
D506 1320	PB-79L001-009C
D506 1320	PB-79L001-009D
D506 1320	PB-79L001-009F
D506 1320	PB-79L001-009G
D506 1320	PB-79L001-009J
D506 1320	PB-79L001-009L
D506 1320	PB-80A002-001C
D506 1320	PB-80A002-001D
D506 1320	PB-80A002-001F
D506 1320	PB-80A002-002B
D506 1320	PB-80A002-002C
D506 1320	PB-80A002-003B
D506 1320	PB-80A002-003C
D506 1320	PB-80A002-003D
D506 1320	PB-80A002-005C
D506 1320	PB-80B002-007F
D506 1320	PB-80B002-008AM
D506 1320	PB-80B002-008F
D506 1320	PB-80B002-008J
D506 1320	PB-80B002-008M
D506 1320	PB-80B002-009C
D506 1320	PB-80B002-009D
D506 1320	PB-80B002-011B
D506 1320	PB-80B003-001D
D506 1320	PB-80B003-001F
D506 1320	PB-80B003-001J
D506 1320	PB-80B003-001L
D506 1320	PB-80C002-010C
D506 1320	PB-80C002-010F
D506 1320	PB-80C002-010G
D506 1320	PB-80C002-010L
D506 1320	PB-80C002-010M
D506 1320	PB-80D002-012G
D506 1320	PB-80D002-012K
D506 1320	PB-80D002-012M
D506 1320	PB-80D002-013A
D506 1320	PB-80D003-003F
D506 1320	PB-80D003-003J
D506 1320	PB-80D003-003L
D506 1320	PB-80D003-003T
D506 1320	PB-80E002-014A
D506 1320	PB-80E002-014C
D506 1320	PB-80E002-014F
D506 1320	PB-80E002-015A
D506 1320	PB-80E003-005B
D506 1320	PB-80E003-005J
D506 1320	PB-80E003-007D
D506 1320	PB-80E003-007K
D506 1320	PB-80E003-007L
D506 1320	PB-80E003-009A
D506 1320	PB-80E003-010A
D506 1320	PB-80F002-016B
D506 1320	PB-80F002-016C
D506 1320	PB-80G002-018C
D506 1320	PB-80G002-018D
D506 1320	PB-80G002-019A
D506 1320	PB-80H002-020C
D506 1320	PB-80H002-020D
D506 1320	PB-80H002-022C
D506 1320	PB-80H004-001C
D506 1320	PB-80K004-003B

D506	1320	PB-80K004-003C
D506	1320	PB-80K004-004B
D506	1320	PB-81D005-001C
D506	1320	PB-81D005-002A
D506	1320	PB-81D005-003A
D506	1320	PB-81E006-001B
D506	1320	PB-81E006-001F
D506	1320	PB-81E006-002A
D506	1320	PB-81E006-003A
D506	1320	PB-81G008-001A
D506	1320	PB-81G008-001P
D506	1320	PB-82G009-002
D506	1320	PB-82G009-003
D506	1320	PB-82G009-004
D506	1320	PB-82G010H001
D506	1320	PB-82G010H002
D506	1320	PB-82G010H003
D506	1320	PB-82H009-005
D506	1320	PB-82H009-006
D506	1320	PB-82H009-007
D506	1320	PB-82J009-008
D506	1320	PB-82J009-009
D506	1320	PB-82J009-010
D506	1320	PB-82J009-011
D506	1320	PB-82J009-012
D506	1320	PB-82J009-013
D506	1320	PB-82J009-014
D506	1320	PB-82J009-015
D506	1320	PB-82J009-016
D506	1320	PB-82J009-017
D506	1320	PB-82J009-018
D513	1320	CRA83H001-001
D513	1320	CRA83J001-003
D513	1320	CRA83J001-004
D513	1320	CRA83J001-005
D513	1320	CRA83K001-005
D513	1320	CRA83K001-006
D513	1320	CRA83L001-007
D513	1320	CRA83L001-008
D513	1320	CRA83M001-009
D513	1320	CRA83M001-010
D513	1320	CRA84A001-011
D513	1320	CRA84A001-012
D513	1320	CRA84A001-013
D513	1320	CRA84B001-014
D513	1320	CRA84C001-016
D513	1320	CRA84C001-017
D513	1320	CRA84D001-018
D513	1320	CRA84D001-019
D513	1320	CRA84G001-020
D513	1320	CRA84G002-001
D513	1320	CRA84G002-002
D513	1320	CRA84H002-003
D513	1320	CRA84H002-004
D513	1320	CRA84H002-005
D513	1320	CRA84J002-006
D513	1320	CRA84J002-007
D513	1320	CRA84K002-008
D513	1320	CRA84K002-009
D513	1320	CRA84L002-010
D513	1320	CRA84L002-011
D513	1320	CRA84M002-012
D513	1320	CRA84M002-013
D513	1320	CRA84M003-020
D513	1320	CRA85A002-014
D513	1320	CRA85A002-015
D513	1320	CRA85A002-016
D513	1320	CRA85B002-017
D513	1320	CRA85B002-018
D513	1320	CRA85B002-019
D513	1320	CRA85C002-020
D513	1320	CRA85D003-001
D513	1320	CRA85D003-002
D513	1320	CRA85E003-004
D513	1320	CRA85E003-005
D513	1320	CRA85F003-008
D513	1320	CRA85G003-010
D513	1320	CRA85H003-012
D513	1320	CRA85H003-013
D513	1320	CRA85J003-015
D513	1320	CRA85K003-016
D513	1320	CRA85L003-019
D513	1320	CRA85M003-020
D513	1320	CRA85M003-021
D513	1320	CRA86A003-023
D528	1320	PB-87K008-002
D528	1320	PB-87L008-003
D528	1320	PB-87L008-004
D528	1320	PB-87L008-005
D528	1320	PB-88C008-009
D528	1320	PB-88C008-010
D532	1320	IND80A-069962
D532	1320	IND80B-069992
D532	1320	IND81E-070052
D532	1320	IND81F-070053
D532	1320	IND81G-070055
D532	1320	IND81H-070056
D532	1320	IND81H-070116
D532	1320	IND81J-070117
D532	1320	IND81K-070118

D532	1320	IND81K-070119
D532	1320	IND81L-070120
D532	1320	IND81M-070054
D532	1320	IND83H-069994
D532	1320	IND83H-070194
D532	1320	IND84K-070378
D532	1320	IND87E-070791
D532	1320	IND87F-070792
D532	1320	IND87G-070796
D532	1320	IND87H-070814
D532	1320	IND87J-070815
D532	1320	IND87L-070855
D532	1320	IND88B-070823
D532	1320	IND88C-070898
D533	1320	IA-B-39565A
D533	1320	IA-B-39721B
D533	1320	IA-B-39722A
D533	1320	IA-B-39730A
D533	1320	IA-B-39737A
D533	1320	IA-B-39740A
D533	1320	IA-B-39758B
D533	1320	IA-B-64269A
D533	1320	IA-B-64272A
D533	1320	IA-B-64272A
D533	1320	IA-B-64279A
D533	1320	IND77L-068510
D533	1320	IND78C-068509
D533	1320	IND78K-069843
D533	1320	IND78L-069844
D533	1320	IND78L-069844A
D533	1320	IND79A-069896
D533	1320	IND79C-069845
D533	1320	IND79E-069897
D533	1320	IND79F-069947
D533	1320	IND79G-069845
D533	1320	IND79H-069948
D533	1320	IND79M-069950
D533	1320	IND80B-069951
D533	1320	IND80C-069975
D533	1320	IND80D-069952
D533	1320	IND80E-069973
D533	1320	IND80F-069972
D533	1320	IND80J-070007
D533	1320	IND80K-070008
D533	1320	IND80M-070009
D533	1320	IND80M-070010
D533	1320	IND80M-070011
D533	1320	IND81B-070012
D533	1320	IND81B-070013
D533	1320	IND81C-070014
D533	1320	IND81D-070015
D533	1320	IND81D-070016
D533	1320	IND81D-070017
D533	1320	IND81D-070019
D533	1320	IND81D-070020
D533	1320	IND81E-070021
D533	1320	IND81E-070022
D533	1320	IND81E-070023
D533	1320	IND81F-070024
D533	1320	IND81G-070025
D533	1320	IND81G-070061
D533	1320	IND81H-070063
D533	1320	IND81H-070064
D533	1320	IND81H-070065
D533	1320	IND81J-070066
D533	1320	IND81J-070067
D533	1320	IND81J-070068
D533	1320	IND81K-070069
D533	1320	IND81K-070070
D533	1320	IND81K-070071
D533	1320	IND81L-070072
D533	1320	IND81L-070073
D533	1320	IND81L-070074
D533	1320	IND81LH070074
D533	1320	IND81M-070096
D533	1320	IND81M-070097
D533	1320	IND81M-070098
D533	1320	IND81M-070099
D533	1320	IND82A-070100
D533	1320	IND82A-070101
D533	1320	IND82A-070102
D533	1320	IND82B-070104
D533	1320	IND82B-070105
D533	1320	IND82B-070106
D533	1320	IND82C-070107
D533	1320	IND82C-070108
D533	1320	IND82C-070109
D533	1320	IND82D-070110
D533	1320	IND82D-070112
D533	1320	IND82D-070113
D533	1320	IND82E-070111
D533	1320	IND82E-070114
D533	1320	IND82E-070115
D533	1320	IND82F-070159
D533	1320	IND82F-070160
D533	1320	IND82F-070161
D533	1320	IND82F-070162
D533	1320	IND82G-070163
D533	1320	IND82G-070164
D533	1320	IND82H-070165

D533 1320	IND82H-070166
D533 1320	IND82H-070167
D533 1320	IND82H-070168
D533 1320	IND82J-070169
D533 1320	IND82J-070170
D533 1320	IND82J-070171
D533 1320	IND82J-070172
D533 1320	IND82K-070173
D533 1320	IND82K-070175
D533 1320	IND82K-070176
D533 1320	IND82L-070177
D533 1320	IND82L-070178
D533 1320	IND82L-070219
D533 1320	IND82M-070222
D533 1320	IND82M-070223
D533 1320	IND82M-070224
D533 1320	IND83C-070235
D533 1320	IND83D-070237
D533 1320	IND83D-070238
D533 1320	IND83D-070271
D533 1320	IND83D-070272
D533 1320	IND83E-070226
D533 1320	IND83F-070274
D533 1320	IND83F-070276
D533 1320	IND83F-070278
D533 1320	IND83G-070281
D533 1320	IND83L-070321
D533 1320	IND83M-070322
D533 1320	IND84A-070323
D533 1320	IND84A-070324
D533 1320	IND84C-070329
D533 1320	IND84E-070434
D533 1320	IND84K-070449
D533 1320	IND85A-070506
D533 1320	IND85B-070507
D533 1320	IND85C-070515
D533 1320	IND85D-070517
D533 1320	IND86F-070619
D533 1320	IND86L-070641
D533 1320	IND86M-070673
D533 1320	SUN-B-62823A
D540 1320	ALA-33517
D540 1320	BAJ-63323
D540 1320	BAJ-63423
D540 1320	BAJ-67782
D540 1320	BAJ-67784
D540 1320	BAJ-67785
D540 1320	BAJ-67884
D540 1320	BAJ-67885
D540 1320	BAJ-67886
D540 1320	BAJ-68858
D540 1320	CIL-68248
D540 1320	CIL-68250
D540 1320	CIL-68251
D540 1320	EA-65721
D540 1320	IND77K-069204
D540 1320	IND78A-069206
D540 1320	IND78E-069310
D540 1320	IND80J-069207
D540 1320	IND80L-069208
D540 1320	IND82C-069298
D540 1320	IND83D-069300
D540 1320	IND83E-069206
D540 1320	IND83E-069206
D540 1320	IND83F-069302
D540 1320	IND83G-069303
D540 1320	IND83H-069304
D540 1320	IND83J-069303
D540 1320	IND83L-069301
D540 1320	IND83M-069669
D540 1320	IND84A-069309
D540 1320	IND84A-069309
D540 1320	IND84A-069670
D540 1320	IND84B-070398
D540 1320	IND84C-070399
D540 1320	IND84D-070400
D540 1320	IND85G-069297
D540 1320	IND85H-070400
D540 1320	IND85H-070401
D540 1320	IND85K-070461
D540 1320	IND85K-070461
D540 1320	IND85K-070631
D540 1320	IND85L-070632
D540 1320	IND86A-070633
D540 1320	IND86A-070649
D540 1320	IND86C-070650
D540 1320	IND86D-070651
D540 1320	IND86E-070652
D540 1320	IND86F-070653
D540 1320	IND86G-070654
D540 1320	IND86H-070656
D540 1320	IND86J-070657
D540 1320	IND86L-070655
D540 1320	IND87B-070749
D540 1320	IND87C-070750
D540 1320	IND87D-070752
D540 1320	IND87D-070753
D540 1320	IND87E-070751
D540 1320	IND87G-070798
D540 1320	IND87G-070799

D540 1320	IND87J-070800
D540 1320	IND87L-070802
D540 1320	IND87M-070803
D540 1320	IND88B-070805
D540 1320	PA-B-30145
D540 1320	RAD-63952
D540 1320	RAD-63953
D540 1320	RAD-63954
D540 1320	RAD-64091
D540 1320	RAD-64092
D540 1320	RAD-64093
D540 1320	RAD-64094
D540 1320	RAD-64096
D540 1320	RAD-64098
D540 1320	RAD-64120
D540 1320	RAD-64121
D540 1320	RAD-64122
D540 1320	RAD-64124
D540 1320	RAD-64125
D540 1320	RAD-65256
D540 1320	RAD-65259
D540 1320	RAD-65260
D540 1320	RAD-65261
D540 1320	RAD-65262
D540 1320	RAD-65265
D540 1320	RAD-65266
D540 1320	RAD-65268
D540 1320	RAD-65421
D540 1320	RAD-66047
D540 1320	RAD-66048
D540 1320	RAD-66049
D540 1320	RAD-66050
D540 1320	RAD-66054
D540 1320	RAD-66473
D540 1320	RAD-66590
D540 1320	RAD-66591
D540 1320	RAD-66593
D540 1320	RAD-66595
D540 1320	RAD-66596
D540 1320	RAD-66597
D540 1320	RAD-66598
D540 1320	RAD-66599
D540 1320	RAD-66601
D540 1320	RAD-67230
D540 1320	RAD-67233
D540 1320	RAD-67235
D540 1320	RAD-67236
D540 1320	RAD-67238
D540 1320	RAD-67241
D540 1320	RAD-67246
D540 1320	RAD-67247
D540 1320	RAD-67620
D540 1320	RAD-67621
D540 1320	RAD-67622
D540 1320	RAD-67623
D540 1320	RAD-67624
D540 1320	RAD-67625
D540 1320	RAD-67626
D540 1320	RAD-67627
D540 1320	RAD-67628
D540 1320	RAD-67629
D540 1320	RAD-67630
D540 1320	RAD-67631
D540 1320	RAD-67896
D540 1320	RAD-67898
D540 1320	RAD-67899
D540 1320	RAD-67900
D540 1320	RAD-67901
D540 1320	RAD-67902
D540 1320	RAD-67949
D540 1320	RAD-68009
D540 1320	RAD-68011
D540 1320	RAD-68012
D540 1320	RAD-68013
D540 1320	RAD-68015
D540 1320	RAD-68016
D540 1320	RAD-68017
D540 1320	RAD-68021
D540 1320	RAD-68047
D540 1320	RAD-68274
D540 1320	RAD-68275
D540 1320	RAD-68276
D540 1320	RAD-68441
D540 1320	RAD-68442
D540 1320	RAD-68443
D540 1320	RAD-68444
D540 1320	RAD-68445
D540 1320	RAD-68446
D540 1320	RAD-68447
D540 1320	RAD-68769
D540 1320	RAD-68858
D540 1320	RAD-68859
D540 1320	RAD-68860
D540 1320	RAD-68947
D540 1320	RAD-68948
D540 1320	RAD-68949
D540 1320	RAD-68950
D540 1320	RAD-68952
D540 1320	RAD-69152
D540 1320	RAD-69153

D540	1320	RAD-69154
D540	1320	RAD-69156
D540	1320	RAD-69158
D540	1320	RAD-69159
D540	1320	RAD-69189
D540	1320	RAD-69190
D540	1320	RAD-69191
D540	1320	RAD-69192
D540	1320	RAD-69193
D540	1320	RAD-69194
D540	1320	RAD-69195
D540	1320	RAD-69197
D540	1320	RAD-69198
D540	1320	RAD-69199
D540	1320	RAD-69200
D540	1320	RAD-69201
D540	1320	RAD-69202
D540	1320	RAD-69305
D540	1320	RAD-69306
D540	1320	RAD-69307
D541	1320	BAJ-34462
D541	1320	BAJ-34469
D541	1320	BAJ-37420
D541	1320	BAJ-37423
D541	1320	BAJ-37424
D541	1320	BAJ-37425
D541	1320	BAJ-37427
D541	1320	BAJ-37428
D541	1320	BAJ-37430
D541	1320	BAJ-37432
D541	1320	BAJ-37436
D541	1320	BAJ-37437
D541	1320	BAJ-37438
D541	1320	BAJ-37440
D541	1320	BAJ-37444
D541	1320	BAJ-37451
D541	1320	BAJ-37454
D541	1320	BAJ-37463
D541	1320	BAJ-37464
D541	1320	BAJ-37465
D541	1320	BAJ-37481
D541	1320	BAJ-37483
D541	1320	BAJ-37499
D541	1320	BAJ-37590
D541	1320	BAJ-37595
D541	1320	BAJ-37597
D541	1320	BAJ-63077
D541	1320	BAJ-63083
D541	1320	BAJ-63091
D541	1320	BAJ-63093
D541	1320	BAJ-63098
D541	1320	BAJ-63109
D541	1320	BAJ-63110
D541	1320	BAJ-63112
D541	1320	BAJ-63116
D541	1320	BAJ-63120
D541	1320	BAJ-63124
D541	1320	BAJ-63125
D541	1320	BAJ-63138
D541	1320	BAJ-63142
D541	1320	BAJ-63144
D541	1320	BAJ-63150
D541	1320	BAJ-63242
D541	1320	BAJ-63267
D541	1320	BAJ-63338
D541	1320	BAJ-63340
D541	1320	BAJ-63342
D541	1320	BAJ-63344
D541	1320	BAJ-63372
D541	1320	BAJ-63374
D541	1320	BAJ-63375
D541	1320	BAJ-63381
D541	1320	BAJ-63385
D541	1320	BAJ-63445
D541	1320	BAJ-63448
D541	1320	BAJ-63449
D541	1320	BAJ-63455
D541	1320	BAJ-63457
D541	1320	BAJ-63458
D541	1320	BAJ-65801
D541	1320	BAJ-65804
D541	1320	BAJ-65805
D541	1320	BAJ-65808
D541	1320	BAJ-65815
D541	1320	BAJ-65816
D541	1320	BAJ-65817
D541	1320	BAJ-65820
D541	1320	BAJ-65822
D541	1320	BAJ-65824
D541	1320	BAJ-65825
D541	1320	BAJ-65830
D541	1320	BAJ-65832
D541	1320	BAJ-65833
D541	1320	BAJ-65834
D541	1320	BAJ-65835
D541	1320	BAJ-65836
D541	1320	BAJ-65837
D541	1320	BAJ-65841
D541	1320	BAJ-66235
D541	1320	BAJ-66816

D541 1320	BAJ-66818	D541 1320	BAJ-66987
D541 1320	BAJ-66821	D541 1320	BAJ-66995
D541 1320	BAJ-66822	D541 1320	BAJ-66995
D541 1320	BAJ-66823	D541 1320	BAJ-67064
D541 1320	BAJ-66824	D541 1320	BAJ-67431
D541 1320	BAJ-66825	D541 1320	BAJ-67432
D541 1320	BAJ-66826	D541 1320	BAJ-67433
D541 1320	BAJ-66827	D541 1320	BAJ-67434
D541 1320	BAJ-66828	D541 1320	BAJ-67435
D541 1320	BAJ-66829	D541 1320	BAJ-67436
D541 1320	BAJ-66831	D541 1320	BAJ-67437
D541 1320	BAJ-66832	D541 1320	BAJ-67438
D541 1320	BAJ-66833	D541 1320	BAJ-67439
D541 1320	BAJ-66834	D541 1320	BAJ-67440
D541 1320	BAJ-66836	D541 1320	BAJ-67441
D541 1320	BAJ-66838	D541 1320	BAJ-67442
D541 1320	BAJ-66839	D541 1320	BAJ-67443
D541 1320	BAJ-66840	D541 1320	BAJ-67444
D541 1320	BAJ-66841	D541 1320	BAJ-67445
D541 1320	BAJ-66842	D541 1320	BAJ-67446
D541 1320	BAJ-66843	D541 1320	BAJ-67447
D541 1320	BAJ-66845	D541 1320	BAJ-67454
D541 1320	BAJ-66846	D541 1320	BAJ-67455
D541 1320	BAJ-66847	D541 1320	BAJ-67457
D541 1320	BAJ-66851	D541 1320	BAJ-67459
D541 1320	BAJ-66854	D541 1320	BAJ-67460
D541 1320	BAJ-66855	D541 1320	BAJ-67461
D541 1320	BAJ-66857	D541 1320	BAJ-67462
D541 1320	BAJ-66858	D541 1320	BAJ-67464
D541 1320	BAJ-66861	D541 1320	BAJ-67465
D541 1320	BAJ-66862	D541 1320	BAJ-67466
D541 1320	BAJ-66863	D541 1320	BAJ-67468
D541 1320	BAJ-66864	D541 1320	BAJ-67471
D541 1320	BAJ-66865	D541 1320	BAJ-67472
D541 1320	BAJ-66866	D541 1320	BAJ-67473
D541 1320	BAJ-66869	D541 1320	BAJ-67474
D541 1320	BAJ-66870	D541 1320	BAJ-67475
D541 1320	BAJ-66871	D541 1320	BAJ-67476
D541 1320	BAJ-66873	D541 1320	BAJ-67477
D541 1320	BAJ-66947	D541 1320	BAJ-67478
D541 1320	BAJ-66948	D541 1320	BAJ-67479
D541 1320	BAJ-66949	D541 1320	BAJ-67729
D541 1320	BAJ-66950	D541 1320	BAJ-67730
D541 1320	BAJ-66952	D541 1320	BAJ-67731
D541 1320	BAJ-66953	D541 1320	BAJ-67733
D541 1320	BAJ-66955	D541 1320	BAJ-67734
D541 1320	BAJ-66956	D541 1320	BAJ-67740
D541 1320	BAJ-66963	D541 1320	BAJ-67745
D541 1320	BAJ-66965	D541 1320	BAJ-67747
D541 1320	BAJ-66966	D541 1320	BAJ-67748

D541 1320	BAJ-67749
D541 1320	BAJ-67752
D541 1320	BAJ-67756
D541 1320	BAJ-67762
D541 1320	BAJ-67763
D541 1320	BAJ-67767
D541 1320	BAJ-67768
D541 1320	BAJ-67772
D541 1320	BAJ-67773
D541 1320	BAJ-67955
D541 1320	BAJ-68364
D541 1320	BAJ-68365
D541 1320	BAJ-68366
D541 1320	BAJ-68367
D541 1320	BAJ-68368
D541 1320	BAJ-68369
D541 1320	BAJ-68370
D541 1320	BAJ-68371
D541 1320	BAJ-68372
D541 1320	BAJ-68373
D541 1320	BAJ-68374
D541 1320	BAJ-68376
D541 1320	BAJ-68505
D541 1320	BAJ-68555
D541 1320	BAJ-68557
D541 1320	BAJ-68559
D541 1320	BAJ-68563
D541 1320	BAJ-68564
D541 1320	BAJ-68565
D541 1320	BAJ-68567
D541 1320	BAJ-68568
D541 1320	BAJ-68569
D541 1320	BAJ-68570
D541 1320	BAJ-68571
D541 1320	BAJ-68572
D541 1320	BAJ-68573
D541 1320	BAJ-68574
D541 1320	BAJ-68575
D541 1320	BAJ-68576
D541 1320	BAJ-68578
D541 1320	BAJ-68579
D541 1320	BAJ-68580
D541 1320	BAJ-68582
D541 1320	BAJ-68583C
D541 1320	BAJ-68583D
D541 1320	BAJ-68583F
D541 1320	BAJ-68584
D541 1320	BAJ-68808
D541 1320	BAJ-68809
D541 1320	BAJ-68810
D541 1320	BAJ-68811
D541 1320	BAJ-68812
D541 1320	BAJ-68814
D541 1320	BAJ-68815
D541 1320	BAJ-68816
D541 1320	BAJ-68817
D541 1320	BAJ-68818
D541 1320	BAJ-68819
D541 1320	BAJ-68820
D541 1320	BAJ-68821
D541 1320	BAJ-68823
D541 1320	BAJ-68824
D541 1320	BAJ-68826
D541 1320	BAJ-68827
D541 1320	BAJ-68828
D541 1320	BAJ-68829
D541 1320	BAJ-68830
D541 1320	BAJ-68831
D541 1320	BAJ-68832
D541 1320	BAJ-68833
D541 1320	BAJ-68834
D541 1320	BAJ-69259
D541 1320	BAJ-69263
D541 1320	CHK-19032
D541 1320	CHK-19090
D541 1320	CHK-19092
D541 1320	CHK-19094
D541 1320	CHK-32208
D541 1320	CHK-32210
D541 1320	CHK-32215
D541 1320	CHK-32238
D541 1320	CHK-32353
D541 1320	CHK-32358
D541 1320	CHK-32359
D541 1320	CHK-32374
D541 1320	CIL-66795
D541 1320	CIL-66796
D541 1320	CIL-66799
D541 1320	CIL-66800
D541 1320	CIL-66801
D541 1320	CIL-66802
D541 1320	CIL-67286
D541 1320	CIL-67289
D541 1320	CIL-67290
D541 1320	CIL-67291
D541 1320	CIL-67328
D541 1320	CIL-67330
D541 1320	CIL-67337
D541 1320	CIL-67338
D541 1320	CIL-67339

D541 1320	CIL-67340
D541 1320	CIL-67341
D541 1320	CIL-67342
D541 1320	CIL-67343
D541 1320	CIL-67485
D541 1320	CIL-67843
D541 1320	CIL-67845
D541 1320	CIL-67848
D541 1320	CIL-67850
D541 1320	IA-36951
D541 1320	IA-37759
D541 1320	IA-37764
D541 1320	IA-37766
D541 1320	IA-38389
D541 1320	IA-38928
D541 1320	IA-38957
D541 1320	IA-38959
D541 1320	IA-38961
D541 1320	IA-38962
D541 1320	IA-38963
D541 1320	IA-38965
D541 1320	IA-38966
D541 1320	IA-39097
D541 1320	IA-39106
D541 1320	IA-39107
D541 1320	IA-39113
D541 1320	IA-39133
D541 1320	IA-39148
D541 1320	IA-39151
D541 1320	IA-39162
D541 1320	IA-39164
D541 1320	IA-39169
D541 1320	IA-39174
D541 1320	IA-39198
D541 1320	IA-39208
D541 1320	IA-39210
D541 1320	IA-39380
D541 1320	IA-39386
D541 1320	IA-39387
D541 1320	IA-39392
D541 1320	IA-39394
D541 1320	IA-39397
D541 1320	IA-39401
D541 1320	IA-39409
D541 1320	IA-39412
D541 1320	IA-39413
D541 1320	IA-39414
D541 1320	IA-39425
D541 1320	IA-39427
D541 1320	IA-39429
D541 1320	IA-39430
D541 1320	IA-39433
D541 1320	IA-39444
D541 1320	IA-39448
D541 1320	IA-39460
D541 1320	IA-39474
D541 1320	IA-39491
D541 1320	IA-39492
D541 1320	IA-39493
D541 1320	IA-39495
D541 1320	IA-39499
D541 1320	IA-39500
D541 1320	IA-39506
D541 1320	IA-39507
D541 1320	IA-39508
D541 1320	IA-39509
D541 1320	IA-39514
D541 1320	IA-39516
D541 1320	IA-39517
D541 1320	IA-B-30635
D541 1320	IA-B-35065
D541 1320	IA-B-36482
D541 1320	IA-B-36483
D541 1320	IA-B-36486
D541 1320	IA-B-36487
D541 1320	IA-B-36488
D541 1320	IA-B-36493
D541 1320	IA-B-36812
D541 1320	IA-B-36920
D541 1320	IA-B-36925
D541 1320	IA-B-36926
D541 1320	IA-B-36927
D541 1320	IA-B-36929
D541 1320	IA-B-36931
D541 1320	IA-B-36951
D541 1320	IA-B-38854
D541 1320	IA-B-38857
D541 1320	IA-B-38858
D541 1320	IA-BR-35059
D541 1320	IA-BR-35061
D541 1320	IA-BR-35062
D541 1320	IA-BR-35063
D541 1320	IA-BR-35064
D541 1320	IA-BR-35065
D541 1320	IA-BR-35070
D541 1320	IA-BR-36486
D541 1320	IA-BR-36489
D541 1320	IA-BR-36494
D541 1320	IA-BR-36803
D541 1320	IA-BR-36952

D541 1320	IA-BR-36953
D541 1320	IA-BR-36956
D541 1320	IA-BR-38860
D541 1320	IND-11961
D541 1320	IND-11964
D541 1320	IND-11969
D541 1320	IND-61010
D541 1320	IND-66974
D541 1320	IND-66975
D541 1320	IND-66976
D541 1320	IND-66977
D541 1320	IND-66978
D541 1320	IND-66981
D541 1320	IND-66986
D541 1320	IND-66988
D541 1320	IND-66989
D541 1320	IND-66990
D541 1320	IND-66991
D541 1320	IND-66992
D541 1320	IND-66994
D541 1320	IND-66995
D541 1320	IND-67010
D541 1320	IND-67015
D541 1320	IND-67016
D541 1320	IND-67018
D541 1320	IND-67019
D541 1320	IND-67020
D541 1320	IND-67021
D541 1320	IND-67022
D541 1320	IND-67027
D541 1320	IND-67034
D541 1320	IND-67035
D541 1320	IND-67046
D541 1320	IND-67054
D541 1320	IND-67056
D541 1320	IND-67062
D541 1320	IND-67063
D541 1320	IND-B-67276
D541 1320	IND-B-67277
D541 1320	IND-BR-66007
D541 1320	IND-BR-67274
D541 1320	IND77H-069389
D541 1320	IND77H-069440
D541 1320	IND77J-069442
D541 1320	IND78A-069550
D541 1320	IND78J-069548
D541 1320	IND79H-069548
D541 1320	IND79J-069524
D541 1320	IND79J-069525
D541 1320	IND80G-069942
D541 1320	IND80H-069943
D541 1320	IND80J-069944
D541 1320	IND82F-069443
D541 1320	IND82F-069444
D541 1320	IND84D-069444
D541 1320	IND84D-069445
D541 1320	IND84E-069446
D541 1320	IND84E-069447
D541 1320	IND84F-069448
D541 1320	IND84G-069449
D541 1320	IND84H-069450
D541 1320	IND84J-069483
D541 1320	IND84L-069486
D541 1320	IND84L-069490
D541 1320	IND84M-069491
D541 1320	IND85D-069494
D541 1320	IND85E-069513
D541 1320	IND85E-069517
D541 1320	IND85E-069519
D541 1320	IND85G-069297
D541 1320	IND85G-069520
D541 1320	IND85H-069521
D541 1320	IND85H-069522
D541 1320	IND85H-069522
D541 1320	IND85J-069523
D541 1320	IND85J-069944
D541 1320	IND85K-069441
D541 1320	IND85K-069553
D541 1320	IND85L-069554
D541 1320	IND85L-069554
D541 1320	IND85M-069555
D541 1320	IND85M-069556
D541 1320	IND86A-069557
D541 1320	IND86B-069558
D541 1320	IND86B-069941
D541 1320	IND86C-069437
D541 1320	IND86C-069559
D541 1320	IND86D-069560
D541 1320	IND86E-069487
D541 1320	IND86E-069561
D541 1320	IND86F-069518
D541 1320	IND86H-069488
D541 1320	IND86H-070837
D541 1320	IND86H-070871
D541 1320	IND86J-069451
D541 1320	IND86J-069489
D541 1320	IND86L-069485
D541 1320	IND86L-069511
D541 1320	IND86M-069492
D541 1320	IND86M-069512

D541 1320	IND87A-069514	D541 1320	RAD-35774
D541 1320	IND87B-069515	D541 1320	RAD-35779
D541 1320	IND87C-069493	D541 1320	RAD-35792
D541 1320	IND87C-069516	D541 1320	RAD-38055
D541 1320	IND87C-069516	D541 1320	RAD-38062
D541 1320	IND87C-070755	D541 1320	RAD-38064
D541 1320	IND87D-070756	D541 1320	RAD-38068
D541 1320	IND87E-070834	D541 1320	RAD-38072
D541 1320	IND87J-070872	D541 1320	RAD-38075
D541 1320	IND87K-070873	D541 1320	RAD-38290
D541 1320	IND87M-070875	D541 1320	RAD-38292
D541 1320	OKL-12186	D541 1320	RAD-38293
D541 1320	OKL-12193	D541 1320	RAD-38294
D541 1320	OKL-12199	D541 1320	RAD-38298
D541 1320	OKL-17505	D541 1320	RAD-38391
D541 1320	OKL-17521	D541 1320	RAD-38394
D541 1320	OKL-17525	D541 1320	RAD-38395
D541 1320	OKL-17526	D541 1320	RAD-38397
D541 1320	OKL-17534	D541 1320	RAD-38406
D541 1320	OKL-17574	D541 1320	RAD-38409
D541 1320	OKL-17575	D541 1320	RAD-38677
D541 1320	OKL-17577	D541 1320	RAD-38678
D541 1320	OKL-18606	D541 1320	RAD-38680
D541 1320	OKL-18623	D541 1320	RAD-38682
D541 1320	OKL-18624	D541 1320	RAD-38683
D541 1320	OKL-18626	D541 1320	RAD-38685
D541 1320	OKL-18627	D541 1320	RAD-60399
D541 1320	OKL-18629	D541 1320	RAD-60400
D541 1320	OKL-18634	D541 1320	RAD-60414
D541 1320	OKL-18636	D541 1320	RAD-60431
D541 1320	OKL-18637	D541 1320	RAD-60436
D541 1320	OKL-18638	D541 1320	RAD-60437
D541 1320	OKL-18645	D541 1320	RAD-60441
D541 1320	OKL-18648	D541 1320	RAD-60442
D541 1320	OKL-18657	D541 1320	RAD-60530
D541 1320	RAD-19469	D541 1320	RAD-60531
D541 1320	RAD-19477	D541 1320	RAD-60537
D541 1320	RAD-19484	D541 1320	RAD-60545
D541 1320	RAD-19549	D541 1320	RAD-60548
D541 1320	RAD-19578	D541 1320	RAD-60549
D541 1320	RAD-19657	D541 1320	RAD-66230
D541 1320	RAD-31929	D541 1320	RAD-66231
D541 1320	RAD-31932	D541 1320	RAD-66233
D541 1320	RAD-31933	D541 1320	RAD-66234
D541 1320	RAD-35228	D541 1320	RAD-66235
D541 1320	RAD-35242	D541 1320	RAD-66236
D541 1320	RAD-35755	D541 1320	RAD-66237
D541 1320	RAD-35766	D541 1320	RAD-66238
D541 1320	RAD-35768	D541 1320	RAD-68022
D541 1320	RAD-35771	D541 1320	RAD-68023

D541 1320	RAD-68124
D541 1320	RAD-68133
D541 1320	RAD-68138
D541 1320	RAD-68139
D541 1320	RAD-68140
D541 1320	RAD-68310
D541 1320	RAD-68313
D541 1320	RAD-68316
D541 1320	RAD-68656
D541 1320	RAD-68657
D541 1320	RAD-68679
D541 1320	RAD-68746
D541 1320	RAD-68747
D541 1320	RAD-68749
D541 1320	RAD-68751
D541 1320	RAD-68753
D541 1320	RAD-68754
D541 1320	RAD-68755
D541 1320	RAD-69068
D541 1320	RAD-69069
D541 1320	RAD-69070
D541 1320	RAD-69123
D541 1320	RAD-69125
D541 1320	RAD-69258
D541 1320	RAD-69262
D541 1320	RAD-69265
D541 1320	RAD-69268
D541 1320	RAD-69269
D541 1320	RAD-69270
D541 1320	RAD-69271
D541 1320	RAD-69272
D541 1320	RAD-69273
D541 1320	RAD-69274
D541 1320	RAD-69275
D541 1320	RAD-69276
D541 1320	RAD-69277
D541 1320	RAD-69278
D541 1320	RAD-69279
D541 1320	RAD-69292
D541 1320	RAD-69329
D541 1320	RAD-69330
D541 1320	RAD-69332
D541 1320	RAD-69334
D541 1320	RAD-69335
D541 1320	RAD-69336
D541 1320	RAD-69337
D541 1320	RAD-69338
D541 1320	RAD-69339
D541 1320	RAD-69340
D541 1320	RAD-69341
D541 1320	RAD-69342
D541 1320	RAD-69343
D541 1320	RAD-69383
D541 1320	RAD-69384
D541 1320	RAD-69385
D541 1320	RAD-69386
D541 1320	RAD-69387
D541 1320	RAD-69391
D541 1320	RAD-69392
D541 1320	RAD-69393
D541 1320	RAD-69394
D541 1320	RAD-69395
D541 1320	RAD-69396
D541 1320	RAD-69396
D541 1320	RAD-69397
D541 1320	RAD-69398
D541 1320	RAD-69399
D541 1320	RAD-69400
D541 1320	RAD-69421
D541 1320	RAD-69423
D541 1320	RAD-69424
D541 1320	RAD-69425
D541 1320	RAD-69436
D541 1320	RAD-69437
D541 1320	RAD-69438
D541 1320	RAD-69439
D541 1320	RAD-69440
D541 1320	SUN-30010
D541 1320	SUN-30012
D541 1320	SUN-30014
D541 1320	SUN-30024
D541 1320	SUN-30029
D541 1320	SUN-30033
D541 1320	SUN-30039
D541 1320	SUN-30062
D541 1320	SUN-30064
D541 1320	SUN-30068
D541 1320	SUN-30075
D541 1320	SUN-30091
D544 1320	BGD-552-8
D544 1320	COP-1-14
D544 1320	COP-1-17
D544 1320	COP-1-18
D544 1320	COP-1-24
D544 1320	COP-1-26
D544 1320	COP-1-30
D544 1320	COP-1-35
D544 1320	COP-1-8
D544 1320	IOP-13-14B
D544 1320	IOP-13-39

D544 1320	IOP-13-43
D544 1320	IOP-13-44
D544 1320	IOP-13-45
D544 1320	IOP-13-56
D544 1320	IOP-13-58
D544 1320	IOP-13-61
D544 1320	IOP-13-63
D544 1320	IOP-13-66
D544 1320	IOP-13-70
D544 1320	IOP-13-73
D544 1320	IOP-13-93
D544 1320	IOP-31-17
D544 1320	IOP-31-18
D544 1320	IOP-31-42
D544 1320	IOP-31-43
D544 1320	IOP-31-44
D544 1320	IOP-31-45
D544 1320	IOP-31-46
D544 1320	IOP-31-47
D544 1320	IOP-31-48
D544 1320	IOP-31-49
D544 1320	IOP-31-56
D544 1320	IOP-31-57
D544 1320	IOP-31-58
D544 1320	IOP-31-59
D544 1320	IOP-31-60
D544 1320	IOP-31-62
D544 1320	IOP-31-63
D544 1320	IOP-31-65
D544 1320	IOP-31-68
D544 1320	IOP-31-69
D544 1320	IOP-31-71
D544 1320	IOP-31-72
D544 1320	IOP-31-73
D544 1320	IOP-31-74
D544 1320	IOP-31-75
D544 1320	IOP-31-9
D544 1320	IOP-32-1
D544 1320	IOP-32-10
D544 1320	IOP-32-2
D544 1320	IOP-32-3
D544 1320	IOP-32-4
D544 1320	IOP-32-5
D544 1320	IOP-32-7
D544 1320	IOP-32-8
D544 1320	IOP-32-9
D544 1320	IOP-33-1
D544 1320	IOP-33-2
D544 1320	IOP-33-4
D544 1320	IOP-33-5
D544 1320	IOP-34-1
D544 1320	IOP-34-10
D544 1320	IOP-34-11
D544 1320	IOP-34-13
D544 1320	IOP-34-14
D544 1320	IOP-34-16
D544 1320	IOP-34-17
D544 1320	IOP-34-19
D544 1320	IOP-34-2
D544 1320	IOP-34-20
D544 1320	IOP-34-22
D544 1320	IOP-34-23
D544 1320	IOP-34-25
D544 1320	IOP-34-26
D544 1320	IOP-34-28
D544 1320	IOP-34-29
D544 1320	IOP-34-31
D544 1320	IOP-34-32
D544 1320	IOP-34-34
D544 1320	IOP-34-35
D544 1320	IOP-34-37
D544 1320	IOP-34-38
D544 1320	IOP-34-4
D544 1320	IOP-34-40
D544 1320	IOP-34-41
D544 1320	IOP-34-43
D544 1320	IOP-34-44
D544 1320	IOP-34-46
D544 1320	IOP-34-47
D544 1320	IOP-34-49
D544 1320	IOP-34-5
D544 1320	IOP-34-50
D544 1320	IOP-34-52
D544 1320	IOP-34-53
D544 1320	IOP-34-55
D544 1320	IOP-34-56
D544 1320	IOP-34-58
D544 1320	IOP-34-59
D544 1320	IOP-34-6
D544 1320	IOP-34-61
D544 1320	IOP-34-62
D544 1320	IOP-34-64
D544 1320	IOP-34-65
D544 1320	IOP-34-66
D544 1320	IOP-34-67
D544 1320	IOP-34-68
D544 1320	IOP-34-7
D544 1320	IOP-34-70
D544 1320	IOP-34-71
D544 1320	IOP-34-73

D544 1320	IOP-34-74
D544 1320	IOP-34-76
D544 1320	IOP-34-77
D544 1320	IOP-34-79
D544 1320	IOP-34-8
D544 1320	IOP-34-80
D544 1320	IOP-34-81
D544 1320	IOP-34-82
D544 1320	IOP-34-83
D544 1320	IOP-34-85
D544 1320	IOP-34-86
D544 1320	IOP-34-87
D544 1320	IOP-34-88
D544 1320	IOP-34-89
D544 1320	IOP-34-9
D544 1320	IOP-34-91
D544 1320	IOP-34-92
D544 1320	IOP-34-94
D544 1320	IOP-34-95
D544 1320	IOP-40-11
D544 1320	IOP-40-12
D544 1320	IOP-40-14
D544 1320	IOP-40-15
D544 1320	IOP-40-17
D544 1320	IOP-40-19
D544 1320	IOP-40-6
D544 1320	IOP-40-7
D544 1320	IOP-40-8
D544 1320	IOP-41-1
D544 1320	IOP-41-2
D544 1320	IOP-41-4
D544 1320	IOP-42-1
D544 1320	IOP-42-2
D544 1320	IOP-42-5
D544 1320	IOP-42-6
D544 1320	IOP-42-7
D544 1320	IOP-42-8
D544 1320	IOP-43-1
D544 1320	IOP-43-10
D544 1320	IOP-43-100
D544 1320	IOP-43-101
D544 1320	IOP-43-103
D544 1320	IOP-43-104
D544 1320	IOP-43-106
D544 1320	IOP-43-107
D544 1320	IOP-43-109
D544 1320	IOP-43-11
D544 1320	IOP-43-110
D544 1320	IOP-43-112
D544 1320	IOP-43-113
D544 1320	IOP-43-116
D544 1320	IOP-43-13
D544 1320	IOP-43-14
D544 1320	IOP-43-16
D544 1320	IOP-43-17
D544 1320	IOP-43-19
D544 1320	IOP-43-2
D544 1320	IOP-43-20
D544 1320	IOP-43-21
D544 1320	IOP-43-22
D544 1320	IOP-43-23
D544 1320	IOP-43-25
D544 1320	IOP-43-26
D544 1320	IOP-43-28
D544 1320	IOP-43-29
D544 1320	IOP-43-3
D544 1320	IOP-43-31
D544 1320	IOP-43-32
D544 1320	IOP-43-34
D544 1320	IOP-43-35
D544 1320	IOP-43-36
D544 1320	IOP-43-37
D544 1320	IOP-43-38
D544 1320	IOP-43-39
D544 1320	IOP-43-4
D544 1320	IOP-43-40
D544 1320	IOP-43-41
D544 1320	IOP-43-42
D544 1320	IOP-43-43
D544 1320	IOP-43-44
D544 1320	IOP-43-46
D544 1320	IOP-43-47
D544 1320	IOP-43-49
D544 1320	IOP-43-5
D544 1320	IOP-43-50
D544 1320	IOP-43-52
D544 1320	IOP-43-53
D544 1320	IOP-43-55
D544 1320	IOP-43-56
D544 1320	IOP-43-58
D544 1320	IOP-43-59
D544 1320	IOP-43-6
D544 1320	IOP-43-61
D544 1320	IOP-43-62
D544 1320	IOP-43-64
D544 1320	IOP-43-65
D544 1320	IOP-43-67
D544 1320	IOP-43-68
D544 1320	IOP-43-7
D544 1320	IOP-43-70

D544 1320	IOP-43-71
D544 1320	IOP-43-73
D544 1320	IOP-43-74
D544 1320	IOP-43-76
D544 1320	IOP-43-79
D544 1320	IOP-43-8
D544 1320	IOP-43-80
D544 1320	IOP-43-81
D544 1320	IOP-43-82
D544 1320	IOP-43-83
D544 1320	IOP-43-84
D544 1320	IOP-43-85
D544 1320	IOP-43-86
D544 1320	IOP-43-88
D544 1320	IOP-43-89
D544 1320	IOP-43-9
D544 1320	IOP-43-90
D544 1320	IOP-43-91
D544 1320	IOP-43-92
D544 1320	IOP-43-93
D544 1320	IOP-43-94
D544 1320	IOP-43-95
D544 1320	IOP-43-97
D544 1320	IOP-43-98
D544 1320	IOP-44-1
D544 1320	IOP-44-10
D544 1320	IOP-44-103
D544 1320	IOP-44-104
D544 1320	IOP-44-105
D544 1320	IOP-44-106
D544 1320	IOP-44-107
D544 1320	IOP-44-108
D544 1320	IOP-44-11
D544 1320	IOP-44-111
D544 1320	IOP-44-112
D544 1320	IOP-44-113
D544 1320	IOP-44-114
D544 1320	IOP-44-115
D544 1320	IOP-44-116
D544 1320	IOP-44-118
D544 1320	IOP-44-119
D544 1320	IOP-44-19
D544 1320	IOP-44-2
D544 1320	IOP-44-20
D544 1320	IOP-44-22
D544 1320	IOP-44-23
D544 1320	IOP-44-25
D544 1320	IOP-44-26
D544 1320	IOP-44-28
D544 1320	IOP-44-29
D544 1320	IOP-44-31
D544 1320	IOP-44-32
D544 1320	IOP-44-34
D544 1320	IOP-44-35
D544 1320	IOP-44-36
D544 1320	IOP-44-37
D544 1320	IOP-44-38
D544 1320	IOP-44-4
D544 1320	IOP-44-40
D544 1320	IOP-44-41
D544 1320	IOP-44-42
D544 1320	IOP-44-43
D544 1320	IOP-44-44
D544 1320	IOP-44-46
D544 1320	IOP-44-47
D544 1320	IOP-44-49
D544 1320	IOP-44-5
D544 1320	IOP-44-50
D544 1320	IOP-44-52
D544 1320	IOP-44-53
D544 1320	IOP-44-55
D544 1320	IOP-44-56
D544 1320	IOP-44-58
D544 1320	IOP-44-59
D544 1320	IOP-44-61
D544 1320	IOP-44-62
D544 1320	IOP-44-64
D544 1320	IOP-44-65
D544 1320	IOP-44-67
D544 1320	IOP-44-68
D544 1320	IOP-44-7
D544 1320	IOP-44-70
D544 1320	IOP-44-71
D544 1320	IOP-44-73
D544 1320	IOP-44-74
D544 1320	IOP-44-75
D544 1320	IOP-44-76
D544 1320	IOP-44-77
D544 1320	IOP-44-78
D544 1320	IOP-44-8
D544 1320	IOP-44-80
D544 1320	IOP-44-81
D544 1320	IOP-44-82
D544 1320	IOP-44-83
D544 1320	IOP-45-1
D544 1320	IOP-45-10
D544 1320	IOP-45-11
D544 1320	IOP-45-13
D544 1320	IOP-45-14
D544 1320	IOP-45-16

D544 1320	IOP-45-17
D544 1320	IOP-45-18
D544 1320	IOP-45-19
D544 1320	IOP-45-2
D544 1320	IOP-45-20
D544 1320	IOP-45-21
D544 1320	IOP-45-22
D544 1320	IOP-45-23
D544 1320	IOP-45-24
D544 1320	IOP-45-25
D544 1320	IOP-45-26
D544 1320	IOP-45-27
D544 1320	IOP-45-28
D544 1320	IOP-45-29
D544 1320	IOP-45-30
D544 1320	IOP-45-32
D544 1320	IOP-45-33
D544 1320	IOP-45-4
D544 1320	IOP-45-5
D544 1320	IOP-45-7
D544 1320	IOP-45-8
D544 1320	IOP-46-11
D544 1320	IOP-46-12
D544 1320	IOP-46-13
D544 1320	IOP-46-14
D544 1320	IOP-46-16
D544 1320	IOP-46-17
D544 1320	IOP-46-18
D544 1320	IOP-46-2
D544 1320	IOP-46-22
D544 1320	IOP-46-23
D544 1320	IOP-46-7
D544 1320	IOP-46-8
D544 1320	LOP-24-283
D544 1320	LOP-24-284
D544 1320	LOP-3-101
D544 1320	LOP-3-106
D544 1320	LOP-3-125
D544 1320	LOP-3-128
D544 1320	LOP-3-134
D544 1320	LOP-3-142
D544 1320	LOP-3-148
D544 1320	LOP-3-149
D544 1320	LOP-3-150
D544 1320	LOP-3-151
D544 1320	LOP-3-152
D544 1320	LOP-3-34
D544 1320	LOP-3-36
D544 1320	LOP-3-38
D544 1320	LOP-3-40
D544 1320	LOP-3-42
D544 1320	LOP-3-82
D544 1320	LOP-3-85
D544 1320	LOP-3-86
D544 1320	LOP-3-93
D544 1320	LOP-3-95
D544 1320	LOP-3-99
D544 1320	LOP-33-112
D544 1320	LOP-33-125
D544 1320	LOP-33-126
D544 1320	LOP-4-58
D544 1320	LOP-4-59
D544 1320	LOP-4-62
D544 1320	LOP-4-63
D544 1320	LOP-4-72
D544 1320	LOP-4-73
D544 1320	LOP-4-74
D544 1320	LOP-4-75
D544 1320	LOP-4-76
D544 1320	LOP-4-77
D544 1320	LOP-4-78
D544 1320	LOP-4-79
D544 1320	LOP-44-50
D544 1320	LOP-5-106
D544 1320	LOP-5-120
D544 1320	LOP-5-121
D544 1320	LOP-5-15
D544 1320	LOP-5-157
D544 1320	LOP-5-173
D544 1320	LOP-5-179
D544 1320	LOP-5-180
D544 1320	LOP-5-183
D544 1320	LOP-5-184
D544 1320	LOP-5-188
D544 1320	LOP-5-202
D544 1320	LOP-5-216
D544 1320	LOP-5-221
D544 1320	LOP-5-23
D544 1320	LOP-5-261
D544 1320	LOP-5-64
D544 1320	LOP-5-70
D544 1320	LOP-5-74
D544 1320	LOP-5-75
D544 1320	LOP-5-90
D544 1320	LOP-5-99
D544 1320	LOP-53-111
D544 1320	LOP-53-112
D544 1320	LOP-53-90
D544 1320	LOP-53-92
D544 1320	LOP-53-96

D544 1320	LOP-53-97
D544 1320	LOP-53-98
D544 1320	LOP-53-99
D544 1320	LOP-60-106
D544 1320	LOP-60-109
D544 1320	LOP-60-110
D544 1320	LOP-60-111
D544 1320	LOP-60-113
D544 1320	LOP-60-117
D544 1320	LOP-60-120
D544 1320	LOP-60-129
D544 1320	LOP-60-133
D544 1320	LOP-60-145
D544 1320	LOP-60-153
D544 1320	LOP-60-158
D544 1320	LOP-60-160
D544 1320	LOP-60-169
D544 1320	LOP-60-171
D544 1320	LOP-60-177
D544 1320	LOP-60-179
D544 1320	LOP-60-191
D544 1320	LOP-60-192
D544 1320	LOP-60-200
D544 1320	LOP-60-201
D544 1320	LOP-60-202
D544 1320	LOP-60-203
D544 1320	LOP-60-204
D544 1320	LOP-60-205
D544 1320	LOP-60-206
D544 1320	LOP-60-208
D544 1320	LOP-60-209
D544 1320	LOP-60-210
D544 1320	LOP-60-212
D544 1320	LOP-60-216
D544 1320	LOP-60-219
D544 1320	LOP-60-224
D544 1320	LOP-60-226
D544 1320	LOP-60-227
D544 1320	LOP-60-228
D544 1320	LOP-60-231
D544 1320	LOP-60-232
D544 1320	LOP-60-39
D544 1320	LOP-60-41
D544 1320	LOP-60-42
D544 1320	LOP-60-44
D544 1320	LOP-60-45
D544 1320	LOP-60-46
D544 1320	LOP-60-47
D544 1320	LOP-60-63
D544 1320	LOP-60-67
D544 1320	LOP-60-91
D544 1320	LOP-60-93
D544 1320	LOP-61-11
D544 1320	LOP-61-20
D544 1320	LOP-61-21
D544 1320	LOP-61-32
D544 1320	LOP-61-34
D544 1320	LOP-61-35
D544 1320	LOP-61-36
D544 1320	LOP-61-37
D544 1320	LOP-61-39
D544 1320	LOP-61-45
D544 1320	LOP-61-46
D544 1320	LOP-61-47
D544 1320	LOP-61-47A
D544 1320	LOP-61-49
D544 1320	LOP-61-50
D544 1320	LOP-61-6
D544 1320	LOP-61-65
D544 1320	LOP-61-7
D544 1320	LOP-61-74
D544 1320	LOP-61-81
D544 1320	LOP-61-82
D544 1320	LOP-61-83
D544 1320	LOP-61-84
D544 1320	LOP-613-11
D544 1320	LOP-613-19
D544 1320	LOP-613-2
D544 1320	LOP-613-20
D544 1320	LOP-613-21
D544 1320	LOP-613-22
D544 1320	LOP-613-24
D544 1320	LOP-613-25
D544 1320	LOP-613-27
D544 1320	LOP-613-29
D544 1320	LOP-613-3
D544 1320	LOP-613-31
D544 1320	LOP-613-4
D544 1320	LOP-613-41
D544 1320	LOP-613-56
D544 1320	LOP-613-57
D544 1320	LOP-615-21
D544 1320	LOP-615-25
D544 1320	LOP-615-29
D544 1320	LOP-615-3
D544 1320	LOP-615-32
D544 1320	LOP-615-4
D544 1320	LOP-615-48
D544 1320	LOP-615-56
D544 1320	LOP-64-10

D544 1320	LOP-64-107	D544 1320	LOP-64-28
D544 1320	LOP-64-109	D544 1320	LOP-64-282
D544 1320	LOP-64-110	D544 1320	LOP-64-285
D544 1320	LOP-64-111	D544 1320	LOP-64-289
D544 1320	LOP-64-114	D544 1320	LOP-64-290
D544 1320	LOP-64-115	D544 1320	LOP-64-291
D544 1320	LOP-64-116	D544 1320	LOP-64-292
D544 1320	LOP-64-13	D544 1320	LOP-64-293
D544 1320	LOP-64-130	D544 1320	LOP-64-294
D544 1320	LOP-64-131	D544 1320	LOP-64-295
D544 1320	LOP-64-132	D544 1320	LOP-64-296
D544 1320	LOP-64-134	D544 1320	LOP-64-297
D544 1320	LOP-64-135	D544 1320	LOP-64-298
D544 1320	LOP-64-136	D544 1320	LOP-64-299
D544 1320	LOP-64-137	D544 1320	LOP-64-300
D544 1320	LOP-64-14	D544 1320	LOP-64-301
D544 1320	LOP-64-166	D544 1320	LOP-64-302
D544 1320	LOP-64-167	D544 1320	LOP-64-303
D544 1320	LOP-64-168	D544 1320	LOP-64-45
D544 1320	LOP-64-172	D544 1320	LOP-64-53
D544 1320	LOP-64-173	D544 1320	LOP-64-54
D544 1320	LOP-64-174	D544 1320	LOP-64-55
D544 1320	LOP-64-175	D544 1320	LOP-64-68
D544 1320	LOP-64-176	D544 1320	LOP-64-68
D544 1320	LOP-64-177	D544 1320	LOP-64-71
D544 1320	LOP-64-178	D544 1320	LOP-64-72
D544 1320	LOP-64-183	D544 1320	LOP-64-73
D544 1320	LOP-64-184	D544 1320	LOP-64-74
D544 1320	LOP-64-186	D544 1320	LOP-64-75
D544 1320	LOP-64-187	D544 1320	LOP-64-76
D544 1320	LOP-64-188	D544 1320	LOP-64-77
D544 1320	LOP-64-196	D544 1320	LOP-64-78
D544 1320	LOP-64-197	D544 1320	LOP-64-79
D544 1320	LOP-64-198	D544 1320	LOP-64-80
D544 1320	LOP-64-199	D544 1320	LOP-64-81
D544 1320	LOP-64-200A	D544 1320	LOP-64-82
D544 1320	LOP-64-203	D544 1320	LOP-64-86
D544 1320	LOP-64-205	D544 1320	LOP-64-88
D544 1320	LOP-64-228	D544 1320	LOP-64-89
D544 1320	LOP-64-23	D544 1320	LOP-64-90
D544 1320	LOP-64-237	D544 1320	LOP-64-91
D544 1320	LOP-64-24	D544 1320	LOP-64-92
D544 1320	LOP-64-260	D544 1320	LOP-643-10
D544 1320	LOP-64-268	D544 1320	LOP-643-109
D544 1320	LOP-64-269	D544 1320	LOP-643-133
D544 1320	LOP-64-270	D544 1320	LOP-643-134
D544 1320	LOP-64-271	D544 1320	LOP-643-135
D544 1320	LOP-64-272	D544 1320	LOP-643-140
D544 1320	LOP-64-275	D544 1320	LOP-643-167
D544 1320	LOP-64-278	D544 1320	LOP-643-171

D544 1320	LOP-643-173
D544 1320	LOP-643-174
D544 1320	LOP-643-175
D544 1320	LOP-643-177
D544 1320	LOP-643-182
D544 1320	LOP-643-183
D544 1320	LOP-643-186
D544 1320	LOP-643-199
D544 1320	LOP-643-205
D544 1320	LOP-643-237
D544 1320	LOP-643-253
D544 1320	LOP-643-260
D544 1320	LOP-643-267
D544 1320	LOP-643-268
D544 1320	LOP-643-270
D544 1320	LOP-643-272
D544 1320	LOP-643-275
D544 1320	LOP-643-283
D544 1320	LOP-643-284
D544 1320	LOP-643-289
D544 1320	LOP-643-290
D544 1320	LOP-643-291
D544 1320	LOP-643-292
D544 1320	LOP-643-293
D544 1320	LOP-643-294
D544 1320	LOP-643-295
D544 1320	LOP-643-297
D544 1320	LOP-643-299
D544 1320	LOP-643-301
D544 1320	LOP-643-302
D544 1320	LOP-643-68
D544 1320	LOP-643-70
D544 1320	LOP-643-72
D544 1320	LOP-643-74
D544 1320	LOP-643-75
D544 1320	LOP-643-76
D544 1320	LOP-643-78
D544 1320	LOP-643-80
D544 1320	LOP-643-81
D544 1320	LOP-643-82
D544 1320	LOP-643-86
D544 1320	LOP-643-88
D544 1320	LOP-643-90
D544 1320	LOP-645-133
D544 1320	LOP-645-164
D544 1320	LOP-645-170
D544 1320	LOP-645-245
D544 1320	LOP-645-264
D544 1320	LOP-645-266
D544 1320	LOP-645-267
D544 1320	LOP-645-268
D544 1320	LOP-645-269
D544 1320	LOP-645-274
D544 1320	LOP-645-279
D544 1320	LOP-645-280
D544 1320	LOP-645-284
D544 1320	LOP-645-285
D544 1320	LOP-645-286
D544 1320	LOP-645-287
D544 1320	LOP-645-288
D544 1320	LOP-645-290
D544 1320	LOP-645-291
D544 1320	LOP-645-295
D544 1320	LOP-645-296
D544 1320	LOP-645-297
D544 1320	LOP-645-70
D544 1320	LOP-645-75
D544 1320	LOP-645-84
D544 1320	LOP-645-85
D544 1320	LOP-65-10
D544 1320	LOP-65-8
D544 1320	LOP-65-9
D544 1320	LOP-653-10
D544 1320	LOP-66-19
D544 1320	LOP-66-20
D544 1320	LOP-66-8
D544 1320	LOP-663-10
D544 1320	LOP-663-20
D544 1320	LOP-663-8
D544 1320	LOP-665-10
D544 1320	LOP-67-1
D544 1320	LOP-67-2
D544 1320	LOP-68-1
D544 1320	LOP-68-2
D544 1320	LOP-683-2
D544 1320	LOP-69-10
D544 1320	LOP-69-11
D544 1320	LOP-69-13
D544 1320	LOP-69-14
D544 1320	LOP-69-17
D544 1320	LOP-69-18
D544 1320	LOP-69-19
D544 1320	LOP-69-6
D544 1320	LOP-69-8
D544 1320	LOP-693-18
D544 1320	LOP-693-19
D544 1320	LOP-693-6
D544 1320	LOP-695-6
D544 1320	LOP-70-1
D544 1320	LOP-70-10

D544 1320	LOP-70-11
D544 1320	LOP-70-12
D544 1320	LOP-70-13
D544 1320	LOP-70-2
D544 1320	LOP-70-23
D544 1320	LOP-70-24
D544 1320	LOP-70-25
D544 1320	LOP-70-26
D544 1320	LOP-70-27
D544 1320	LOP-70-28
D544 1320	LOP-70-3
D544 1320	LOP-70-30
D544 1320	LOP-70-31
D544 1320	LOP-70-32
D544 1320	LOP-70-33
D544 1320	LOP-70-34
D544 1320	LOP-70-35
D544 1320	LOP-70-36
D544 1320	LOP-70-37
D544 1320	LOP-70-38
D544 1320	LOP-70-39
D544 1320	LOP-70-4
D544 1320	LOP-70-43
D544 1320	LOP-70-45
D544 1320	LOP-70-46
D544 1320	LOP-70-47
D544 1320	LOP-70-48
D544 1320	LOP-70-49
D544 1320	LOP-70-5
D544 1320	LOP-70-50
D544 1320	LOP-70-51
D544 1320	LOP-70-53
D544 1320	LOP-70-55
D544 1320	LOP-70-56
D544 1320	LOP-70-58
D544 1320	LOP-70-59
D544 1320	LOP-70-6
D544 1320	LOP-70-60
D544 1320	LOP-70-61
D544 1320	LOP-70-62
D544 1320	LOP-70-64
D544 1320	LOP-70-66
D544 1320	LOP-70-67
D544 1320	LOP-70-68
D544 1320	LOP-70-69
D544 1320	LOP-70-7
D544 1320	LOP-70-70
D544 1320	LOP-70-71
D544 1320	LOP-70-72
D544 1320	LOP-70-73
D544 1320	LOP-70-74
D544 1320	LOP-70-75
D544 1320	LOP-70-76
D544 1320	LOP-70-77
D544 1320	LOP-70-79
D544 1320	LOP-70-8
D544 1320	LOP-70-80
D544 1320	LOP-70-81
D544 1320	LOP-70-82
D544 1320	LOP-70-83
D544 1320	LOP-70-84
D544 1320	LOP-70-88
D544 1320	LOP-70-9
D544 1320	LOP-70-95
D544 1320	LOP-703-10
D544 1320	LOP-703-11
D544 1320	LOP-703-12
D544 1320	LOP-703-19
D544 1320	LOP-703-57
D544 1320	LOP-703-58
D544 1320	LOP-703-7
D544 1320	LOP-705-1
D544 1320	LOP-705-10
D544 1320	LOP-705-11
D544 1320	LOP-705-12
D544 1320	LOP-705-13
D544 1320	LOP-705-2
D544 1320	LOP-705-22
D544 1320	LOP-705-23
D544 1320	LOP-705-25
D544 1320	LOP-705-27
D544 1320	LOP-705-28
D544 1320	LOP-705-29
D544 1320	LOP-705-3
D544 1320	LOP-705-30
D544 1320	LOP-705-31
D544 1320	LOP-705-32
D544 1320	LOP-705-33
D544 1320	LOP-705-34
D544 1320	LOP-705-35
D544 1320	LOP-705-36
D544 1320	LOP-705-37
D544 1320	LOP-705-38
D544 1320	LOP-705-4
D544 1320	LOP-705-41
D544 1320	LOP-705-42
D544 1320	LOP-705-43
D544 1320	LOP-705-44
D544 1320	LOP-705-45
D544 1320	LOP-705-46

D544	1320	LOP-705-47
D544	1320	LOP-705-48
D544	1320	LOP-705-49
D544	1320	LOP-705-5
D544	1320	LOP-705-50
D544	1320	LOP-705-51
D544	1320	LOP-705-54
D544	1320	LOP-705-55
D544	1320	LOP-705-6
D544	1320	LOP-705-60
D544	1320	LOP-705-61
D544	1320	LOP-705-62
D544	1320	LOP-705-64
D544	1320	LOP-705-66
D544	1320	LOP-705-67
D544	1320	LOP-705-68
D544	1320	LOP-705-69
D544	1320	LOP-705-7
D544	1320	LOP-705-70
D544	1320	LOP-705-71
D544	1320	LOP-705-72
D544	1320	LOP-705-73
D544	1320	LOP-705-74
D544	1320	LOP-705-75
D544	1320	LOP-705-77
D544	1320	LOP-705-78
D544	1320	LOP-705-79
D544	1320	LOP-705-8
D544	1320	LOP-705-80
D544	1320	LOP-705-81
D544	1320	LOP-705-82
D544	1320	LOP-705-83
D544	1320	LOP-705-9
D544	1320	LOP80G070-084
D544	1320	LOP80G705-084
D544	1320	LOP80H070-085
D544	1320	LOP80H703-078
D544	1320	LOP80H705-085
D544	1320	LOP80J070-086
D544	1320	LOP80J703-079
D544	1320	LOP80J705-086
D544	1320	LOP80K070-087
D544	1320	LOP80K705-087
D544	1320	LOP80L070-088
D544	1320	LOP80L705-088
D544	1320	LOP80M070-089
D544	1320	LOP80M703-080
D544	1320	LOP80M705-089
D544	1320	LOP81A070-090
D544	1320	LOP81A070-091
D544	1320	LOP81A070-092
D544	1320	LOP81A703-081
D544	1320	LOP81A703-082
D544	1320	LOP81A703-083
D544	1320	LOP81A705-090
D544	1320	LOP81A705-091
D544	1320	LOP81A705-092
D544	1320	LOP81B070-093
D544	1320	LOP81B070-094
D544	1320	LOP81B070-095
D544	1320	LOP81B705-093
D544	1320	LOP81B705-094
D544	1320	LOP81B705-095
D544	1320	LOP81C070-096
D544	1320	LOP81C703-084
D544	1320	LOP81C705-096
D544	1320	LOP81D070-097
D544	1320	LOP81D703-085
D544	1320	LOP81D705-097
D544	1320	LOP81E070-098
D544	1320	LOP81E070-099
D544	1320	LOP81E705-098
D544	1320	LOP81E705-099
D544	1320	LOP83B071-001
D544	1320	LOP83B071-002
D544	1320	LOP83B715-001
D544	1320	LOP83B715-002
D544	1320	LOP83C071-003
D544	1320	LOP83C715-003
D544	1320	LOP83D071-004
D544	1320	LOP83D715-004
D544	1320	LOP83E071-005
D544	1320	LOP83E715-005
D544	1320	LOP83F071-006
D544	1320	LOP83G071-007
D544	1320	LOP83H071-008
D544	1320	LOP83H071-009
D544	1320	LOP83H715-008
D544	1320	LOP83J071-010
D544	1320	LOP83K071-011
D544	1320	LOP83K071-011
D544	1320	LOP83K715-011
D544	1320	LOP83M071-012
D544	1320	LOP83M715-012
D544	1320	LOP84A071H013
D544	1320	LOP84A715H013
D544	1320	LOP84C071-014
D544	1320	LOP84C713-005
D544	1320	LOP84C715-014
D544	1320	LOP84D071-015

D544 1320	LOP84D715-015	D544 1320	RVA-10-77
D544 1320	LOP84E071-005	D544 1320	RVA-13-1
D544 1320	LOP84F071-016	D544 1320	RVA-13-2
D544 1320	LOP84F715-016	D544 1320	RVA-20-301A
D544 1320	LOP84G071-017	D544 1320	RVA-20-34A
D544 1320	LOP84G715-017	D544 1320	RVA-4-104
D544 1320	LOP84G715-017	D544 1320	RVA-4-109
D544 1320	LOP84H071-018	D544 1320	RVA-4-122
D544 1320	LOP84H715-018	D544 1320	RVA-4-123
D544 1320	LOP84J071-019	D544 1320	RVA-4-124
D544 1320	LOP84J715-019	D544 1320	RVA-4-126
D544 1320	LOP84K071-020	D544 1320	RVA-4-128
D544 1320	LOP84K715-020	D544 1320	RVA-4-133
D544 1320	LOP84L071-021	D544 1320	RVA-4-136
D544 1320	LOP84L715-021	D544 1320	RVA-4-150B
D544 1320	LOP85A071-022	D544 1320	RVA-4-150C
D544 1320	LOP85A715-023	D544 1320	RVA-4-153F
D544 1320	LOP85A715-023	D544 1320	RVA-4-45
D544 1320	LOP85B715-024	D544 1320	RVA-4-46
D544 1320	LOP85B715-025	D544 1320	RVA-4-47
D544 1320	LOP85C071-026	D544 1320	RVA-4-51
D544 1320	LOP85C715-026	D544 1320	RVA-4-55
D544 1320	MA-500-13	D544 1320	RVA-4-58
D544 1320	RVA-10-125	D544 1320	RVA-4-59
D544 1320	RVA-10-221	D544 1320	RVA-4-62
D544 1320	RVA-10-232	D544 1320	RVA-5-13
D544 1320	RVA-10-233	D544 1320	RVA-6-10
D544 1320	RVA-10-236	D544 1320	RVA-6-102
D544 1320	RVA-10-237	D544 1320	RVA-6-102A
D544 1320	RVA-10-240	D544 1320	RVA-6-105
D544 1320	RVA-10-241	D544 1320	RVA-6-11
D544 1320	RVA-10-248	D544 1320	RVA-6-13
D544 1320	RVA-10-252	D544 1320	RVA-6-25
D544 1320	RVA-10-260	D544 1320	RVA-6-28
D544 1320	RVA-10-261	D544 1320	RVA-6-31
D544 1320	RVA-10-264A	D544 1320	RVA-6-32
D544 1320	RVA-10-269A	D544 1320	RVA-6-43
D544 1320	RVA-10-272A	D544 1320	RVA-6-48
D544 1320	RVA-10-273A	D544 1320	RVA-6-54
D544 1320	RVA-10-281A	D544 1320	RVA-6-57
D544 1320	RVA-10-284A	D544 1320	RVA-6-58
D544 1320	RVA-10-285A	D544 1320	RVA-6-60
D544 1320	RVA-10-288A	D544 1320	RVA-6-7
D544 1320	RVA-10-289A	D544 1320	RVA-6-72
D544 1320	RVA-10-296A	D544 1320	RVA-6-80
D544 1320	RVA-10-300A	D544 1320	RVA-6-86
D544 1320	RVA-10-301A	D544 1320	RVA-6-94
D544 1320	RVA-10-33A	D544 1320	RVA-6-95
D544 1320	RVA-10-34A	D544 1320	RVA-600-5A
D544 1320	RVA-10-69A	D544 1320	RVA-8-1

D544 1320	RVA-8-10	D550 1320	LS-71-19
D544 1320	RVA-8-11	D550 1320	LS-71-2
D544 1320	RVA-8-13	D550 1320	LS-71-20
D544 1320	RVA-8-14	D550 1320	LS-71-21
D544 1320	RVA-8-15	D550 1320	LS-71-22
D544 1320	RVA-8-16	D550 1320	LS-71-23
D544 1320	RVA-8-17	D550 1320	LS-71-24
D544 1320	RVA-8-19	D550 1320	LS-71-29
D544 1320	RVA-8-2	D550 1320	LS-71-3
D544 1320	RVA-8-28	D550 1320	LS-71-4
D544 1320	RVA-8-4	D550 1320	LS-71-5
D544 1320	RVA-8-7	D550 1320	LS-71-6
D544 1320	TFA-602-19	D550 1320	LS-71-7
D544 1320	TFO-602-11	D550 1320	LS-71-8
D544 1320	TFO-602-9	D550 1320	LS-71-9
D544 1330	LOP83G071-007	D550 1320	LS-74-1
D544 1330	LOP83J071H010	D550 1320	LS-74-10
D544 1330	LOP83M071-012	D550 1320	LS-74-11
D550 1320	AKZ-501-1	D550 1320	LS-74-12
D550 1320	AKZ-501-2	D550 1320	LS-74-13
D550 1320	AKZ-600-1	D550 1320	LS-74-15
D550 1320	AKZ-601-2A	D550 1320	LS-74-1A
D550 1320	AKZ-601-2B	D550 1320	LS-74-20
D550 1320	AOY-560-1	D550 1320	LS-74-2A
D550 1320	AOY-560-13	D550 1320	LS-74-3
D550 1320	AOY-560-15	D550 1320	LS-74-4
D550 1320	AOY-560-19	D550 1320	LS-74-9A
D550 1320	AOY-560-20	D550 1320	OAP-1-14B
D550 1320	AOY-560-21	D550 1320	OAP-1-14C
D550 1320	AOY-560-36	D550 1320	OAP-1-15B
D550 1320	AOY-560-37	D550 1320	OAP-1-16F
D550 1320	AOY-560-5	D550 1320	OAP-1-16J
D550 1320	AOY-560-5A	D550 1320	OAP-1-17A
D550 1320	AOY-560-6A	D550 1320	OAP-1-18A
D550 1320	BGD-550-5	D550 1320	OAP-1-18B
D550 1320	BGD-550-6	D550 1320	OAP-1-18C
D550 1320	BGD-560-12B	D550 1320	OAP-1-19A
D550 1320	BGD-561-2	D550 1320	OAP-1-19B
D550 1320	BGD-562-2	D550 1320	OAP-1-19C
D550 1320	BGD-563-6	D550 1320	OAP-1-20A
D550 1320	BGD82G001-002	D550 1320	OAP-1-21
D550 1320	BGD82G001-003	D550 1320	OAP-1-21C
D550 1320	LS-71-10	D550 1320	OAP-1-22A
D550 1320	LS-71-11	D550 1320	OAP-1-23C
D550 1320	LS-71-11A	D550 1320	OAP-1-23D
D550 1320	LS-71-12	D550 1320	OAP-1-24A
D550 1320	LS-71-13	D550 1320	OAP-1-25A
D550 1320	LS-71-15	D550 1320	OAP-1-26C
D550 1320	LS-71-16	D550 1320	OAP-1-27A
D550 1320	LS-71-17	D550 1320	OAP-1-28A

D550 1320	OAP-1-28C	D550 1320	RD-27-25B
D550 1320	OAP-1-28D	D550 1320	RD-27-28A
D550 1320	OAP-1-30	D550 1320	RD-27-34A
D550 1320	OAP-1-32	D550 1320	RD-27-35C
D550 1320	OAP-1-33A	D550 1320	RD-27-36A
D550 1320	RD-24-14A	D550 1320	RD-27-3B
D550 1320	RD-24-18A	D550 1320	RD-27-43A
D550 1320	RD-24-19A	D550 1320	RD-27-45A
D550 1320	RD-24-20A	D550 1320	RD-27-45B
D550 1320	RD-24-20B	D550 1320	RD-27-46A
D550 1320	RD-24-21A	D550 1320	RD-27-48A
D550 1320	RD-24-23B	D550 1320	RD-27-49B
D550 1320	RD-24-23C	D550 1320	RD-27-51A
D550 1320	RD-24-24B	D550 1320	RD-27-52
D550 1320	RD-24-25	D550 1320	RD-27-54A
D550 1320	RD-24-25A	D550 1320	RD-27-5A
D550 1320	RD-24-25C	D550 1320	RD-27-6A
D550 1320	RD-24-25D	D550 1320	RD-27-6C
D550 1320	RD-24-26B	D550 1320	RD-27-7B
D550 1320	RD-24-28B	D550 1320	RD-27-8B
D550 1320	RD-24-37A	D550 1320	RD-27-9B
D550 1320	RD-24-3A	D550 1320	RD-32-2A
D550 1320	RD-24-41A	D550 1320	RD-32-2B
D550 1320	RD-24-42A	D550 1320	RD-32-2C
D550 1320	RD-24-42B	D550 1320	RD-35-10A
D550 1320	RD-24-43C	D550 1320	RD-35-10B
D550 1320	RD-24-44A	D550 1320	RD-35-12C
D550 1320	RD-24-45A	D550 1320	RD-35-14A
D550 1320	RD-24-45B	D550 1320	RD-35-14D
D550 1320	RD-24-46A	D550 1320	RD-35-15B
D550 1320	RD-24-46B	D550 1320	RD-35-15D
D550 1320	RD-24-47B	D550 1320	RD-35-16C
D550 1320	RD-24-47C	D550 1320	RD-35-6B
D550 1320	RD-24-47D	D550 1320	RD-35-7A
D550 1320	RD-24-47F	D550 1320	RD-35-8A
D550 1320	RD-24-48A	D550 1320	RD-35-9
D550 1320	RD-24-49A	D550 1320	RD-35-9B
D550 1320	RD-27-10A	D550 1320	RD-35-9C
D550 1320	RD-27-11A	D550 1320	RD-9-4C
D550 1320	RD-27-11B	D550 1320	RD-9-5A
D550 1320	RD-27-11C	D550 1320	RHN-560-1
D550 1320	RD-27-12A	D550 1320	RHN-560-2
D550 1320	RD-27-13A	D550 1320	RHN-560-3
D550 1320	RD-27-13B	D550 1320	RHN-560-4
D550 1320	RD-27-14C	D550 1320	RHN-560-5
D550 1320	RD-27-15B	D550 1320	RHN-560-6
D550 1320	RD-27-19C	D550 1320	RR-501-1
D550 1320	RD-27-21A	D550 1320	RR-501-10
D550 1320	RD-27-23C	D550 1320	RR-501-3
D550 1320	RD-27-25A	D550 1320	RR-501-4

D550	1320	RR-501-5
D550	1320	RR-501-6
D550	1320	RR-501-8
D550	1320	RR-501-9
D550	1320	RYC-530-3
D550	1320	RYC-530-4
D550	1320	RYC-530-5
D550	1320	RYC-560-10
D550	1320	RYC-560-11
D550	1320	SND-560-1
D550	1320	SND-560-1
D550	1320	SND-560-2
D550	1320	SND-560-3
D550	1320	SND-561-1
D550	1320	SND-561-2
D550	1320	SND81F001M001
D550	1320	SND81G001M002
D550	1320	SND81G001M003
D550	1320	SND81J001M006
D550	1320	SOD-560-1A
D550	1320	SOG-560-1
D550	1320	SRD-560-14
D550	1320	UOD-560-2
D550	1320	UOD-560-2A
D550	1320	UOD-560-3
D550	1320	UOD-560-3A
D550	1320	WOD-551-1
D550	1320	WOD-551-1A
D550	1320	WOD-551-1B
D572	1320	IOP-15-43
D572	1320	IOP-15-64
D572	1320	IOP-15-65
D572	1320	IOP-15-75
D572	1320	IOP-16-105
D572	1320	IOP-16-13
D572	1320	IOP-16-18
D572	1320	IOP-16-41
D572	1320	IOP-16-6
D572	1320	IOP-16-65
D572	1320	IOP-16-66
D572	1320	IOP-16-67
D572	1320	IOP-16-73
D572	1320	IOP-16-77
D572	1320	IOP-16-78
D572	1320	IOP-5-12
D572	1320	IOP-5-3
D572	1320	IOP-5-4
D572	1320	IOP-5-9
D572	1320	IOP-6-11
D572	1320	IOP-6-19
D572	1320	IOP-6-22
D572	1320	IOP-6-7
D572	1320	IOP-7-106
D572	1320	IOP-7-107
D572	1320	IOP-7-108
D572	1320	IOP-7-109
D572	1320	IOP-7-111
D572	1320	IOP-7-38
D572	1320	IOP-7-46
D572	1320	IOP-7-49
D572	1320	IOP-7-50
D572	1320	IOP-7-58
D572	1320	IOP-7-61
D572	1320	IOP-7-88
D572	1320	IOP-7-92
D572	1320	RVA-1-6
D572	1320	RVA-1-61
D572	1320	RVA-1-88
D572	1320	RVA-1-89
D572	1320	RVA-1-93
D572	1320	RVA-1-94
D661	1320	IND77B-069716
D661	1320	IND77B-069716
D661	1320	IND77B-069717
D661	1320	IND77C-069715
D661	1320	RAD-69712
D661	1320	RAD-69713
D662	1320	IND80G-069987
D662	1320	IND80L-070037
D662	1320	IND80M-070040
D662	1320	IND80M-070041
D662	1320	IND81A-070042
D662	1320	IND81B-070043
D662	1320	IND81C-070047
D662	1320	IND81C-070048
D662	1320	IND82A-070133
D662	1320	IND82A-070134
D662	1320	IND82B-070136
D662	1320	IND82C-070137
D662	1320	IND82K-070185
D662	1320	IND82K-070211
D662	1320	IND82L-070214
D662	1320	IND82M-070215
D662	1320	IND83C-070138
D662	1320	IND84B-070362
D662	1320	IND84C-070366
D662	1320	IND84D-070370
D662	1320	IND84E-070371
D662	1320	IND84J-070335
D662	1320	IND84J-070338

D662	1320	IND85C-070341
D662	1320	IND85M-070548
D662	1320	IND87J-070826
D662	1320	IND87K-070828
D662	1320	IND87K-070829
D662	1320	IND87M-070912
D662	1320	IND87M-070913
D674	1320	PA-17-1A
D674	1320	PA-76G001-001
D674	1320	PA-76H001-002
D675	1320	BAJ-63268
D675	1320	BAJ-63269
D675	1320	BAJ-67327
D675	1320	BAJ-67396
D675	1320	BAJ-67397
D675	1320	BAJ-67398
D675	1320	BAJ-67399
D675	1320	BAJ-67400
D675	1320	BAJ-67709
D675	1320	BAJ-67710
D675	1320	BAJ-67711
D675	1320	BAJ-67712
D675	1320	BAJ-67713
D675	1320	BAJ-67714
D675	1320	BAJ-67773
D675	1320	BAJ-67774
D675	1320	BAJ-67777
D675	1320	BAJ-67778
D675	1320	BAJ-67779
D675	1320	BAJ-67781
D675	1320	BAJ-67974
D675	1320	BAJ-67977
D675	1320	BAJ-67978
D675	1320	BAJ-67979
D675	1320	BAJ-67980
D675	1320	BAJ-67982
D675	1320	BAJ-67983
D675	1320	BAJ-67984
D675	1320	BAJ-67986
D675	1320	BAJ-67987
D675	1320	BAJ-67988
D675	1320	IA-BR-39675
D675	1320	IA-BR-39685
D675	1320	IA-BR-39686
D675	1320	IND-17281
D675	1320	IND-17284
D675	1320	IND-17362
D675	1320	IND-17424
D675	1320	IND-17425
D675	1320	IND-17431
D675	1320	IND-17436
D675	1320	IND-17438
D675	1320	IND-17441
D675	1320	IND-30835
D675	1320	IND-31008
D675	1320	IND-31021
D675	1320	IND-31045
D675	1320	IND-32682
D675	1320	IND-32686
D675	1320	IND-32734
D675	1320	IND-32741
D675	1320	IND-32828
D675	1320	IND-35901
D675	1320	IND77A-069736
D675	1320	IND77A-069737
D675	1320	IND77B-069738
D675	1320	IND77C-069739
D675	1320	IND77D-069741
D675	1320	IND77D-069742
D675	1320	IND77D-069744
D675	1320	IND77D-069744
D675	1320	IND77E-069745A
D675	1320	IND77E-069745B
D675	1320	IND77E-069746
D675	1320	IND77F-069747
D675	1320	IND77F-069749
D675	1320	IND77G-069786
D675	1320	IND77H-069788
D675	1320	IND77H-069789
D675	1320	IND77J-069790
D675	1320	IND77J-069791
D675	1320	IND77K-069743
D675	1320	IND77K-069785
D675	1320	IND77L-069220
D675	1320	IND77L-069221
D675	1320	IND77L-069792
D675	1320	IND77M-069586
D675	1320	IND77M-069793
D675	1320	IND78A-069794
D675	1320	IND78A-069795
D675	1320	IND78B-069796
D675	1320	IND78C-069797
D675	1320	IND78C-069798
D675	1320	IND78D-069799
D675	1320	IND82G-069808
D675	1320	IND83K-069808
D675	1320	RAD-64118
D675	1320	RAD-65307
D675	1320	RAD-65994
D675	1320	RAD-66191

D675 1320	RAD-66193
D675 1320	RAD-66194
D675 1320	RAD-66195
D675 1320	RAD-66396
D675 1320	RAD-66397
D675 1320	RAD-66398
D675 1320	RAD-66399
D675 1320	RAD-66400
D675 1320	RAD-66401
D675 1320	RAD-66402
D675 1320	RAD-66552
D675 1320	RAD-67609
D675 1320	RAD-69666
D675 1320	RAD-69667
D675 1320	RAD-69730
D675 1320	RAD-69731
D675 1320	RAD-69732
D675 1320	RAD-69733
D675 1320	RAD-69734
D675 1320	RAD-69735
D676 1320	1A-BR-35729
D676 1320	BAJ-15322
D676 1320	BAJ-15332
D676 1320	BAJ-15336
D676 1320	BAJ-15339
D676 1320	BAJ-30525
D676 1320	BAJ-30526
D676 1320	BAJ-30537
D676 1320	BAJ-30538
D676 1320	BAJ-30539
D676 1320	BAJ-30540
D676 1320	BAJ-30543
D676 1320	BAJ-30545
D676 1320	BAJ-30549
D676 1320	BAJ-30561
D676 1320	BAJ-30579
D676 1320	BAJ-30584
D676 1320	BAJ-30585
D676 1320	BAJ-30586
D676 1320	BAJ-63351
D676 1320	BAJ-63353
D676 1320	BAJ-63357
D676 1320	BAJ-63358
D676 1320	BAJ-63359
D676 1320	BAJ-63360
D676 1320	BAJ-63362
D676 1320	BAJ-63363
D676 1320	BAJ-63364
D676 1320	BAJ-63365
D676 1320	BAJ-63367
D676 1320	BAJ-63368
D676 1320	BAJ-63461
D676 1320	BAJ-63467
D676 1320	BAJ-63469
D676 1320	BAJ-63473
D676 1320	BAJ-63475
D676 1320	BAJ-63477
D676 1320	BAJ-63478
D676 1320	BAJ-63479
D676 1320	BAJ-63481
D676 1320	BAJ-63482
D676 1320	BAJ-63483
D676 1320	BAJ-63487
D676 1320	BAJ-63488
D676 1320	BAJ-63490
D676 1320	BAJ-63491
D676 1320	BAJ-63496
D676 1320	BAJ-63499
D676 1320	BAJ-63501
D676 1320	BAJ-63503
D676 1320	BAJ-63504
D676 1320	BAJ-63505
D676 1320	BAJ-63506
D676 1320	BAJ-63507
D676 1320	BAJ-63508
D676 1320	BAJ-63509
D676 1320	BAJ-63510
D676 1320	BAJ-63511
D676 1320	BAJ-63512
D676 1320	BAJ-63515
D676 1320	BAJ-63516
D676 1320	BAJ-63517
D676 1320	BAJ-63518
D676 1320	BAJ-63519
D676 1320	BAJ-63520
D676 1320	BAJ-63521
D676 1320	BAJ-63522
D676 1320	BAJ-63523
D676 1320	BAJ-63525
D676 1320	BAJ-63526
D676 1320	BAJ-63527
D676 1320	BAJ-63528
D676 1320	BAJ-63529
D676 1320	BAJ-63530
D676 1320	BAJ-63543
D676 1320	BAJ-63544
D676 1320	BAJ-63545
D676 1320	BAJ-63546
D676 1320	BAJ-64285
D676 1320	BAJ-65746

D676 1320	BAJ-65747
D676 1320	BAJ-65749
D676 1320	BAJ-65750
D676 1320	BAJ-65751
D676 1320	BAJ-65752
D676 1320	BAJ-65757
D676 1320	BAJ-65758
D676 1320	BAJ-65759
D676 1320	BAJ-65760
D676 1320	BAJ-65761
D676 1320	BAJ-65762
D676 1320	BAJ-65764
D676 1320	BAJ-65765
D676 1320	BAJ-65767
D676 1320	BAJ-65769
D676 1320	BAJ-65770
D676 1320	BAJ-65771
D676 1320	BAJ-65774
D676 1320	BAJ-65776
D676 1320	BAJ-65777
D676 1320	BAJ-65779
D676 1320	BAJ-65780
D676 1320	BAJ-65781
D676 1320	BAJ-65783
D676 1320	BAJ-65784
D676 1320	BAJ-65785
D676 1320	BAJ-65786
D676 1320	BAJ-65787
D676 1320	BAJ-65788
D676 1320	BAJ-65793
D676 1320	BAJ-66926
D676 1320	BAJ-66928
D676 1320	BAJ-66929
D676 1320	BAJ-66930
D676 1320	BAJ-66931
D676 1320	BAJ-66932
D676 1320	BAJ-66933
D676 1320	BAJ-66934
D676 1320	BAJ-66935
D676 1320	BAJ-66936
D676 1320	BAJ-66937
D676 1320	BAJ-66938
D676 1320	BAJ-66939
D676 1320	BAJ-66940
D676 1320	BAJ-66941
D676 1320	BAJ-67065
D676 1320	BAJ-67066
D676 1320	BAJ-67951
D676 1320	BAJ-67952
D676 1320	BAJ-67953
D676 1320	BAJ-67954
D676 1320	BAJ-67956
D676 1320	BAJ-67957
D676 1320	BAJ-67958
D676 1320	BAJ-67959
D676 1320	BAJ-67960
D676 1320	BAJ-67961
D676 1320	BAJ-67961
D676 1320	BAJ-67962
D676 1320	BAJ-67963
D676 1320	BAJ-67964
D676 1320	BAJ-67965
D676 1320	BAJ-67965A
D676 1320	CHK-31551
D676 1320	CHK-31552
D676 1320	CHK-31553
D676 1320	CHK-31554
D676 1320	CHK-31558
D676 1320	CHK-31576
D676 1320	CHK-31597
D676 1320	CHK-32277
D676 1320	CHK-32292
D676 1320	CHK-32293
D676 1320	CHK-32307
D676 1320	CHK-32309
D676 1320	CHK-32311
D676 1320	CHK-33113
D676 1320	CHK-33118
D676 1320	CHK-33124
D676 1320	CHK-33129
D676 1320	FNH-30543
D676 1320	IA-30143
D676 1320	IA-30143
D676 1320	IA-30144
D676 1320	IA-33687
D676 1320	IA-33688
D676 1320	IA-33690
D676 1320	IA-34536
D676 1320	IA-34541
D676 1320	IA-34542
D676 1320	IA-37654
D676 1320	IA-37655
D676 1320	IA-37656
D676 1320	IA-37658
D676 1320	IA-37659
D676 1320	IA-37660
D676 1320	IA-37661
D676 1320	IA-37662
D676 1320	IA-37666
D676 1320	IA-37668

D676 1320	IA-37675	D676 1320	IA-39771A
D676 1320	IA-37676	D676 1320	IA-39772
D676 1320	IA-37677	D676 1320	IA-39773
D676 1320	IA-37680	D676 1320	IA-39782
D676 1320	IA-39277	D676 1320	IA-39784
D676 1320	IA-39280	D676 1320	IA-39786
D676 1320	IA-39285	D676 1320	IA-39787
D676 1320	IA-39286	D676 1320	IA-64281
D676 1320	IA-39287	D676 1320	IA-64282
D676 1320	IA-39290	D676 1320	IA-64283
D676 1320	IA-39291	D676 1320	IA-64284
D676 1320	IA-39292	D676 1320	IA-B-34474
D676 1320	IA-39293	D676 1320	IA-B-34476
D676 1320	IA-39296	D676 1320	IA-B-34905
D676 1320	IA-39306	D676 1320	IA-B-35524
D676 1320	IA-39310	D676 1320	IA-B-35525
D676 1320	IA-39311	D676 1320	IA-B-35526
D676 1320	IA-39315	D676 1320	IA-B-35527
D676 1320	IA-39317	D676 1320	IA-B-35528
D676 1320	IA-39318	D676 1320	IA-B-35529
D676 1320	IA-39319	D676 1320	IA-B-35530
D676 1320	IA-39350	D676 1320	IA-B-37657
D676 1320	IA-39351	D676 1320	IA-B-39332
D676 1320	IA-39542	D676 1320	IA-B-39346-54A
D676 1320	IA-39543	D676 1320	IA-B-39348-54A
D676 1320	IA-39544	D676 1320	IA-B-39349
D676 1320	IA-39545	D676 1320	IA-B-R-35727
D676 1320	IA-39549	D676 1320	IA-B-R35729
D676 1320	IA-39552	D676 1320	IA-BR-34908
D676 1320	IA-39554	D676 1320	IA-BR-34909
D676 1320	IA-39555	D676 1320	IA-BR-34910
D676 1320	IA-39556	D676 1320	IA-BR-35682
D676 1320	IA-39591	D676 1320	IA-BR-35727
D676 1320	IA-39593	D676 1320	IA-BR-39598
D676 1320	IA-39594	D676 1320	IND-10564
D676 1320	IA-39595	D676 1320	IND-10636
D676 1320	IA-39597	D676 1320	IND-12007
D676 1320	IA-39598	D676 1320	IND-15178
D676 1320	IA-39599	D676 1320	IND-15186
D676 1320	IA-39700	D676 1320	IND-15188
D676 1320	IA-39701	D676 1320	IND-15337
D676 1320	IA-39702	D676 1320	IND-17043
D676 1320	IA-39703	D676 1320	IND-17049
D676 1320	IA-39706	D676 1320	IND-17133
D676 1320	IA-39708	D676 1320	IND-17274
D676 1320	IA-39710	D676 1320	IND-17373
D676 1320	IA-39712	D676 1320	IND-17470
D676 1320	IA-39712A	D676 1320	IND-17471
D676 1320	IA-39768	D676 1320	IND-17472
D676 1320	IA-39769	D676 1320	IND-17473

D676 1320	IND-17479
D676 1320	IND-17494
D676 1320	IND-30924
D676 1320	IND-30929
D676 1320	IND-30931
D676 1320	IND-30939
D676 1320	IND-31131
D676 1320	IND-31134
D676 1320	IND-31139
D676 1320	IND-31140
D676 1320	IND-31144
D676 1320	IND-31147
D676 1320	IND-31149
D676 1320	IND-31151
D676 1320	IND-32290
D676 1320	IND-32692
D676 1320	IND-32701
D676 1320	IND-32704
D676 1320	IND-32706
D676 1320	IND-32860
D676 1320	IND-32865
D676 1320	IND-32884
D676 1320	IND-34816
D676 1320	IND-34821
D676 1320	IND-36279
D676 1320	IND-67682
D676 1320	IND-67684
D676 1320	IND-67685
D676 1320	IND-67686
D676 1320	IND-67687
D676 1320	IND-67688
D676 1320	IND-67689
D676 1320	IND-67690
D676 1320	IND-67691
D676 1320	IND-67694
D676 1320	IND-67695
D676 1320	IND-67696
D676 1320	IND-67697
D676 1320	IND-67698
D676 1320	IND-67700
D676 1320	IND-67702
D676 1320	IND-67703
D676 1320	IND-67704
D676 1320	IND-67705
D676 1320	IND-67706
D676 1320	IND-67707
D676 1320	IND-67708
D676 1320	IND78D-069614
D676 1320	IND78E-069615
D676 1320	IND82H-065754
D676 1320	IND82J-065755
D676 1320	IND82J-065756
D676 1320	IND82J-067066
D676 1320	IND82K-067066
D676 1320	IND85A-063493
D676 1320	IND85A-063494
D676 1320	IND85C-063498
D676 1320	IND85C-065766
D680 1320	COP-1-13
D680 1320	COP-1-16
D680 1320	COP-1-17
D680 1320	COP-1-19
D680 1320	COP-1-21
D680 1320	COP-1-22
D680 1320	COP-1-24
D680 1320	COP-1-4A
D680 1320	COP-1-9
D680 1320	COP-2-1
D680 1320	COP-2-15
D680 1320	COP-2-20
D680 1320	COP-2-21
D680 1320	COP-2-26
D680 1320	COP-2-27
D680 1320	COP-2-28
D680 1320	COP-2-29
D680 1320	COP-2-30
D680 1320	COP-2-31
D680 1320	COP-2-33
D680 1320	COP-2-34
D680 1320	COP-2-37
D680 1320	COP-2-38
D680 1320	COP-2-39
D680 1320	COP-2-41
D680 1320	COP-2-49
D680 1320	COP-2-51
D680 1320	COP-2-52
D680 1320	COP-2-53
D680 1320	COP-2-57
D680 1320	COP-2-59
D680 1320	COP-2-64
D680 1320	COP-2-66
D680 1320	IOP-11-1
D680 1320	IOP-11-10
D680 1320	IOP-11-4
D680 1320	IOP-13-1
D680 1320	IOP-13-10
D680 1320	IOP-13-11
D680 1320	IOP-13-12
D680 1320	IOP-13-3
D680 1320	IOP-13-3A

D680 1320	IOP-13-4
D680 1320	IOP-13-4A
D680 1320	IOP-14-15
D680 1320	IOP-14-2
D680 1320	IOP-14-3
D680 1320	IOP-14-6
D680 1320	IOP-15-1
D680 1320	IOP-16-12
D680 1320	IOP-16-23
D680 1320	IOP-16-27
D680 1320	IOP-17-100
D680 1320	IOP-17-101
D680 1320	IOP-17-103
D680 1320	IOP-17-104
D680 1320	IOP-17-105
D680 1320	IOP-17-106
D680 1320	IOP-17-107
D680 1320	IOP-17-108
D680 1320	IOP-17-109
D680 1320	IOP-17-110
D680 1320	IOP-17-111
D680 1320	IOP-17-114
D680 1320	IOP-17-115
D680 1320	IOP-17-116
D680 1320	IOP-17-119
D680 1320	IOP-17-120
D680 1320	IOP-17-121
D680 1320	IOP-17-122
D680 1320	IOP-17-125
D680 1320	IOP-17-127
D680 1320	IOP-17-14
D680 1320	IOP-17-20
D680 1320	IOP-17-21
D680 1320	IOP-17-22
D680 1320	IOP-17-32
D680 1320	IOP-17-33
D680 1320	IOP-17-38
D680 1320	IOP-17-41
D680 1320	IOP-17-47
D680 1320	IOP-17-51
D680 1320	IOP-17-53
D680 1320	IOP-17-57
D680 1320	IOP-17-59
D680 1320	IOP-17-61
D680 1320	IOP-17-64
D680 1320	IOP-17-65
D680 1320	IOP-17-67
D680 1320	IOP-17-68
D680 1320	IOP-17-70
D680 1320	IOP-17-71
D680 1320	IOP-17-73
D680 1320	IOP-17-74
D680 1320	IOP-17-75
D680 1320	IOP-17-76
D680 1320	IOP-17-77
D680 1320	IOP-17-78
D680 1320	IOP-17-79
D680 1320	IOP-17-81
D680 1320	IOP-17-83
D680 1320	IOP-17-89
D680 1320	IOP-17-91
D680 1320	IOP-17-92
D680 1320	IOP-17-93
D680 1320	IOP-17-94
D680 1320	IOP-2-145A
D680 1320	IOP-2-192A
D680 1320	IOP-2-208A
D680 1320	IOP-2-208C
D680 1320	IOP-2-209A
D680 1320	IOP-44-29
D680 1320	IOP-44-38
D680 1320	IOP-44-43
D680 1320	IOP-7-15
D680 1320	IOP-7-2
D680 1320	IOP-7-7
D680 1320	IOP-9-11
D680 1320	IOP-9-13
D680 1320	IOP-9-15A
D680 1320	IOP-9-16
D680 1320	IOP-9-18
D680 1320	IOP-9-2
D680 1320	IOP-9-27
D680 1320	IOP-9-4
D680 1320	IOP-9-45B
D680 1320	IOP-9-5
D680 1320	IOP-9-8
D680 1320	IOP80B018-007
D680 1320	IOP81B019-005
D680 1320	IOP81B019-008
D680 1320	IOP81C019-011
D680 1320	IOP81C019-012
D680 1320	IOP81E019-016
D680 1320	IOP81E019-017
D680 1320	IOP81E019-018
D680 1320	IOP81F019-019
D680 1320	IOP81F019-022
D680 1320	IOP81F019-023
D680 1320	IOP81F019-024
D680 1320	IOP81F019-025
D680 1320	IOP81F019-027

D680 1320	IOP81F019-028	D680 1320	JA-1-77
D680 1320	IOP81F019-029	D680 1320	JA-1-85
D680 1320	IOP81F019-030	D680 1320	JA-1-88
D680 1320	IOP81G019-031	D680 1320	JA-1-89
D680 1320	IOP81G019-032	D680 1320	JA-1-90
D680 1320	IOP81G019-033	D680 1320	JA-1-93
D680 1320	IOP81K019-005	D680 1320	JA-1-94
D680 1320	IOP81K020-002	D680 1320	JA-1-96
D680 1320	IOP81K020-005	D680 1320	JA-2-10
D680 1320	IOP81K020-006	D680 1320	JA-2-11
D680 1320	IOP81L020-007	D680 1320	JA-2-12
D680 1320	IOP81L020-008	D680 1320	JA-2-13
D680 1320	IOP81L020-009	D680 1320	JA-2-14
D680 1320	IOP82A020H011	D680 1320	JA-2-20
D680 1320	IOP82A020H012	D680 1320	JA-2-21
D680 1320	IOP85H021-001	D680 1320	JA-2-22
D680 1320	IOP85H021-002	D680 1320	JA-2-24
D680 1320	IOP85K021-004	D680 1320	JA-2-28
D680 1320	IOP85K021-005	D680 1320	JA-2-3
D680 1320	IOP86D022-001	D680 1320	JA-2-31
D680 1320	IOP86D022-002	D680 1320	JA-2-38
D680 1320	IOP86D022-002	D680 1320	JA-2-4
D680 1320	IOP86K023-001	D680 1320	JA-2-40
D680 1320	IOP86K023-002	D680 1320	JA-2-45
D680 1320	IOP87F024-002	D680 1320	JA-2-49
D680 1320	IOP87G024-004	D680 1320	JA-2-52
D680 1320	IOP87J024-010	D680 1320	JA-2-53
D680 1320	JA-1-102	D680 1320	JA-2-54
D680 1320	JA-1-103	D680 1320	JA-2-55
D680 1320	JA-1-105	D680 1320	JA-2-8
D680 1320	JA-1-110	D680 1320	JA-2-9
D680 1320	JA-1-14	D680 1320	JA-69-30
D680 1320	JA-1-22	D680 1320	JA-77-544
D680 1320	JA-1-26	D680 1320	POD-602-2
D680 1320	JA-1-27	D680 1320	POD-602-21
D680 1320	JA-1-30	D680 1320	POD-602-35
D680 1320	JA-1-37	D680 1320	POD-602-37
D680 1320	JA-1-4	D680 1320	POD-602-38
D680 1320	JA-1-44	D680 1320	ROP-12-38
D680 1320	JA-1-46	D680 1320	ROP-12-50
D680 1320	JA-1-47	D680 1320	ROP-12-51
D680 1320	JA-1-48	D680 1320	RYA-1-17
D680 1320	JA-1-49	D680 1320	RYA-1-24
D680 1320	JA-1-50	D680 1320	RYA-1-7
D680 1320	JA-1-56	D680 1320	RYA-3-12
D680 1320	JA-1-58	D680 1320	RYA-3-15
D680 1320	JA-1-59	D680 1320	RYA-3-16
D680 1320	JA-1-61	D680 1320	RYA-3-17
D680 1320	JA-1-74	D680 1320	RYA-3-2
D680 1320	JA-1-76	D680 1320	RYA-3-22

D680 1320	RVA-3-28
D680 1320	RVA-3-29
D680 1320	RVA-3-30
D680 1320	RVA-3-31
D680 1320	RVA-3-34
D680 1320	RVA-3-37
D680 1320	RVA-3-4
D680 1320	RVA-3-40
D680 1320	RVA-3-49
D680 1320	RVA-3-5
D680 1320	RVA-3-50
D680 1320	RVA-3-51
D680 1320	RVA-3-6
D680 1320	RVA-3-9
D680 1320	RVA-602-1
D680 1320	RVA-602-13
D680 1320	RVA-602-21
D680 1320	SOD-602-13
D680 1320	TOD-600-2A
D680 1320	UOD-603-5
D680 1320	UOD-603-7
D683 1320	PA-217-20
D683 1320	PA-221-2
D683 1320	PA-221-5
D683 1320	PA-221-6
D683 1320	PA-223-1
D683 1320	PA-223-3
D683 1320	PA-223-5
D683 1320	PA-223-6
D683 1320	PA-43-1
D683 1320	PA-43-13
D683 1320	PA-43-21
D683 1320	PA-43-28
D683 1320	PA-43-31
D683 1320	PA-43-32
D683 1320	PA-43-35
D683 1320	PA-43-36
D683 1320	PA-43-7
D683 1320	PA-66-11
D683 1320	PA-66-14
D683 1320	PA-66-15
D683 1320	PA-66-17
D683 1320	PA-66-20
D683 1320	PA-66-31
D683 1320	PA-66-6
D683 1320	PA-66-8
N248 1390	BWC-1-38
N248 1390	BWC-1-42A
N248 1390	BWC-1-66
N248 1390	BWCO-1-62
N248 1390	BWCO-1-69
N248 1390	BWCO-1-57
N248 1390	BWCO-1-66
N248 1390	BWCO-2-13A
N248 1390	BWCO-2-23
N248 1390	BWCO-2-7
N248 1390	BWCO-3-11
N248 1390	BWCO-3-15
N248 1390	BWCO-3-18
N248 1390	BWCO-3-35
N248 1390	HAM-11-10
N248 1390	HAM-11-19
N248 1390	HAM-11-20
N248 1390	HAM-11-21
N248 1390	HAM-11-22
N248 1390	HAM-11-23
N248 1390	HAM-11-24
N248 1390	HAM-11-25
N248 1390	HAM-11-26
N248 1390	HAM-11-29
N248 1390	HAM-14-2A
N248 1390	HAM-14-3B
N248 1390	HAM-14-6
N248 1390	HAM-2-1
N248 1390	HAM-2-10
N248 1390	HAT-1-3
N248 1390	HAT-2-1
N248 1390	HAT-2-11
N248 1390	HAT-2-12
N248 1390	HAT-2-13
N248 1390	HAT-2-14
N248 1390	HAT-2-15
N248 1390	HAT-2-16
N248 1390	HAT-2-17A
N248 1390	HAT-2-28
N248 1390	HAT-2-29
N248 1390	HAT-2-3
N248 1390	HAT-2-30
N248 1390	HAT-2-4
N248 1390	HAT-2-6
N248 1390	HAT-2-7
N248 1390	HAT-2-8
N248 1390	HAT-2-9
N248 1390	HAT-4-1
N248 1390	HAT-4-2
N248 1390	HAT-4-3
N248 1390	ING-3-18
N248 1390	ING-3-20
N248 1390	ING-3-26
N248 1390	ING-3-27

N248 1390	ING-3-33
N248 1390	ING-3-35
N248 1390	ING-3-36
N248 1390	ING-3-40
N248 1390	ING-4-10
N248 1390	ING-4-15
N248 1390	ING-4-19A
N248 1390	ING-4-23A
N248 1390	ING-8-19
N248 1390	ING-8-20
N248 1390	ING-8-22
N248 1390	ING-8-6
N248 1390	ING-8-8
N248 1390	ING-8-9
N248 1390	MA-85D050G001
N248 1390	MA-85D050G002
N248 1390	UST-11-28A
N248 1390	UST-11-69
N248 1390	UST-11-89
N248 1390	UST-11-97A
N248 1390	UST-12-101A
N248 1390	UST-12-102
N248 1390	UST-12-103B
N248 1390	UST-12-110
N248 1390	UST-12-111B
N248 1390	UST-12-12
N248 1390	UST-12-124
N248 1390	UST-12-13
N248 1390	UST-12-16
N248 1390	UST-12-17
N248 1390	UST-12-21
N248 1390	UST-12-71
N248 1390	UST-12-95
N248 1390	UST-12-98
N248 1390	UST-13-22
N248 1390	UST-13-24
N248 1390	UST-13-26
N248 1390	UST-13-28
N248 1390	UST-13-29
N248 1390	UST-13-3
N248 1390	UST-13-31
N248 1390	UST-13-39
N248 1390	UST-13-42
N248 1390	UST-13-6
N248 1390	UST-13-8
N248 1390	UST-13-9
N248 1390	UST-14-13
N248 1390	UST-14-14
N248 1390	UST-14-15
N248 1390	UST-14-16
N248 1390	UST-14-19
N248 1390	UST-14-22
N248 1390	UST-14-26
N248 1390	UST-14-6
N248 1390	UST-14-7
N248 1390	UST-14-8
N248 1390	WTX-1-10A
N248 1390	WTX-1-11A
N248 1390	WTX-1-13
N248 1390	WTX-1-14
N248 1390	WTX-1-19
N248 1390	WTX-1-20
N248 1390	WTX-1-21
N248 1390	WTX-1-3
N248 1390	WTX-1-7
N248 1390	WTX-2-15
N248 1390	WTX-2-18
N248 1390	WTX-2-2
N248 1390	WTX-2-21
N248 1390	WTX-2-22
N248 1390	WTX-2-24
N248 1390	WTX-2-27
N248 1390	WTX-2-28
N248 1390	WTX-2-31
N248 1390	WTX-2-32
N248 1390	WTX-2-33
N248 1390	WTX-2-34
N248 1390	WTX-2-35
N248 1390	WTX-2-36
N248 1390	WTX-2-37
N248 1390	WTX-2-38
N248 1390	WTX-2-39
N248 1390	WTX-2-40
N248 1390	WTX-2-41
N248 1390	WTX-2-42
N248 1390	WTX-2-43
N248 1390	WTX-2-44
N248 1390	WTX-2-45
N248 1390	WTX-2-5
N248 1390	WTX-2-54
N248 1390	WTX-2-55
N248 1390	WTX-2-56
N248 1390	WTX-2-68
N248 1390	WTX-2-9A
N248 1390	WTX-23-19
N248 1390	WTX-24-10A
N248 1390	WTX-24-11
N248 1390	WTX-24-3A
N248 1390	WTX-24-4A
N248 1390	WTX-24-6

N248	1390	WTX-24-7
N248	1390	WTX-24-8
N248	1390	WTX-24-9A
N248	1390	WTX-25-10
N248	1390	WTX-25-11
N248	1390	WTX-25-3
N248	1390	WTX-3-11A
N248	1390	WTX-3-14
N248	1390	WTX-3-15
N248	1390	WTX-3-16
N248	1390	WTX-3-18
N248	1390	WTX-3-19
N248	1390	WTX-3-20A
N248	1390	WTX-3-21A
N248	1390	WTX-3-22
N248	1390	WTX-3-25
N248	1390	WTX-3-26
N248	1390	WTX-3-27
N248	1390	WTX-3-28
N248	1390	WTX-3-29
N248	1390	WTX-3-30
N248	1390	WTX-3-31
N248	1390	WTX-3-32
N248	1390	WTX-3-33
N248	1390	WTX-3-34
N248	1390	WTX-3-36
N248	1390	WTX-3-37
N248	1390	WTX-3-38
N248	1390	WTX-3-40A
N248	1390	WTX-5-23
N248	1390	WTX-5-25
N248	1390	WTX-5-26
N248	1390	WTX-5-38
N248	1390	WTX-7-100
N248	1390	WTX-7-12
N248	1390	WTX-7-13
N248	1390	WTX-7-14
N248	1390	WTX-7-15
N248	1390	WTX-7-18
N248	1390	WTX-7-19
N248	1390	WTX-7-2
N248	1390	WTX-7-21
N248	1390	WTX-7-22
N248	1390	WTX-7-23
N248	1390	WTX-7-24A
N248	1390	WTX-7-28
N248	1390	WTX-7-29
N248	1390	WTX-7-30
N248	1390	WTX-7-33
N248	1390	WTX-7-35
N248	1390	WTX-7-36
N248	1390	WTX-7-43
N248	1390	WTX-7-5
N248	1390	WTX-7-51
N248	1390	WTX-7-55
N248	1390	WTX-7-56
N248	1390	WTX-7-61
N248	1390	WTX-7-62
N248	1390	WTX-7-66
N248	1390	WTX-7-73
N248	1390	WTX-7-81
N248	1390	WTX-7-82
N248	1390	WTX-7-83
N248	1390	WTX-7-88
N248	1390	WTX-7-89
N248	1390	WTX-7-98
N248	1390	WTX-8-54
N278	1390	HAM-5-19
N278	1390	HAM-5-39A
N278	1390	ING-10-18
N278	1390	ING-10-19
N278	1390	ING-12-17
N278	1390	ING-12-8
N278	1390	ING-8-24
N278	1390	ING-8-26
N278	1390	ING-8-27
N278	1390	LS-82M011-003
N278	1390	MA-79B001-004
N278	1390	MA-79C001-005
N278	1390	MA-79C001-007
N278	1390	MA-79D001-010
N278	1390	MA-79D001-012
N278	1390	MA-79E001-015
N278	1390	MA-79E001-016
N278	1390	MA-79G001-022
N278	1390	MA-81M002-001
N278	1390	MA-81M002-003
N278	1390	WTX-10-13A
N278	1390	WTX-12-11
N278	1390	WTX-12-12
N278	1390	WTX-13-4
N278	1390	WTX-14-17
N278	1390	WTX-14-18A
N278	1390	WTX-14-18C
N278	1390	WTX-14-25
N278	1390	WTX-14-26
N278	1390	WTX-14-3
N278	1390	WTX-14-31
N278	1390	WTX-14-36
N278	1390	WTX-14-41

N278 1390	WTX-14-42
N278 1390	WTX-14-45
N278 1390	WTX-14-46
N278 1390	WTX-14-50
N278 1390	WTX-14-51
N278 1390	WTX-14-52
N278 1390	WTX-14-53
N278 1390	WTX-14-55
N278 1390	WTX-14-60
N278 1390	WTX-14-61A
N278 1390	WTX-14-64A
N278 1390	WTX-14-65A
N278 1390	WTX-14-66
N278 1390	WTX-14-72A
N278 1390	WTX-14-75A
N278 1390	WTX-14-77A
N278 1390	WTX-14-8
N278 1390	WTX-15-11A
N278 1390	WTX-15-12A
N278 1390	WTX-15-15A
N278 1390	WTX-15-16A
N278 1390	WTX-15-17A
N278 1390	WTX-15-21A
N278 1390	WTX-15-36A
N278 1390	WTX-15-5A
N278 1390	WTX-16-1
N278 1390	WTX-16-12
N278 1390	WTX-16-2
N278 1390	WTX-16-23
N278 1390	WTX-16-24
N278 1390	WTX-16-26
N278 1390	WTX-16-3
N278 1390	WTX-16-31
N278 1390	WTX-16-36
N278 1390	WTX-16-37
N278 1390	WTX-16-39
N278 1390	WTX-16-4
N278 1390	WTX-16-40
N278 1390	WTX-16-47
N278 1390	WTX-16-5
N278 1390	WTX-24-55
N278 1390	WTX-7-14
N278 1390	WTX-7-18
N278 1390	WTX-9-14A
N278 1390	WTX-9-30A
N278 1390	WTX-9-32
N278 1390	WTX-9-33
N278 1390	WTX-9-34
N278 1390	WTX-9-39
N278 1390	WTX-9-41
N278 1390	WTX-9-42
N278 1390	WTX-9-43
N278 1390	WTX-9-6A
N278 1390	WTX-9-8A
N282 1390	ING-1-57
N282 1390	ING-2-49A
N282 1390	ING-2-50
N282 1390	ING-2-55
N282 1390	MA-2-11
N282 1390	MA-2-12
N282 1390	MA-2-13
N282 1390	MA-2-14
N282 1390	MA-2-15
N282 1390	MA-2-16
N282 1390	MA-2-17
N282 1390	WTX-1-11
N282 1390	WTX-1-1A
N282 1390	WTX-1-26A
N282 1390	WTX-1-2A
N282 1390	WTX-1-32
N282 1390	WTX-1-6
N282 1390	WTX-1-8
N285 1390	BWC-2-2
N285 1390	BWC-5-2
N285 1390	BWC-6-6
N285 1390	BWC-6-7
N285 1390	BWV-7-11
N285 1390	BWV-7-12
N285 1390	BWV-7-14
N285 1390	BWV-7-3
N285 1390	BWV-7-4
N285 1390	BWV-7-5
N285 1390	BWV78E008-001
N285 1390	BWV78K008-007
N285 1390	BWV79C008-016
N285 1390	BWV79D008-017
N285 1390	BWV79G008-022
N285 1390	BWV79H008-023
N285 1390	BWV79H008-024
N285 1390	BWV79H008-025
N285 1390	BWV79J008-026
N285 1390	BWV79K008-027
N285 1390	BWV79L008-030
N285 1390	BWV80C009-001
N285 1390	BWV80C009-002
N285 1390	BWV80D009-004
N285 1390	BWV80F009-008
N285 1390	BWV80H009-011
N285 1390	BWV80H009-012
N285 1390	BWV80J009-013

best copy available

N285 1390	BWV81F012-002
N285 1390	BWV81F012-003
N285 1390	BWV82A012-010
N285 1390	BWV82A012-011
N285 1390	BWV82A012-012
N285 1390	BWV82A012-013
N285 1390	BWV82E012-020
N285 1390	BWV82E012-021
N285 1390	BWV82E016-019
N285 1390	BWV82H012-024
N285 1390	BWV82J012-026
N285 1390	BWV82K012-028
N285 1390	BWV82K013-002
N285 1390	BWV82L013-003
N285 1390	BWV82L013-005
N285 1390	BWV82M013-006
N285 1390	BWV83A013-008
N285 1390	BWV83B013H010
N285 1390	BWV83D013-015
N285 1390	BWV83H013-021
N285 1390	BWV83K014H003
N285 1390	BWV84A014-009
N285 1390	BWV84B014-012
N285 1390	BWV84C014-015
N285 1390	BWV84C014H014
N285 1390	BWV84D014-017
N285 1390	BWV84E014-018
N285 1390	BWV84H014-022
N285 1390	BWV84J015H004
N285 1390	BWV84J016-001
N285 1390	BWV84K016-003
N285 1390	BWV84K016-004
N285 1390	BWV84K106-002
N285 1390	BWV84M016-007
N285 1390	BWV84M016-008
N285 1390	BWV85A016-009
N285 1390	BWV85A016-010
N285 1390	BWV85B016-011
N285 1390	BWV85D016-015
N285 1390	BWV85E016-019
N285 1390	BWV85E016H018
N285 1390	BWV85F016-020
N285 1390	BWV85L018-006
N285 1390	BWV85M018-008
N285 1390	BWV86A017-013
N285 1390	BWV86B019-001
N285 1390	BWV86B019-002
N285 1390	BWV86B019-003
N285 1390	BWV86C019-003
N285 1390	BWV86C019-004
N285 1390	BWV86D019-006
N285 1390	BWV86E019-007
N285 1390	BWV86F019-009
N285 1390	BWV86F019-010
N285 1390	BWV86G019-011
N285 1390	BWV86H019-012
N285 1390	BWV86H020-001
N285 1390	BWV86L020-005
N285 1390	BWV87B021-003
N285 1390	BWV87B021-003
N285 1390	BWV87B021-004
N285 1390	BWV87C021-006
N285 1390	BWV87J021-014
N285 1390	BWV87K021-016
N285 1390	BWV87L021-018
N285 1390	BWV88C023-005
N285 1390	BWV88D023-006
N285 1390	HAT-1-13A
N285 1390	HAT-1-15
N285 1390	HAT-1-5
N285 1390	HAT78M004-006
N285 1390	HAT79H005-004
N285 1390	HAT81B008H002
N285 1390	HAT81H007-008
N285 1390	HAT81H007-009
N285 1390	HAT81K007-012
N285 1390	HAT81L007-013
N285 1390	HAT82A007-015
N285 1390	HAT82E007-019
N285 1390	HAT82F007-020
N285 1390	HAT82F007-021
N285 1390	HAT82H007-022
N285 1390	HAT82K009-002
N285 1390	HAT83A009-005
N285 1390	HAT83C009-009
N285 1390	HAT83D009-011
N285 1390	HAT83E010-001
N285 1390	HAT83F010-002
N285 1390	HAT83G010-004
N285 1390	HAT83K010-009
N285 1390	HAT83M012-003
N285 1390	HAT84A012-005
N285 1390	HAT84B012-008
N285 1390	HAT84C012-009
N285 1390	HAT84D012-012
N285 1390	HAT84E012-014
N285 1390	HAT84G013-004
N285 1390	HAT84G014-002
N285 1390	HAT84H013-005
N285 1390	HAT84H014H003

N285	1390	HAT84J013-008
N285	1390	HAT84K016-001
N285	1390	HAT84M016-003
N285	1390	HAT84M016-004
N285	1390	HAT84M016-005
N285	1390	HAT85B016-008
N285	1390	HAT85D016-014
N285	1390	HAT85D016-015
N285	1390	HAT85E015-001
N285	1390	HAT85E016-018
N285	1390	HAT85F015-002
N285	1390	HAT85F016-020
N285	1390	HAT85G015-003
N285	1390	HAT85H015-007
N285	1390	HAT85H016-024
N285	1390	HAT85L017-007
N285	1390	HAT85M017H008
N285	1390	HAT86A017-013
N285	1390	HAT86A020-001
N285	1390	HAT86B017-015
N285	1390	HAT86C017-016
N285	1390	HAT86C017-017
N285	1390	HAT86C020-002
N285	1390	HAT86D020-003
N285	1390	HAT86D020-004
N285	1390	HAT86E021-003
N285	1390	HAT86E021-004
N285	1390	HAT86F017-017
N285	1390	HAT86F021-005
N285	1390	HAT86F021-008
N285	1390	HAT86F021-009
N285	1390	HAT86H021-012
N285	1390	HAT86H021-013
N285	1390	HAT86J021-017
N285	1390	HAT86J021-018
N285	1390	HAT86K021-021
N285	1390	HAT86L021-023
N285	1390	HAT86L021-024
N285	1390	HAT86L021-025
N285	1390	HAT86L021-025
N285	1390	HAT86M021-026
N285	1390	HAT86M021-028
N285	1390	HAT86M021-029
N285	1390	HAT86M021H027
N285	1390	HAT87B022-007
N285	1390	HAT87C022-009
N285	1390	HAT87C022-010
N285	1390	HAT87D022-011
N285	1390	HAT87D022-012
N285	1390	HAT87D022-013
N285	1390	HAT87E022-017
N285	1390	HAT87G030-001
N285	1390	HAT87L022-025
N285	1390	HAT88F031-019
N285	1390	WTX-1-1
N286	1390	BWV85K018-004
N286	1390	HAT86H021-013
N286	1390	MA-78M001-001
N286	1390	MA-80E002-001
N286	1390	MA-80F002-002
N286	1390	MA-80F002-002
N286	1390	MA-80G002-003
N286	1390	MA-85E005-001
N286	1390	MA-85E005-002
N286	1390	MA-85E005-003
N286	1390	MA-85M005-006
N286	1390	MA-85M005-008
N286	1390	MA-85M005-009
N286	1390	MA-85M005-010
N286	1390	MA-85M005-012
N286	1390	MA-86G005-023
N286	1390	MA-87C006-001
N286	1390	MA-87J007-001
N286	1390	MA-87K007-002
N286	1390	MA-88C008-001
N311	1390	KN-4-64A
N311	1390	KN-4-64B
N311	1390	KN-5-82A
N311	1390	KN-5-83B
N311	1390	KN-5-84A
N311	1390	KN-5-84B
N311	1390	KN-5-86A
N311	1390	KN-5-86B
N311	1390	KN-5-86C
N311	1390	KN-5-89A
N311	1390	LS-28-4A
N311	1390	LS-28-5A
N311	1390	LS-28-7A
N311	1390	LS-28-8A
N311	1390	LS-28-9A
N311	1390	MA-20-2
N311	1390	MA-22-11
N311	1390	MA-22-12
N311	1390	MA-22-3
N311	1390	MA-22-8
N311	1390	MA-22-9
N311	1390	MA-23-1B
N311	1390	MA-23-1C
N311	1390	MA-23-2
N311	1390	MA-23-4

N311 1390	MA-24-1
N311 1390	MA-24-2C
N311 1390	MA-27-1
N311 1390	MA-27-3
N311 1390	MA-32-2
N311 1390	MA-32-3A
N311 1390	MA-8-296A
N311 1390	RR-500-12
N311 1390	RR-500-27
N311 1390	RR-500-43
N311 1390	RR-500-9
N335 1390	C-500-10A
N335 1390	C-500-11A
N335 1390	C-500-1A
N335 1390	C-500-2A
N335 1390	C-500-2B
N335 1390	C-500-3A
N335 1390	C-500-6A
N335 1390	C-500-8A
N335 1390	C-500-8B
N335 1390	C-500-9A
N335 1390	C-500-9B
N335 1390	HAT83C009-009
N335 1390	HAT83H010-005
N335 1390	HAT83H010-006
N335 1390	HAW78F002M001
N335 1390	JA-11-32F
N335 1390	JA-12-1A
N335 1390	JA-12-1B
N335 1390	JA-12-36D
N335 1390	JA-12-36F
N335 1390	JA-12-36G
N335 1390	JA-12-44A
N335 1390	JA-12-45B
N335 1390	JA-12-45C
N335 1390	JA-12-45D
N335 1390	JA-12-46B
N335 1390	JA-12-46C
N335 1390	JA-12-46D
N335 1390	JA-12-50B
N335 1390	JA-12-50C
N335 1390	JA-12-50D
N335 1390	JA-12-50F
N335 1390	JA-12-52D
N335 1390	JA-12-52F
N335 1390	JA-12-52G
N335 1390	JA-12-6
N335 1390	JA-12-8F
N335 1390	JA-3-51B
N335 1390	JA-4-153D
N335 1390	JA-4-155F
N335 1390	JA-4-448A
N335 1390	JA-4-497F
N335 1390	JA-4-541D
N335 1390	JA-4-554A
N335 1390	JA-4-564B
N335 1390	JA-4-603B
N335 1390	JA-4-687A
N335 1390	JA-4-800C
N335 1390	JA-4-805C
N335 1390	JA-4-844A
N335 1390	JA-4-850C
N335 1390	JA-4-852D
N335 1390	JA-4-853C
N335 1390	JA-4-854B
N335 1390	JA-4-854C
N335 1390	JA-4-975F
N335 1390	JA-4-977C
N335 1390	JA-4-99D
N335 1390	JA-5-12A
N335 1390	JA-5-6A
N335 1390	JA-502-238B
N335 1390	JA-502-239B
N335 1390	JA-6-3B
N335 1390	JA-6-66C
N335 1390	JA-6-79F
N335 1390	JA-6-9C
N335 1390	JA-7-1B
N335 1390	KN-2-461C
N335 1390	KN-2-687G
N335 1390	KN-2-727B
N335 1390	KN-3-130A
N335 1390	KN-3-15A
N335 1390	KN-3-278B
N335 1390	KN-3-336B
N335 1390	KN-3-338B
N335 1390	KN-3-50B
N335 1390	KN-3-59B
N335 1390	KN-3-66C
N335 1390	KN-3-69C
N335 1390	KN-3-8A
N335 1390	KN-4-120A
N335 1390	KN-4-14B
N335 1390	KN-4-15C
N335 1390	KN-4-15D
N335 1390	KN-4-37F
N335 1390	KN-4-92B
N335 1390	KN-5-23C
N335 1390	LS-100-13C
N335 1390	LS-100-15B

N335 1390	LS-100-17C
N335 1390	LS-109-23
N335 1390	LS-109-42
N335 1390	LS-109-47
N335 1390	LS-109-50
N335 1390	LS-109-51
N335 1390	LS-109-52
N335 1390	LS-109-62
N335 1390	LS-109-63
N335 1390	LS-109-64
N335 1390	LS-109-67
N335 1390	LS-109-73
N335 1390	LS-111-11G
N335 1390	LS-111-11J
N335 1390	LS-111-1A
N335 1390	LS-111-3A
N335 1390	LS-111-5B
N335 1390	LS-111-6B
N335 1390	LS-111-7A
N335 1390	LS-111-8B
N335 1390	LS-111-8C
N335 1390	LS-111-9B
N335 1390	LS-123-2
N335 1390	LS-123-3
N335 1390	LS-46-5B
N335 1390	LS-51-28
N335 1390	LS-56-6
N335 1390	LS-56-6A
N335 1390	LS-61-11
N335 1390	LS-63-7
N335 1390	LS-65-10
N335 1390	LS-70-1
N335 1390	LS-71-1
N335 1390	LS-73-5
N335 1390	LS-78-3
N335 1390	LS-8-134D
N335 1390	LS-8-13C
N335 1390	LS-8-16C
N335 1390	LS-80-2
N335 1390	LS-80-5
N335 1390	LS-89-7
N335 1390	LS-96-23
N335 1390	LS-96-4
N335 1390	LS-99-24
N335 1390	MA-1-129
N335 1390	MA-1-131
N335 1390	MA-1-136
N335 1390	MA-1-138
N335 1390	MA-1-183
N335 1390	MA-1-196D
N335 1390	MA-1-48C
N335 1390	MA-10-11
N335 1390	MA-10-12
N335 1390	MA-10-8
N335 1390	MA-14-1
N335 1390	MA-14-100
N335 1390	MA-14-102
N335 1390	MA-14-105
N335 1390	MA-14-107D
N335 1390	MA-14-111
N335 1390	MA-14-112
N335 1390	MA-14-113
N335 1390	MA-14-114
N335 1390	MA-14-115
N335 1390	MA-14-119
N335 1390	MA-14-120
N335 1390	MA-14-130
N335 1390	MA-14-137
N335 1390	MA-14-138
N335 1390	MA-14-140
N335 1390	MA-14-143
N335 1390	MA-14-145
N335 1390	MA-14-147
N335 1390	MA-14-150
N335 1390	MA-14-158A
N335 1390	MA-14-159
N335 1390	MA-14-160
N335 1390	MA-14-17
N335 1390	MA-14-24
N335 1390	MA-14-25
N335 1390	MA-14-26
N335 1390	MA-14-27
N335 1390	MA-14-28
N335 1390	MA-14-31
N335 1390	MA-14-35
N335 1390	MA-14-37
N335 1390	MA-14-39
N335 1390	MA-14-48
N335 1390	MA-14-55
N335 1390	MA-14-6
N335 1390	MA-14-65
N335 1390	MA-14-8
N335 1390	MA-15-11A
N335 1390	MA-15-15B
N335 1390	MA-15-17D
N335 1390	MA-15-19A
N335 1390	MA-15-21A
N335 1390	MA-15-2D
N335 1390	MA-15-40
N335 1390	MA-15-6B

N335 1390	MA-15-6C	N335 1390	MA-22-140
N335 1390	MA-15-9F	N335 1390	MA-22-141
N335 1390	MA-16-23	N335 1390	MA-22-148A
N335 1390	MA-16-26	N335 1390	MA-22-150
N335 1390	MA-16-27	N335 1390	MA-22-154
N335 1390	MA-16-28	N335 1390	MA-22-155
N335 1390	MA-17-116	N335 1390	MA-22-156
N335 1390	MA-17-11B	N335 1390	MA-22-157
N335 1390	MA-17-12A	N335 1390	MA-22-158
N335 1390	MA-17-12B	N335 1390	MA-22-159
N335 1390	MA-17-14C	N335 1390	MA-22-160
N335 1390	MA-17-15C	N335 1390	MA-22-162
N335 1390	MA-17-19C	N335 1390	MA-22-165
N335 1390	MA-17-1A	N335 1390	MA-22-166
N335 1390	MA-17-25F	N335 1390	MA-22-167
N335 1390	MA-17-26	N335 1390	MA-22-168
N335 1390	MA-17-27	N335 1390	MA-22-177
N335 1390	MA-17-27A	N335 1390	MA-22-181
N335 1390	MA-17-29	N335 1390	MA-22-182
N335 1390	MA-17-2F	N335 1390	MA-22-183
N335 1390	MA-17-31C	N335 1390	MA-22-184
N335 1390	MA-17-31D	N335 1390	MA-22-185
N335 1390	MA-17-34	N335 1390	MA-22-186
N335 1390	MA-17-51	N335 1390	MA-22-187
N335 1390	MA-17-53	N335 1390	MA-22-188
N335 1390	MA-17-63	N335 1390	MA-22-191
N335 1390	MA-17-68	N335 1390	MA-22-194
N335 1390	MA-17-6C	N335 1390	MA-22-195
N335 1390	MA-17-72	N335 1390	MA-22-196
N335 1390	MA-17-73	N335 1390	MA-22-197
N335 1390	MA-17-74	N335 1390	MA-22-208
N335 1390	MA-17-76	N335 1390	MA-22-211
N335 1390	MA-17-79	N335 1390	MA-22-212
N335 1390	MA-17-88	N335 1390	MA-22-213
N335 1390	MA-18-16	N335 1390	MA-22-214
N335 1390	MA-18-30	N335 1390	MA-22-215
N335 1390	MA-19-1A	N335 1390	MA-22-216
N335 1390	MA-2-18F	N335 1390	MA-22-217
N335 1390	MA-2-19C	N335 1390	MA-22-218
N335 1390	MA-2-23F	N335 1390	MA-22-219
N335 1390	MA-2-7B	N335 1390	MA-22-220
N335 1390	MA-20-1F	N335 1390	MA-22-221
N335 1390	MA-20-1G	N335 1390	MA-22-222
N335 1390	MA-20-2A	N335 1390	MA-22-223
N335 1390	MA-20-3A	N335 1390	MA-22-224
N335 1390	MA-21-1	N335 1390	MA-22-226
N335 1390	MA-22-120	N335 1390	MA-22-227
N335 1390	MA-22-129	N335 1390	MA-22-229
N335 1390	MA-22-133	N335 1390	MA-22-230
N335 1390	MA-22-138	N335 1390	MA-22-234

N335 1390	MA-22-236	N335 1390	MA-32-9
N335 1390	MA-22-237	N335 1390	MA-33-1
N335 1390	MA-22-240	N335 1390	MA-33-10A
N335 1390	MA-22-241	N335 1390	MA-33-11
N335 1390	MA-22-242	N335 1390	MA-33-13
N335 1390	MA-22-243	N335 1390	MA-33-15
N335 1390	MA-22-244	N335 1390	MA-33-17
N335 1390	MA-22-245	N335 1390	MA-33-18
N335 1390	MA-22-248	N335 1390	MA-33-19
N335 1390	MA-22-249	N335 1390	MA-33-20
N335 1390	MA-22-25	N335 1390	MA-33-21
N335 1390	MA-22-263	N335 1390	MA-33-5
N335 1390	MA-22-273	N335 1390	MA-33-6
N335 1390	MA-22-277	N335 1390	MA-33-7
N335 1390	MA-23-1A	N335 1390	MA-33-8
N335 1390	MA-25-19	N335 1390	MA-33-9
N335 1390	MA-3-110	N335 1390	MA-34-1
N335 1390	MA-3-36C	N335 1390	MA-34-10
N335 1390	MA-3-3C	N335 1390	MA-34-12
N335 1390	MA-3-68J	N335 1390	MA-34-13
N335 1390	MA-30-10	N335 1390	MA-34-14
N335 1390	MA-30-12	N335 1390	MA-34-15
N335 1390	MA-30-13	N335 1390	MA-34-2
N335 1390	MA-30-15	N335 1390	MA-34-4
N335 1390	MA-30-16	N335 1390	MA-34-5
N335 1390	MA-30-18	N335 1390	MA-34-7
N335 1390	MA-30-21	N335 1390	MA-34-8
N335 1390	MA-30-23	N335 1390	MA-34-9
N335 1390	MA-30-24	N335 1390	MA-35-1
N335 1390	MA-30-25	N335 1390	MA-35-4
N335 1390	MA-30-26	N335 1390	MA-35-8
N335 1390	MA-30-27	N335 1390	MA-35-9
N335 1390	MA-30-29	N335 1390	MA-36-1
N335 1390	MA-30-3	N335 1390	MA-36-10
N335 1390	MA-30-33	N335 1390	MA-36-14
N335 1390	MA-30-36	N335 1390	MA-36-17
N335 1390	MA-30-4	N335 1390	MA-36-20
N335 1390	MA-30-42A	N335 1390	MA-36-21
N335 1390	MA-30-43	N335 1390	MA-36-4
N335 1390	MA-30-44	N335 1390	MA-36-5
N335 1390	MA-30-5	N335 1390	MA-36-7
N335 1390	MA-30-5	N335 1390	MA-36-8
N335 1390	MA-32-10	N335 1390	MA-36-9
N335 1390	MA-32-13	N335 1390	MA-37-3
N335 1390	MA-32-14	N335 1390	MA-39-1
N335 1390	MA-32-15	N335 1390	MA-39-10
N335 1390	MA-32-3	N335 1390	MA-39-12
N335 1390	MA-32-4	N335 1390	MA-39-13
N335 1390	MA-32-5	N335 1390	MA-39-14
N335 1390	MA-32-8	N335 1390	MA-39-15

N335 1390	MA-39-16	N335 1390	MA-78K043-014
N335 1390	MA-39-17	N335 1390	MA-78K043-015
N335 1390	MA-39-18	N335 1390	MA-78K043H016
N335 1390	MA-39-2	N335 1390	MA-8-156F
N335 1390	MA-39-20	N335 1390	MA-8-178D
N335 1390	MA-39-21	N335 1390	MA-8-212B
N335 1390	MA-39-22	N335 1390	MA-8-239B
N335 1390	MA-39-23	N335 1390	MA-8-242C
N335 1390	MA-39-24	N335 1390	MA-8-242D
N335 1390	MA-39-25	N335 1390	MA-8-338A
N335 1390	MA-39-26	N335 1390	MA-8-378A
N335 1390	MA-39-27	N335 1390	MA-8-383F
N335 1390	MA-39-28	N335 1390	MA-8-393B
N335 1390	MA-39-29	N335 1390	MA-8-480A
N335 1390	MA-39-3	N335 1390	MA-8-482A
N335 1390	MA-39-4	N335 1390	MA-8-514B
N335 1390	MA-39-5	N335 1390	MA-8-515C
N335 1390	MA-39-6	N335 1390	MA-8-521A
N335 1390	MA-39-7	N335 1390	MA-81A044-001
N335 1390	MA-39-8	N335 1390	MA-81A044-002
N335 1390	MA-42-1	N335 1390	MA-81B044-003
N335 1390	MA-42-3	N335 1390	MA-81E044-006
N335 1390	MA-42-5	N335 1390	MCA-500-1A
N335 1390	MA-42-6	N335 1390	MCA-500-2A
N335 1390	MA-42-7	N335 1390	MCA-500-3A
N335 1390	MA-42-8	N335 1390	MCA-500-4A
N335 1390	MA-5-20A	N335 1390	MCA-500-4A
N335 1390	MA-5-22L	N335 1390	MCA-500-5A
N335 1390	MA-5-29B	N335 1390	MCA-500-5A
N335 1390	MA-5-53A	N335 1390	MCA-500-7A
N335 1390	MA-502-166A	N335 1390	MCA-500-7A
N335 1390	MA-504-4F	N335 1390	MCA-500-8A
N335 1390	MA-6-19C	N335 1390	MCA-500-8B
N335 1390	MA-6-21A	N335 1390	MCA-500-9A
N335 1390	MA-6-30D	N335 1390	MCA-500-9B
N335 1390	MA-6-45C	N335 1390	OH-500-1B
N335 1390	MA-6-45D	N335 1390	SOG77F001G002
N335 1390	MA-6-55	N335 1390	SOG77J001G004
N335 1390	MA-78H043-001	N340 1390	MA-78F001-001
N335 1390	MA-78H043-002	N340 1390	MA-78G001-002
N335 1390	MA-78H043-003	N340 1390	MA-78J001-003
N335 1390	MA-78H043-004	N340 1390	MA-78J001-005
N335 1390	MA-78H043-005	N340 1390	MA-78J001H004
N335 1390	MA-78H043-006	N340 1390	MA-78K001-006
N335 1390	MA-78J043-007	N340 1390	MA-78K001-007
N335 1390	MA-78J043-008	N340 1390	MA-78K001-008
N335 1390	MA-78J043-009	N340 1390	MA-78L001-009
N335 1390	MA-78J043-010	N340 1390	MA-78L001-010
N335 1390	MA-78K043-011	N340 1390	MA-79B001-012
N335 1390	MA-78K043-013	N340 1390	MA-79C001-013

N340 1390	MA-79C001-014
N340 1390	MA-79D001-016
N340 1390	MA-79E001-017
N340 1390	MA-79E001-017
N340 1390	MA-79F001-018
N340 1390	MA-79H001-020
N340 1390	MA-79H001-021
N340 1390	MA-79H001-022
N340 1390	MA-79J001-023
N340 1390	MA-79J001-024
N340 1390	MA-79K001-025
N340 1390	MA-79L001-026
N340 1390	MA-79L001-027
N340 1390	MA-79M001-028
N340 1390	MA-79M001-029
N340 1390	MA-80A001-030
N340 1390	MA-80B001-031
N340 1390	MA-80D001-033A
N340 1390	MA-80J001-034
N340 1390	MA-80J001-035
N340 1390	MA-80K001-036
N340 1390	MA-80L001-037
N340 1390	MA-80L001-038
N340 1390	MA-80M001-039
N340 1390	MA-80M001-040
N340 1390	MA-80M002-001
N340 1390	MA-81A001-041
N340 1390	MA-81B001-042
N340 1390	MA-81B001-043
N340 1390	MA-81C003-001
N340 1390	MA-81D001-044
N340 1390	MA-81D002-002
N340 1390	MA-81D003-002
N340 1390	MA-81E001-045
N340 1390	MA-81E001-046
N340 1390	MA-81G001-047
N340 1390	MA-81G001-048
N340 1390	MA-81G001-049
N340 1390	MA-81G002-003
N340 1390	MA-81G003-003
N340 1390	MA-81H003-004
N340 1390	MA-81H003-005
N340 1390	MA-81H003-006
N340 1390	MA-81H003-007
N340 1390	MA-81H003-008
N340 1390	MA-81J001-050
N340 1390	MA-81J004-001
N340 1390	MA-81J004-002
N340 1390	MA-81J004-003
N340 1390	MA-81K001-051
N340 1390	MA-81K001-052
N340 1390	MA-81K001-054
N340 1390	MA-81K004-004
N340 1390	MA-81L001-055
N340 1390	MA-81L001-056
N340 1390	MA-81L004-005
N340 1390	MA-81M004-006
N340 1390	MA-82A003-009
N340 1390	MA-82A004-007
N340 1390	MA-82A004-008
N340 1390	MA-82B004-009
N340 1390	MA-82B004-010
N340 1390	MA-82C003-010
N340 1390	MA-82C004-011
N340 1390	MA-82C004-012
N340 1390	MA-82C004-014
N340 1390	MA-82D003-011
N340 1390	MA-82D004-015
N340 1390	MA-82D004-016
N340 1390	MA-82E003-012
N340 1390	MA-82E003-013
N340 1390	MA-82E004-017
N340 1390	MA-82F004-018
N340 1390	MA-82F004-019
N340 1390	MA-82G004-020
N340 1390	MA-82G004-021A
N340 1390	MA-82H003-015
N340 1390	MA-82J003-016
N340 1390	MA-82K003-018
N340 1390	MA-82K003-019
N340 1390	MA-82L003-020
N340 1390	MA-82M003-021
N340 1390	MA-82M006-002
N340 1390	MA-83A003-022
N340 1390	MA-83A006-004
N340 1390	MA-83A007-001
N340 1390	MA-83C007-003
N340 1390	MA-83D006-008
N340 1390	MA-83D007-004
N340 1390	MA-83E006-009
N340 1390	MA-83E007-005
N340 1390	MA-83E007-006
N340 1390	MA-83F006-010
N340 1390	MA-83H007-007
N340 1390	MA-83J007-008
N340 1390	MA-83K007-009
N340 1390	MA-83L006-012
N340 1390	MA-83L006-013
N340 1390	MA-83L007-010
N340 1390	MA-83L007-011

N340	1390	MA-84A007-012
N340	1390	MA-84B007-013
N340	1390	MA-84G010-005
N340	1390	MA-84K010-007
N340	1390	MA-85A010-008
N340	1390	MA-85A010-009
N340	1390	MA-85B010-010
N340	1390	MA-85C010-011
N340	1390	MA-85C010-012
N340	1390	MA-85D010-013
N340	1390	MA-85G010-014
N340	1390	MA-85G010-015
N340	1390	MA-85G010-016
N340	1390	MA-85G010-017
N340	1390	MA-85H010-018
N340	1390	MA-85H010-019
N340	1390	MA-86A010-020
N340	1390	MA-86A010-021
N340	1390	MA-86B010-022
N340	1390	MA-86G010-023
N340	1390	MA-86H010-024
N340	1390	MA-86H010-026
N340	1390	MA-87B011-001
N340	1390	MA-87C011-003
N340	1390	MA-87C011-004
N340	1390	MA-88B012-001
N340	1390	MA-88B012-002
N340	1390	MA-88C012-003
N462	1390	RYB-2-3
N462	1390	RYB-3-4
N463	1390	FCI-1-10A
N463	1390	FCI-1-1A
N463	1390	FCI-1-2A
N463	1390	FCI-1-3A
N463	1390	FCI-1-5A
N463	1390	FCI-1-6A
N463	1390	FCI-1-7A
N463	1390	FCI-1-8A
N463	1390	FCI-1-9A
N463	1390	FCI-2-001A
N463	1390	FCI-2-002A
N463	1390	FCI-2-003A
N463	1390	FCI-2-004A
N463	1390	FCI-2-005A
N463	1390	FCI-2-006A
N463	1390	FCI-2-007A
N463	1390	FCI-2-008A
N463	1390	FCI-2-009A
N463	1390	FCI-2-010A
N463	1390	FCI-2-011A
N463	1390	FCI-2-012A
N463	1390	FCI-2-013A
N463	1390	FCI-2-015A
N463	1390	FCI-2-016A
N463	1390	FCI-2-017A
N463	1390	FCI-3-004A
N463	1390	FCI-3-005A
N463	1390	FCI-3-006A
N463	1390	FCI-3-008A
N463	1390	FCI-3-009A
N463	1390	FCI-3-010A
N463	1390	FCI-3-011A
N463	1390	FCI-4-001A
N463	1390	FCI-4-003A
N463	1390	FCI-4-004A
N463	1390	FCI-4-004B
N463	1390	FCI-4-005A
N463	1390	FCI-4-006A
N463	1390	FCI-4-008A
N463	1390	FCI-4-009A
N463	1390	FCI-4-010A
N463	1390	FCI-4-010B
N463	1390	FCI-4-011A
N463	1390	FCI-4-012A
N463	1390	FCI-4-015A
N463	1390	FCI-4-017A
N463	1390	FCI-4-018A
N463	1390	FCI-4-019A
N463	1390	FCI-4-020A
N463	1390	FCI-4-021A
N463	1390	FCI-5-001A
N463	1390	FCI-5-001B
N463	1390	FCI-5-002A
N463	1390	FCI-5-003A
N463	1390	FCI-5-004A
N463	1390	FCI-5-005A
N463	1390	FCI-5-006A
N463	1390	FCI-5-007A
N463	1390	FCI-5-008A
N463	1390	FCI-5-008B
N463	1390	FCI-5-009A
N463	1390	FCI-5-010A
N463	1390	FCI-5-011A
N463	1390	FCI-5-012A
N463	1390	FCI-5-013A
N463	1390	FCI-5-014A
N463	1390	FCI-5-015A
N463	1390	FCI-5-016A
N463	1390	FCI-6-004
N463	1390	RYB-1-10A

N463 1390	RYB-1-12A
N463 1390	RYB-1-13A
N463 1390	RYB-1-1A
N463 1390	RYB-1-2A
N463 1390	RYB-1-3A
N463 1390	RYB-1-6A
N463 1390	RYB-1-7A
N463 1390	RYB-1-8A
N463 1390	RYB-1-9A
N463 1390	RYB-2-10A
N463 1390	RYB-2-11A
N463 1390	RYB-2-13A
N463 1390	RYB-2-14A
N463 1390	RYB-2-15A
N463 1390	RYB-2-16A
N463 1390	RYB-2-17A
N463 1390	RYB-2-18A
N463 1390	RYB-2-1A
N463 1390	RYB-2-20A
N463 1390	RYB-2-21A
N463 1390	RYB-2-22A
N463 1390	RYB-2-23A
N463 1390	RYB-2-24A
N463 1390	RYB-2-25A
N463 1390	RYB-2-26A
N463 1390	RYB-2-4A
N463 1390	RYB-2-5A
N463 1390	RYB-2-6A
N463 1390	RYB-2-7A
N463 1390	RYB-2-8A
N463 1390	RYB-2-9A
N463 1390	RYB-3-10A
N463 1390	RYB-3-4A
N463 1390	RYB-3-5A
N463 1390	RYB-3-6A
N463 1390	RYB-3-7A
N463 1390	RYB-3-8A
N463 1390	RYB-3-9A
N463 1390	RYB-4-10A
N463 1390	RYB-4-11A
N463 1390	RYB-4-12A
N463 1390	RYB-4-13A
N463 1390	RYB-4-13B
N463 1390	RYB-4-14A
N463 1390	RYB-4-15A
N463 1390	RYB-4-15B
N463 1390	RYB-4-15C
N463 1390	RYB-4-16A
N463 1390	RYB-4-17A
N463 1390	RYB-4-18A
N463 1390	RYB-4-19B
N463 1390	RYB-4-1A
N463 1390	RYB-4-21A
N463 1390	RYB-4-22A
N463 1390	RYB-4-24A
N463 1390	RYB-4-25A
N463 1390	RYB-4-26A
N463 1390	RYB-4-27A
N463 1390	RYB-4-28A
N463 1390	RYB-4-29A
N463 1390	RYB-4-2A
N463 1390	RYB-4-32A
N463 1390	RYB-4-32B
N463 1390	RYB-4-32C
N463 1390	RYB-4-33A
N463 1390	RYB-4-34B
N463 1390	RYB-4-35A
N463 1390	RYB-4-36A
N463 1390	RYB-4-3A
N463 1390	RYB-4-4A
N463 1390	RYB-4-5A
N463 1390	RYB-4-5B
N463 1390	RYB-4-7A
N463 1390	RYB-4-8A
N463 1390	RYB-4-9A
N463 1390	RYB-5-11A
N463 1390	RYB-5-12A
N463 1390	RYB-5-13A
N463 1390	RYB-5-14A
N463 1390	RYB-5-15A
N463 1390	RYB-5-16A
N463 1390	RYB-5-17A
N463 1390	RYB-5-19A
N463 1390	RYB-5-1A
N463 1390	RYB-5-20A
N463 1390	RYB-5-21A
N463 1390	RYB-5-22A
N463 1390	RYB-5-23A
N463 1390	RYB-5-24A
N463 1390	RYB-5-25A
N463 1390	RYB-5-2A
N463 1390	RYB-5-3A
N463 1390	RYB-5-5A
N463 1390	RYB-5-6A
N463 1390	RYB-5-7A
N463 1390	RYB-5-8A
N463 1390	RYB-5-9A
N463 1390	RYB-7-001
N463 1390	RYB-7-002
N463 1390	RYB-7-003

N463 1390	RYB-7-004	N463 1390	RYB-8-21
N463 1390	RYB-7-005	N463 1390	TEX-2-002A
N463 1390	RYB-7-007	N463 1390	TEX-2-003A
N463 1390	RYB-7-008	N463 1390	TEX-2-004A
N463 1390	RYB-7-009	N463 1390	TEX-2-006A
N463 1390	RYB-7-010	N463 1390	TEX-2-007A
N463 1390	RYB-7-011	N463 1390	TEX-2-008A
N463 1390	RYB-7-012	N463 1390	TEX-2-014A
N463 1390	RYB-7-013	N463 1390	TEX-2-015A
N463 1390	RYB-7-014	N463 1390	TEX-2-016A
N463 1390	RYB-7-015	N463 1390	TEX-2-017A
N463 1390	RYB-7-016	N463 1390	TEX-2-018A
N463 1390	RYB-7-017	N463 1390	TEX-2-019A
N463 1390	RYB-7-018A	N463 1390	TEX-2-020A
N463 1390	RYB-7-019	N463 1390	TEX-2-021A
N463 1390	RYB-7-020	N463 1390	TEX-2-022A
N463 1390	RYB-7-021	N463 1390	TEX-2-023A
N463 1390	RYB-7-022	N463 1390	TEX-2-024A
N463 1390	RYB-7-023	N463 1390	TEX-2-025A
N463 1390	RYB-7-024	N463 1390	TEX-2-026B
N463 1390	RYB-7-025	N464 1390	LS-79D001-001
N463 1390	RYB-7-027	N464 1390	LS-79E001-002
N463 1390	RYB-7-029	N464 1390	LS-79G001-004
N463 1390	RYB-7-031	N464 1390	LS-79G001-005
N463 1390	RYB-7-032	N464 1390	LS-79H001-006
N463 1390	RYB-7-033	N464 1390	LS-79H001-008
N463 1390	RYB-7-035	N464 1390	LS-80E002-007
N463 1390	RYB-7-036	N464 1390	LS-80E002-008
N463 1390	RYB-7-037	N464 1390	LS-80E002-009
N463 1390	RYB-8-001	N464 1390	LS-80E002-010
N463 1390	RYB-8-002	N464 1390	LS-80F002-011
N463 1390	RYB-8-003	N464 1390	LS-80F002-012
N463 1390	RYB-8-004	N464 1390	LS-80F002-013
N463 1390	RYB-8-005	N464 1390	LS-80F002-014
N463 1390	RYB-8-007	N464 1390	LS-80G002-016
N463 1390	RYB-8-008	N464 1390	LS-80G002-017
N463 1390	RYB-8-009	N464 1390	LS-80G002-018
N463 1390	RYB-8-010	N464 1390	LS-80H002-019
N463 1390	RYB-8-011	N464 1390	LS-80H002-020
N463 1390	RYB-8-012	N464 1390	LS-80K002-023
N463 1390	RYB-8-013	N464 1390	LS-80L002-024
N463 1390	RYB-8-014	N464 1390	LS-80L002-025
N463 1390	RYB-8-015	N464 1390	LS-80L002-026
N463 1390	RYB-8-016	N464 1390	LS-80M002-027
N463 1390	RYB-8-017	N464 1390	LS-80M002-029
N463 1390	RYB-8-018	N464 1390	LS-80M003-001
N463 1390	RYB-8-019	N464 1390	LS-81A002-030
N463 1390	RYB-8-020	N464 1390	LS-81A002-031
N463 1390	RYB-8-021	N464 1390	LS-81A004-001
N463 1390	RYB-8-022	N464 1390	LS-81A005-001

N464 1390	LS-81A005-002
N464 1390	LS-81B005-003
N464 1390	LS-81C002-032
N464 1390	LS-81C005-004
N464 1390	LS-81D003-003
N464 1390	LS-81D006-002
N464 1390	LS-81E002-033
N464 1390	LS-81E002-034
N464 1390	LS-81E006-003
N464 1390	LS-81E007-001
N464 1390	LS-81F004-002
N464 1390	LS-81F004-003
N464 1390	LS-81F004-004
N464 1390	LS-81F006-004
N464 1390	LS-81F006-005
N464 1390	LS-81F006-006
N464 1390	LS-81G004-005
N464 1390	LS-81G004-006
N464 1390	LS-81G004-007
N464 1390	LS-81H004-008
N464 1390	LS-81H004-009
N464 1390	LS-81H006-007
N464 1390	LS-81J006-008
N464 1390	LS-81J006-009
N464 1390	LS-81J006-010
N464 1390	LS-81J006-011
N464 1390	LS-81K004-010
N464 1390	LS-81K004-011
N464 1390	LS-81K006-012
N464 1390	LS-81L004-012
N464 1390	LS-81L006-013
N464 1390	LS-81L006-014
N464 1390	LS-81L006-015
N464 1390	LS-81M004-013
N464 1390	LS-81M006-016
N464 1390	LS-81M006-017
N464 1390	LS-81M006-018
N464 1390	LS-82A004-014
N464 1390	LS-82A004-015
N464 1390	LS-82A004-016
N464 1390	LS-82A004-017
N464 1390	LS-82B004-018
N464 1390	LS-82B004-019
N464 1390	LS-82B004-020
N464 1390	LS-82B004-021
N464 1390	LS-82B005-003
N464 1390	LS-82D006-020
N464 1390	LS-82D006-021
N464 1390	LS-82D006-022
N464 1390	LS-82D006-023
N464 1390	LS-82E006-024
N464 1390	LS-82E006-025
N464 1390	LS-82E008-001
N464 1390	LS-82E008-002
N464 1390	LS-82F008-005
N464 1390	LS-82F009-001
N464 1390	LS-82G009-002
N464 1390	LS-82G009-003
N464 1390	LS-82G009-004
N464 1390	LS-82H009-005
N464 1390	LS-82H009-006
N464 1390	LS-82H009-007
N464 1390	LS-82J009-008
N464 1390	LS-82J009-009
N464 1390	LS-82J009-010
N464 1390	LS-82J010-001
N464 1390	LS-82K010-002
N464 1390	LS-82K010-003
N464 1390	LS-82K010-004
N464 1390	LS-82K010-005
N464 1390	LS-82K010-006
N464 1390	LS-82L010-007
N464 1390	LS-82L010-008
N464 1390	LS-82L011-001
N464 1390	LS-82L011-002
N464 1390	LS-82M011-003
N464 1390	LS-82M011-004
N464 1390	LS-82M011-005
N464 1390	LS-82M011-013
N464 1390	LS-82M012-001
N464 1390	LS-83A012-002
N464 1390	LS-83A012-003
N464 1390	LS-83A012-004
N464 1390	LS-83A012-005
N464 1390	LS-83B011-006
N464 1390	LS-83B011-008
N464 1390	LS-83C011-009
N464 1390	LS-83C011-010
N464 1390	LS-83D012-007
N464 1390	LS-83D012-008
N464 1390	LS-83E012-009
N464 1390	LS-83E012-010
N464 1390	LS-83F012-011
N464 1390	LS-83G012-001
N464 1390	LS-83J012-013
N464 1390	LS-83J012-014
N464 1390	LS-83K012-015
N464 1390	LS-83K013-002
N464 1390	LS-83L013-003
N464 1390	LS-83L013-004

N464 1390	LS-83L013-005
N464 1390	LS-83M012-017
N464 1390	LS-84A012-018
N464 1390	LS-84A012-019
N464 1390	LS-84B012-020
N464 1390	LS-84B013-006
N464 1390	LS-84B013-007
N464 1390	LS-84C012-021
N464 1390	LS-84C012-022
N464 1390	LS-86H014-001
N464 1390	LS-86H014-002
N464 1390	LS-86J015-001
N464 1390	LS-86J016-001
N464 1390	LS-86K016-002
N464 1390	LS-86K016-003
N464 1390	LS-86K016-005
N464 1390	LS-86L016-004
N464 1390	LS-86M016-005
N464 1390	LS-87A016-006
N464 1390	LS-87B016-007
N464 1390	LS-87D016-008
N464 1390	LS-87D016-009
N464 1390	LS-87G016-010

APPENDIX D
AMMUNITION NOT SUITABLE FOR OVERHEAD FIRE

C443	1315	LS-60-12
C443	1315	LS-60-16
C443	1315	LS-60-2
C443	1315	LS-60-26
C443	1315	LS-60-4
C443	1315	LS-60-4B
C443	1315	LS-60-5
C443	1315	LS-60-8
C444	1315	LS-54-32
C445	1315	AKZ-600-18
C445	1315	AKZ-600-8A
C445	1315	CH-500-13A
C445	1315	CH-500-3A
C445	1315	CH-500-4A
C445	1315	CH-500-5A
C445	1315	CH-500-6A
C445	1315	CH-500-8A
C445	1315	JA-19-29A
C445	1315	JA-19-29B
C445	1315	JA-19-29D
C445	1315	JA-19-2C
C445	1315	JA-19-33B
C445	1315	JA-19-34B
C445	1315	JA-19-35B
C445	1315	JA-19-35C
C445	1315	JA-19-37C
C445	1315	JA-19-38B
C445	1315	JA-19-3B
C445	1315	JA-19-42B
C445	1315	JA-19-45B
C445	1315	JA-19-46A
C445	1315	JA-19-50B
C445	1315	JA-19-51A
C445	1315	JA-19-51B
C445	1315	JA-19-52A
C445	1315	JA-19-52B
C445	1315	JA-19-65B
C445	1315	JA-19-72A
C445	1315	JA-19-74B
C445	1315	JA-19-7B
C445	1315	JA-62-149
C445	1315	JA-77-122
C445	1315	JA-77-241D
C445	1315	JA-77-489
C445	1315	JA-77-66C
C445	1315	KN-33-64C
C445	1315	KN-35-3B
C445	1315	KN-37-7A
C445	1315	KN-77E002-002
C445	1315	KN-79-3X
C445	1315	KN-801-9A
C445	1315	KN-805-25
C445	1315	KN-809-98
C445	1315	KN-814-16
C445	1315	KN-814-61B
C445	1315	KN-814-64B
C445	1315	KN-814-69A
C445	1315	KN-818-20
C445	1315	KN-820-28
C445	1315	KN-820-29
C445	1315	KN-821-2
C445	1315	LS-17-18A
C445	1315	LS-21-161
C445	1315	LS-21-163
C445	1315	LS-21-185
C445	1315	LS-21-220
C445	1315	LS-29-83C
C445	1315	LS-40-37A
C445	1315	LS-44-31A
C445	1315	LS-56-208B
C445	1315	LS-56-38
C445	1315	LS-56-58
C445	1315	LS-57-25C
C445	1315	LS-60-13B
C445	1315	LS-60-26B
C445	1315	Y-500-10
C445	1315	Y-500-15
C445	1315	Y-500-16
C445	1315	Y-500-1A
C445	1315	Y-500-25
C445	1315	Y-500-5
C445	1315	Y-500-7
C445	1315	Y-500-9
C448	1315	MA-1-2A
C448	1315	MA-7-10X
C448	1315	MA-7-11C
C448	1315	MA-7-11X
C448	1315	MA-7-12X
C448	1315	MA-7-2X
C448	1315	MA-7-5H
C448	1315	MA-7-5J
C448	1315	MA-7-6X
C448	1315	MA-7-7X
C448	1315	MA-7-8X
C448	1315	MA-7-9G
C448	1315	MA-7-9X
C448	1315	PA-198-10B
C448	1315	PA-198-11A
C448	1315	PA-198-3B
C448	1315	PA-198-5B

C448	1315	PA-198-6A
C448	1315	PA-198-7C
C448	1315	PA-200-3A
C449	1315	AKZ-601-2
C449	1315	AKZ-601-4
C449	1315	AKZ-601-5
C449	1315	LOW-13-10
C449	1315	LOW-16-158
C449	1315	LOW-16-96
C449	1315	LOW-21-58
C449	1315	LOW-22-51
C449	1315	LOW-22-52
C449	1315	LOW-27-12
C449	1315	LOW-27-6
C449	1315	LOW-33-11
C449	1315	LOW-34-3
C449	1315	LOW-35-16
C449	1315	LOW-37-3
C449	1315	LOW-39-10
C449	1315	LOW-39-9
C449	1315	LOW-40-19
C449	1315	LOW-41-11
C449	1315	LOW-42-2
C449	1315	RD-29-13A
C451	1315	AOY-503-2F
C451	1315	BGD-502-1A
C452	1315	AKZ80L003-001
C452	1315	AOY-504-10B
C452	1315	BGD-504-2G
C452	1315	BGD-504-2J
C452	1315	BGD-525-31A
C452	1315	LOW-4-7
C452	1315	LOW-4-8A
C452	1315	PB-77H040-004
C452	1315	PB-77H040-005
C452	1315	RAN-1-2A
C452	1315	RAN-1-3A
C452	1315	RD-3-360G
C453	1315	RD-14-3M
C454	1315	HAW85F001G013
C454	1315	HAW85F001G014
C454	1315	LS-21-185
C454	1315	LS-43-38
C454	1315	OH-501-2
C454	1315	OH-501-3
C454	1315	PB-10-11
C454	1315	PB-10-12
C454	1315	PB-10-14
C454	1315	PB-10-19
C454	1315	PB-10-2
C454	1315	PB-10-20
C454	1315	PB-10-20A
C454	1315	PB-10-32
C454	1315	PB-10-34
C454	1315	PB-10-35
C454	1315	PB-10-38
C454	1315	PB-11-4
C454	1315	PB-11-5
C454	1315	RD-10-29B
C454	1315	RD-32-104F
C454	1315	RD-32-14XB
C454	1315	RD-32-20K
C454	1315	RD-32-22H
C454	1315	RD-32-22J
C454	1315	RD-39-81
C455	1315	NJD-501-1
C468	1315	LS-6-1
C477	1315	CH-500-1A
C477	1315	LS-40-40L
C477	1315	LS-43-21A
C477	1315	LS-43-21B
C477	1315	LS-43-31G
C477	1315	LS-43-31J
C477	1315	LS-43-40K
C477	1315	LS-49-22A
C477	1315	LS-49-2A
C477	1315	LS-59-1B
C477	1315	OH-500-2A
C477	1315	OH-500-4B
C477	1315	PB-3-2
C477	1315	PB-3-23
C477	1315	RD-10-22K
C477	1315	RD-10-41A
C477	1315	RD-10-47A
C477	1315	RD-32-109B
C477	1315	RD-32-109C
C477	1315	RD-32-109D
C477	1315	RD-32-111C
C477	1315	RD-32-111D
C477	1315	RD-32-112B
C477	1315	RD-32-113B
C477	1315	RD-32-114A
C477	1315	RD-32-123A
C477	1315	RD-32-123B
C477	1315	RD-32-137C
C477	1315	RD-32-14C
C477	1315	RD-32-197XA
C477	1315	RD-32-23XA
C477	1315	RD-32-28B
C477	1315	RD-32-87XB

C477	1315	SUD-503-3C
C477	1315	WTX-15-13A
C505	1315	RHN79G013G002
C513	1315	MA-115-6A
C513	1315	MA-115-7A
D361	1320	BAJ-B-67807
D361	1320	IND-1-1
D361	1320	IND-1-12
D361	1320	IND-1-12A
D361	1320	IND-1-14
D361	1320	IND-1-14A
D361	1320	IND-1-15
D361	1320	IND-1-16
D361	1320	IND-1-20A
D361	1320	IND-1-27
D361	1320	IND-1-27A
D361	1320	IND-1-27B
D361	1320	IND-1-29A
D361	1320	IND-1-32C
D361	1320	IND-1-5
D361	1320	IND-1-62A
D361	1320	IND-1-6A
D361	1320	IND-1-6C
D361	1320	IND-66887
D361	1320	IND-66923
D361	1320	RAD-67990
D3613	1320	IND-1-20A
D505	1320	LOW-2-14
D505	1320	LOW-20-78
D505	1320	LOW-23-16
D505	1320	LOW-23-22A
D505	1320	LOW-23-22B
D505	1320	LOW-24-17C
D505	1320	LOW-25-29B
D505	1320	LOW-25-4
D505	1320	LOW-25-6
D505	1320	LOW-25-6A
D505	1320	LOW-27-50
D505	1320	LOW-27-51
D505	1320	LOW-27-53
D505	1320	LOW-27-55
D505	1320	LOW-27-59
D505	1320	LOW-27-60A
D505	1320	LOW-27-61
D505	1320	LOW-27-78
D505	1320	LOW-27-85
D505	1320	LOW-27-87
D505	1320	LOW-28-3
D505	1320	LOW-28-3A
D505	1320	LOW-29-10
D505	1320	LOW-29-119
D505	1320	LOW-29-52
D505	1320	LOW-29-52A
D505	1320	LOW-29-73
D505	1320	LOW-31-6
D505	1320	LOW-32-24
D505	1320	LOW-32-26
D505	1320	LOW-32-28
D505	1320	LOW-32-33
D505	1320	LOW-33-4
D505	1320	LOW-34-10B
D505	1320	LOW-34-12A
D505	1320	LOW-34-16A
D505	1320	LOW-34-20
D505	1320	LOW-34-5
D505	1320	LOW-34-56
D505	1320	LOW-34-59
D505	1320	LOW-34-9
D505	1320	LOW-37-14
D505	1320	LOW-37-14A
D505	1320	LOW-37-15
D505	1320	LOW-37-16
D505	1320	LOW-37-17
D505	1320	LOW-37-18
D505	1320	LOW-39-15
D505	1320	LOW-E-412
D505	1320	LOW-E-413
D505	1320	LOW85H041-003
D505	1320	LOW85K041-010
D505	1320	LOW86A041-018
D506	1320	PB-79H001-003
D506	1320	PB-79H001-003B
D506	1320	PB-79H001-003C
D506	1320	PB-79H001-004
D506	1320	PB-79J001-005
D506	1320	PB-79J001-005G
D506	1320	PB-79K001-007
D506	1320	PB-79K001-007F
D506	1320	PB-79L001-009
D506	1320	PB-79L001-010B
D506	1320	PB-79L001-010C
D506	1320	PB-80A002-004B
D506	1320	PB-80B002-008D
D506	1320	PB-80C002-011
D506	1320	PB-80D002-012
D506	1320	PB-80D002-012C
D506	1320	PB-80D002-013
D506	1320	PB-80D003-003
D506	1320	PB-80D003-003A
D506	1320	PB-80D003-004

D506	1320	PB-80E003-005
D506	1320	PB-80E003-007
D506	1320	PB-80E003-009
D506	1320	PB-80G002-018
D506	1320	PB-80H002-021
D506	1320	PB-80K004-004
D506	1320	PB-81E006-001A
D506	1320	PB-81E006-002
D506	1320	PB-81G007-001
D506	1320	PB-81G008-001
D506	1320	PB-81G008-003
D528	1320	PB MFG 0185-0586
D533	1320	IA-B-39563A
D533	1320	IA-B-39721
D533	1320	IA-B-39721A
D533	1320	IA-B-39727A
D533	1320	IA-B-39758A
D533	1320	IND78B-068511
D533	1320	IND79K-069949
D536	1320	BAJ-63196
D536	1320	BAJ-63197
D536	1320	BAJ-63198
D536	1320	BAJ-63199
D540	1320	BAJ-63424
D540	1320	BAJ-67786
D540	1320	BAJ-67882
D540	1320	CIL-68249
D540	1320	IA-BR-39660
D540	1320	IA-BR-39665
D540	1320	IA-BR-39667
D540	1320	IA-BR-39668
D540	1320	IND82E-069299
D540	1320	RAD-63951
D540	1320	RAD-64095
D540	1320	RAD-64123
D540	1320	RAD-68020
D540	1320	RAD-68861
D540	1320	RAD-68951
D540	1320	RAD-68953
D540	1320	RAD-69157
D541	1320	BAJ-34458
D541	1320	BAJ-37586
D541	1320	BAJ-63384
D541	1320	BAJ-63424
D541	1320	BAJ-65823
D541	1320	BAJ-65826
D541	1320	BAJ-66819
D541	1320	BAJ-66830
D541	1320	BAJ-66835
D541	1320	BAJ-66837
D541	1320	BAJ-66856
D541	1320	CIL-67284
D541	1320	IA-37765
D541	1320	IA-39403
D541	1320	IA-39405
D541	1320	IA-39470
D541	1320	IA-39473
D541	1320	IA-39490
D541	1320	IA-B-36481
D541	1320	IA-B-36591
D541	1320	IA-BR-35060
D541	1320	IA-BR-36485
D541	1320	IND-66985
D541	1320	IND-67023
D541	1320	IND-67064
D541	1320	IND77G-069388
D541	1320	OKL-17523
D541	1320	RAD-19644
D541	1320	RAD-35762
D541	1320	RAD-60397
D541	1320	RAD-60413
D541	1320	RAD-60415
D541	1320	RAD-60432
D541	1320	RAD-60534
D541	1320	RAD-60543
D541	1320	RAD-68748
D541	1320	RAD-69266
D541	1320	RAD-69267
D541	1320	RAD-69422
D544	1320	BGD-551-14
D544	1320	BGD-551-19
D544	1320	BGD-551-21
D544	1320	BGD-551-3
D544	1320	BGD-551-4
D544	1320	BGD-551-6
D544	1320	BGD-551-8
D544	1320	BGD-551-9
D544	1320	BGD-552-1
D544	1320	BGD-552-14
D544	1320	BGD-552-2
D544	1320	BGD-552-3
D544	1320	BGD-552-4
D544	1320	BGD-552-4A
D544	1320	BGD-552-6
D544	1320	BGD-552-9
D544	1320	COP-1-23
D544	1320	COP-70-81
D544	1320	CQA-1-39
D544	1320	HAW-501-10
D544	1320	HAW-501-12

D544	1320	HAW-501-14
D544	1320	HAW-501-2
D544	1320	HAW-501-4
D544	1320	HAW-501-6
D544	1320	HAW-501-7
D544	1320	IKG-500-2A
D544	1320	IL-3-75A
D544	1320	IL-3-83A
D544	1320	IOP-3-101
D544	1320	IOP-34-96
D544	1320	IOP-40-18
D544	1320	IOP-41-5
D544	1320	IOP-42-4
D544	1320	IOP-43-115
D544	1320	IOP-43-77
D544	1320	KMK-500-8
D544	1320	LOP-22A
D544	1320	LOP-3-127
D544	1320	LOP-3-136
D544	1320	LOP-3-145
D544	1320	LOP-3-146
D544	1320	LOP-3-147
D544	1320	LOP-3-187
D544	1320	LOP-3-28A
D544	1320	LOP-3-35
D544	1320	LOP-3-37
D544	1320	LOP-3-44
D544	1320	LOP-3-83
D544	1320	LOP-3-84
D544	1320	LOP-3-98
D544	1320	LOP-4-96
D544	1320	LOP-5-103
D544	1320	LOP-5-112
D544	1320	LOP-5-115
D544	1320	LOP-5-118
D544	1320	LOP-5-124
D544	1320	LOP-5-14
D544	1320	LOP-5-16
D544	1320	LOP-5-17
D544	1320	LOP-5-19
D544	1320	LOP-5-40
D544	1320	LOP-5-41
D544	1320	LOP-5-44
D544	1320	LOP-5-8
D544	1320	LOP-5-87
D544	1320	LOP-5-92
D544	1320	LOP-5-96
D544	1320	LOP-61-3
D544	1320	LOP-61-5
D544	1320	LOP-64-267
D544	1320	LOP-64-273
D544	1320	LOP-64-274
D544	1320	LOP-64-286
D544	1320	LOP-65-1
D544	1320	LOP-70-29
D544	1320	LOP-70-44
D544	1320	LOP-70-78
D544	1320	LOP-705-26
D544	1320	LOP-705-76
D544	1320	LOP84A713H004
D544	1320	LS-500-2B
D544	1320	LS-600-1D
D544	1320	LS-600-4F
D544	1320	LS-600-5B
D544	1320	NJD-600-10A
D544	1320	NJD-600-10B
D544	1320	NJD-600-17B
D544	1320	NJD-600-2B
D544	1320	NJD-600-4C
D544	1320	NJD-600-6B
D544	1320	NJD-600-7A
D544	1320	NJD-600-8D
D544	1320	RVA-10-256
D544	1320	RVA-10-268A
D544	1320	RVA-10-277A
D544	1320	RVA-4-127
D544	1320	RVA-4-129
D544	1320	RVA-6-16
D544	1320	RVA-6-19
D544	1320	RVA-6-22
D544	1320	RVA-6-24
D544	1320	RVA-6-79
D544	1320	RVA-6-96
D544	1320	RVA-600-10A
D544	1320	RVA-600-10B
D544	1320	RVA-600-1C
D544	1320	RVA-600-3A
D544	1320	RVA-600-3B
D544	1320	RVA-600-4C
D544	1320	RVA-600-8B
D544	1320	RVA-602-1
D544	1320	RVA-602-4
D544	1320	SRD-550-11
D544	1320	SRD-550-15
D544	1320	SRD-550-38
D544	1320	SRD-550-48
D544	1320	SRD-550-50
D544	1320	SRD-550-51
D544	1320	SRD-550-56
D544	1320	SRD-550-57

D544	1320	SRD-550-59
D544	1320	SRD-550-63
D544	1320	SRD-550-77
D544	1320	TFO-602-12
D544	1320	TFO-602-13
D544	1320	TOD-500-103
D544	1320	TOD-500-106
D544	1320	TOD-500-107
D544	1320	TOD-500-108
D544	1320	TOD-500-111
D544	1320	TOD-500-115
D544	1320	TOD-550-13
D544	1320	TOD-550-6
D544	1320	TOD-550-7
D544	1320	TOD-550-8
D544	1320	TOD-600-2B
D544	1320	UOD-600-1A
D544	1320	UOD-600-2A
D544	1320	WOD-550-10
D544	1320	WOD-550-8
D547	1320	ALL LOTS
D548	1320	ALL LOTS
D549	1320	ALL LOTS
D550	1320	BGD-563-2
D550	1320	BGD-563-3
D550	1320	LS-71-1
D550	1320	LS-73-1
D550	1320	OAP-1-12A
D550	1320	OAP-1-14
D550	1320	OAP-1-15A
D550	1320	OAP-1-19
D550	1320	OAP-1-22C
D550	1320	OAP-1-3
D550	1320	OAP-1-3B
D550	1320	OAP-1-3C
D550	1320	RD-24-17A
D550	1320	RD-24-22
D550	1320	RD-24-22A
D550	1320	RD-24-392
D550	1320	RD-24-40
D550	1320	RD-24-40A
D550	1320	RD-24-45
D550	1320	RD-24-46
D550	1320	RD-24-48
D550	1320	RD-25-77C
D550	1320	RD-27-47A
D550	1320	RD-27-6B
D550	1320	RD-28-19
D550	1320	RD-35-14B
D550	1320	RD-7-38
D550	1320	SND81G001M004
D550	1320	SND81G001M005
D550	1320	SOG-561-1
D550	1320	SRD-560-2
D550	1320	SRD-560-9
D551	1320	ALL LOTS
D554	1320	ALL LOTS
D572	1320	RVA-1-81A
D572	1320	RVA-1-82A
D579	1320	IOP78G030V024A
D579	1320	IOP78L030V033A
D579	1320	IOP80C030-069
D662	1320	IND81M-070078
D662	1320	IND83A-070217
D675	1320	BAJ-67776
D675	1320	BAJ-67780
D675	1320	BAJ-67981
D675	1320	IND-32999
D675	1320	IND77E-069745
D675	1320	IND77F-069748
D675	1320	IND77H-069787
D676	1320	BAJ-30548
D676	1320	BAJ-63470
D676	1320	BAJ-63480
D676	1320	BAJ-65772
D676	1320	BAJ-66927
D676	1320	CHK-13099
D676	1320	CHK-32290
D676	1320	CHK-32298
D676	1320	IA-33686
D676	1320	IA-37674-55
D676	1320	IA-39547
D676	1320	IA-39711
D676	1320	IA-39767
D676	1320	IA-39770
D676	1320	IA-39779
D676	1320	IA-39785
D676	1320	IND-10632
D676	1320	IND-31137
D676	1320	IND-67693
D676	1320	IND83K-065753
D676	1320	IND83K-065753
D680	1320	AKZ-500-1
D680	1320	AKZ-500-2
D680	1320	AKZ-500-4
D680	1320	BGD-602-10
D680	1320	BGD-602-13
D680	1320	COP-1-10
D680	1320	COP-1-11
D680	1320	COP-1-14

D680 1320	COP-1-18
D680 1320	COP-1-2
D680 1320	COP-1-20
D680 1320	COP-1-23A
D680 1320	COP-1-4
D680 1320	COP-2-10
D680 1320	COP-2-10A
D680 1320	COP-2-11
D680 1320	COP-2-13
D680 1320	COP-2-14
D680 1320	COP-2-16
D680 1320	COP-2-16A
D680 1320	COP-2-16B
D680 1320	COP-2-16C
D680 1320	COP-2-16F
D680 1320	COP-2-16J
D680 1320	COP-2-17
D680 1320	COP-2-18
D680 1320	COP-2-19
D680 1320	COP-2-2
D680 1320	COP-2-23
D680 1320	COP-2-24
D680 1320	COP-2-25
D680 1320	COP-2-3
D680 1320	COP-2-35
D680 1320	COP-2-36
D680 1320	COP-2-4
D680 1320	COP-2-42
D680 1320	COP-2-43
D680 1320	COP-2-44
D680 1320	COP-2-45
D680 1320	COP-2-46
D680 1320	COP-2-48
D680 1320	COP-2-5
D680 1320	COP-2-55
D680 1320	COP-2-56
D680 1320	COP-2-6
D680 1320	COP-2-7
D680 1320	COP-2-7A
D680 1320	COP-2-8
D680 1320	COP-2-8A
D680 1320	COP-2-9
D680 1320	DSA-5
D680 1320	DSA-500-4
D680 1320	DSA-500-5
D680 1320	GA-1-18A
D680 1320	HIB-500-1
D680 1320	HIB-500-2
D680 1320	IOP-1-67
D680 1320	IOP-1-68
D680 1320	IOP-1-69
D680 1320	IOP-1-80
D680 1320	IOP-11-25
D680 1320	IOP-11-6
D680 1320	IOP-13-14
D680 1320	IOP-13-18
D680 1320	IOP-13-19
D680 1320	IOP-13-2
D680 1320	IOP-13-9
D680 1320	IOP-14-4
D680 1320	IOP-15-13
D680 1320	IOP-15-3
D680 1320	IOP-16-1
D680 1320	IOP-16-11
D680 1320	IOP-16-14A
D680 1320	IOP-16-14B
D680 1320	IOP-16-14C
D680 1320	IOP-16-14D
D680 1320	IOP-16-14F
D680 1320	IOP-16-14G
D680 1320	IOP-16-14H
D680 1320	IOP-16-14J
D680 1320	IOP-16-14K
D680 1320	IOP-16-15A
D680 1320	IOP-16-18
D680 1320	IOP-16-1A
D680 1320	IOP-16-1B
D680 1320	IOP-16-20
D680 1320	IOP-16-22
D680 1320	IOP-16-25
D680 1320	IOP-16-29
D680 1320	IOP-16-3
D680 1320	IOP-16-30
D680 1320	IOP-16-4
D680 1320	IOP-16-5
D680 1320	IOP-16-6
D680 1320	IOP-16-7
D680 1320	IOP-16-8
D680 1320	IOP-16-9
D680 1320	IOP-165-5
D680 1320	IOP-17-1
D680 1320	IOP-17-10
D680 1320	IOP-17-113
D680 1320	IOP-17-117
D680 1320	IOP-17-12
D680 1320	IOP-17-123
D680 1320	IOP-17-24
D680 1320	IOP-17-26
D680 1320	IOP-17-28
D680 1320	IOP-17-29

D680	1320	IOP-17-34
D680	1320	IOP-17-36
D680	1320	IOP-17-39
D680	1320	IOP-17-39A
D680	1320	IOP-17-3A
D680	1320	IOP-17-3C
D680	1320	IOP-17-43
D680	1320	IOP-17-45
D680	1320	IOP-17-49
D680	1320	IOP-17-5
D680	1320	IOP-17-55
D680	1320	IOP-17-6
D680	1320	IOP-17-63
D680	1320	IOP-17-69
D680	1320	IOP-17-8
D680	1320	IOP-17-87
D680	1320	IOP-17-9
D680	1320	IOP-17-90
D680	1320	IOP-9-14
D680	1320	IOP-9-15
D680	1320	IOP-9-23
D680	1320	IOP-9-28
D680	1320	IOP-9-39
D680	1320	IOP-9-39A
D680	1320	IOP79L018-003
D680	1320	IOP80B018-009
D680	1320	IOP85K021-003
D680	1320	JA-1-18A
D680	1320	JA-1-20
D680	1320	JA-1-21
D680	1320	JA-1-23
D680	1320	JA-1-24
D680	1320	JA-1-31
D680	1320	JA-1-38
D680	1320	JA-1-42
D680	1320	JA-1-51
D680	1320	JA-1-6
D680	1320	JA-1-62
D680	1320	JA-1-62B
D680	1320	JA-1-68
D680	1320	JA-1-69
D680	1320	JA-1-71
D680	1320	JA-1-8
D680	1320	JA-1-80
D680	1320	JA-1-86
D680	1320	JA-2-5
D680	1320	KMK-500-1
D680	1320	KMK-500-2
D680	1320	KMK-500-3
D680	1320	KMK77D001G002
D680	1320	KMK77D001G003
D680	1320	LOP-17-32
D680	1320	LS-600-3A
D680	1320	MA-600-3A
D680	1320	RA-602-1A
D680	1320	ROK-600-18A
D680	1320	ROK-600-18B
D680	1320	RVA-1-23
D680	1320	RVA-1-23B
D680	1320	RVA-1-23C
D680	1320	RVA-1-9
D680	1320	RVA-3-34A
D680	1320	RVA-3-8
D680	1320	RVA-602-18
D680	1320	RVA-602-7
D680	1320	SOD-1-4A
D680	1320	SOD-602-10
D680	1320	SOD-602-12
D680	1320	SOD-602-14
D680	1320	SOD-602-15
D680	1320	SOD-602-16
D680	1320	SOD-602-17
D680	1320	SOD-602-5
D680	1320	SOD-602-6
D680	1320	SOD-602-8
D680	1320	SOD-602-9
D680	1320	TFA-616-11
D680	1320	TFO-616-3
D680	1320	TFO-616-4
D680	1320	TFO-616-4A
D680	1320	TFO-616-7
D680	1320	TOD-600-1A
D680	1320	TOD-600-4A
D680	1320	TOD-600-5A
D680	1320	TOD-600-6A
D683	1320	PA-43-12
D683	1320	PA-43-16
D683	1320	PA-43-22
D683	1320	PA-43-34
D683	1320	PA-43-34A
D683	1320	PA-66-12A
D683	1320	PA-66-8A
N248	1390	BWC-1-57
N248	1390	BWCO-1-34
N248	1390	BWCO-1-51
N248	1390	BWCO-1-61A
N248	1390	BWCO-2-2
N248	1390	BWCO-2-20
N248	1390	BWCO-2-24
N248	1390	BWCO-3-16

N248	1390	BWCO-3-19
N248	1390	BWCO-3-34
N248	1390	HAM-1-62
N248	1390	HAM-11-11
N248	1390	HAM-14-4
N248	1390	HAT-2-2
N248	1390	HAT-2-22A
N248	1390	ING-1-21
N248	1390	ING-3-19
N248	1390	ING-3-34A
N248	1390	ING-4-17A
N248	1390	ING-4-20A
N248	1390	ING-7-28
N248	1390	ING-8-7
N248	1390	UST-11-52
N248	1390	UST-11-86
N248	1390	UST-12-23
N248	1390	UST-12-68
N248	1390	UST-14-1
N248	1390	WTX-1-1
N248	1390	WTX-1-2
N248	1390	WTX-1-4
N248	1390	WTX-2-12A
N248	1390	WTX-2-16B
N248	1390	WTX-2-17
N248	1390	WTX-2-26
N248	1390	WTX-2-29
N248	1390	WTX-2-3
N248	1390	WTX-25-7
N248	1390	WTX-25-8
N248	1390	WTX-3-17
N248	1390	WTX-3-35
N248	1390	WTX-3-39
N248	1390	WTX-7-23
N248	1390	WTX-7-6
N248	1390	WTX-8-17
N268	1390	WTX-16-30
N276	1390	ALL LOTS
N278	1390	AGF-1-3
N278	1390	AGF-2-53
N278	1390	AGF-2-61
N278	1390	AGF-3-3
N278	1390	AGF-6-11
N278	1390	ALL LOTS P0070
N278	1390	HAM-1-100
N278	1390	HAM-1-101
N278	1390	HAM-1-105A
N278	1390	HAM-1-107
N278	1390	HAM-1-50
N278	1390	HAM-1-53
N278	1390	HAM-1-61
N278	1390	HAM-1-62
N278	1390	HAM-1-72
N278	1390	HAM-1-73
N278	1390	HAM-1-78A
N278	1390	HAM-1-87
N278	1390	HAM-1-94
N278	1390	HAM-1-98
N278	1390	HAM-2-5
N278	1390	HAM-2-6
N278	1390	HAM-2-9
N278	1390	HAM-3-3
N278	1390	HAM-4-2
N278	1390	HAM-5-11
N278	1390	HAM-5-26B
N278	1390	HAM-5-46
N278	1390	HAM-5-48
N278	1390	HAM-5-9A
N278	1390	ING-1-55
N278	1390	ING-1-80
N278	1390	ING-10-12
N278	1390	ING-10-15A
N278	1390	ING-12-10
N278	1390	ING-12-12A
N278	1390	ING-12-1A
N278	1390	ING-14-9
N278	1390	ING-2-122A
N278	1390	ING-2-123A
N278	1390	ING-2-124
N278	1390	ING-2-27
N278	1390	ING-2-28
N278	1390	ING-2-29
N278	1390	ING-2-63
N278	1390	ING-2-65
N278	1390	ING-2-71
N278	1390	ING-2-83B
N278	1390	ING-2-87
N278	1390	ING-2-95
N278	1390	ING-3-16A
N278	1390	ING-3-36
N278	1390	ING-3-46
N278	1390	ING-3-5
N278	1390	ING-3-55
N278	1390	ING-3-58
N278	1390	ING-3-59
N278	1390	ING-3-66
N278	1390	ING-3-67
N278	1390	ING-3-81
N278	1390	ING-8-1
N278	1390	ING-8-11

N278	1390	ING-8-16A
N278	1390	ING-8-2
N278	1390	ING-8-22
N278	1390	ING-8-25
N278	1390	ING-8-7
N278	1390	ING-8-9
N278	1390	MA-79B001-001
N278	1390	MA-79C001-008
N278	1390	MA-79D001-011
N278	1390	MA-79E001-013
N278	1390	MA-79E001-014
N278	1390	MA-79E001-017
N278	1390	MA-79F001-018
N278	1390	MA-79F001-019
N278	1390	MA-79F001-020
N278	1390	MA-79F001-021
N278	1390	MA-79G001-023
N278	1390	MA-79G001-024
N278	1390	MA-79G001-025
N278	1390	MA-79H001-026
N278	1390	MA-79H001-027
N278	1390	MA-79H001-028
N278	1390	MA-79K001-029
N278	1390	MA-79L001-030
N278	1390	MA-79M001-031
N278	1390	MA-80A001-032
N278	1390	MA-80B001-033
N278	1390	MA-80B001-034
N278	1390	MA-80C001-035
N278	1390	MA-80C001-036
N278	1390	MA-81M002-002
N278	1390	UST-1-106D
N278	1390	UST-1-127
N278	1390	UST-1-144A
N278	1390	UST-1-167
N278	1390	UST-1-172
N278	1390	UST-1-176
N278	1390	UST-1-184
N278	1390	UST-1-186
N278	1390	UST-1-36C
N278	1390	UST-1-43
N278	1390	UST-1-66
N278	1390	UST-2-10
N278	1390	UST-2-102A
N278	1390	UST-2-105A
N278	1390	UST-2-110
N278	1390	UST-2-22A
N278	1390	UST-2-59
N278	1390	UST-2-76A
N278	1390	UST-2-8
N278	1390	UST-3-8
N278	1390	UST-4-8
N278	1390	UST-5-14A
N278	1390	UST-5-23
N278	1390	UST-6-16
N278	1390	WTX-1-14
N278	1390	WTX-1-18
N278	1390	WTX-1-19
N278	1390	WTX-1-29
N278	1390	WTX-1-36
N278	1390	WTX-10-12
N278	1390	WTX-10-9
N278	1390	WTX-12-17
N278	1390	WTX-12-2
N278	1390	WTX-12-21
N278	1390	WTX-12-23A
N278	1390	WTX-12-24
N278	1390	WTX-13-16
N278	1390	WTX-14-1
N278	1390	WTX-14-10
N278	1390	WTX-14-11
N278	1390	WTX-14-12
N278	1390	WTX-14-13
N278	1390	WTX-14-14
N278	1390	WTX-14-15
N278	1390	WTX-14-18
N278	1390	WTX-14-22
N278	1390	WTX-14-23
N278	1390	WTX-14-24
N278	1390	WTX-14-27
N278	1390	WTX-14-28
N278	1390	WTX-14-29
N278	1390	WTX-14-30
N278	1390	WTX-14-4
N278	1390	WTX-14-40
N278	1390	WTX-14-43
N278	1390	WTX-14-44
N278	1390	WTX-14-47
N278	1390	WTX-14-48
N278	1390	WTX-14-49
N278	1390	WTX-14-5
N278	1390	WTX-14-54
N278	1390	WTX-14-56
N278	1390	WTX-14-58
N278	1390	WTX-14-59
N278	1390	WTX-14-62
N278	1390	WTX-14-63
N278	1390	WTX-14-69A
N278	1390	WTX-14-71A
N278	1390	WTX-14-72

N278	1390	WTX-14-73A
N278	1390	WTX-14-76A
N278	1390	WTX-15-10A
N278	1390	WTX-15-14A
N278	1390	WTX-15-18A
N278	1390	WTX-15-19A
N278	1390	WTX-15-1A
N278	1390	WTX-15-20A
N278	1390	WTX-15-22A
N278	1390	WTX-15-23A
N278	1390	WTX-15-25A
N278	1390	WTX-15-26A
N278	1390	WTX-15-28A
N278	1390	WTX-15-29A
N278	1390	WTX-15-2A
N278	1390	WTX-15-30A
N278	1390	WTX-15-31A
N278	1390	WTX-15-32A
N278	1390	WTX-15-32A
N278	1390	WTX-15-33A
N278	1390	WTX-15-4A
N278	1390	WTX-15-6A
N278	1390	WTX-15-7A
N278	1390	WTX-15-8A
N278	1390	WTX-15-9A
N278	1390	WTX-16-14
N278	1390	WTX-16-17
N278	1390	WTX-16-21
N278	1390	WTX-16-22
N278	1390	WTX-16-25
N278	1390	WTX-16-27
N278	1390	WTX-16-28
N278	1390	WTX-16-29
N278	1390	WTX-16-30
N278	1390	WTX-16-32
N278	1390	WTX-16-33
N278	1390	WTX-16-34
N278	1390	WTX-16-35
N278	1390	WTX-16-38
N278	1390	WTX-16-39
N278	1390	WTX-16-41
N278	1390	WTX-16-7
N278	1390	WTX-16-8
N278	1390	WTX-16-9
N278	1390	WTX-9-10A
N278	1390	WTX-9-11A
N278	1390	WTX-9-12
N278	1390	WTX-9-12A
N278	1390	WTX-9-13
N278	1390	WTX-9-13A
N278	1390	WTX-9-14
N278	1390	WTX-9-17
N278	1390	WTX-9-19
N278	1390	WTX-9-20
N278	1390	WTX-9-27A
N278	1390	WTX-9-29
N278	1390	WTX-9-31
N278	1390	WTX-9-35
N278	1390	WTX-9-36
N278	1390	WTX-9-49
N278	1390	WTX-9-6
N278	1390	WTX-9-8
N278	1390	WTX-9-9
N280	1390	HAM-2-46A
N280	1390	HAM-2-65A
N280	1390	ING-2-20
N280	1390	JA-2-128A
N280	1390	JA-2-132A
N280	1390	JA-2-254-YSB
N280	1390	JA-2-411C
N280	1390	JA-2-422A
N280	1390	JA-2-425A
N280	1390	JA-2-469A
N280	1390	JA-2-72A
N280	1390	JA-3-54A
N280	1390	JA-5-4A
N280	1390	KS-1-241A
N280	1390	WGTC-1-73A
N282	1390	ING-1-55
N282	1390	ING-1-56
N282	1390	ING-1-58
N282	1390	ING-1-59
N282	1390	ING-1-8
N282	1390	ING-2-39
N282	1390	ING-2-7
N282	1390	JA-SR-41
N282	1390	MA-1-21
N282	1390	MA-1-25
N282	1390	MA-1-35
N282	1390	MA-1-5
N282	1390	MA-1-9
N282	1390	MA-2-10
N282	1390	MA-2-2
N282	1390	MA-2-8
N282	1390	MA-2-9
N282	1390	WTX-1-1
N282	1390	WTX-1-10
N282	1390	WTX-1-12
N282	1390	WTX-1-14
N282	1390	WTX-1-15

N282	1390	WTX-1-16
N282	1390	WTX-1-17
N282	1390	WTX-1-18
N282	1390	WTX-1-19
N282	1390	WTX-1-20
N282	1390	WTX-1-22
N282	1390	WTX-1-23
N282	1390	WTX-1-24
N282	1390	WTX-1-25
N282	1390	WTX-1-26
N282	1390	WTX-1-27
N282	1390	WTX-1-28
N282	1390	WTX-1-29
N282	1390	WTX-1-30
N282	1390	WTX-1-31
N282	1390	WTX-1-4
N282	1390	WTX-1-5
N282	1390	WTX-1-7
N282	1390	WTX-1-9
N285	1390	BWC-3-1
N285	1390	BWC-3-3
N285	1390	BWC-4-1
N285	1390	BWC-5-10
N285	1390	BWC-6-5
N285	1390	BWV80A008-034
N285	1390	BWV80B008-036
N285	1390	BWV80J009-014
N285	1390	BWV80J010-001
N285	1390	BWV80K009-015
N285	1390	BWV81H012-004
N285	1390	BWV81H012-006
N285	1390	BWV81K012-007A
N285	1390	BWV82H012-025
N285	1390	BWV82L013-004
N285	1390	BWV83C013-011
N285	1390	BWV83J013-022
N285	1390	BWV84E014-019
N285	1390	BWV84L016-005
N285	1390	BWV85B016-005
N285	1390	BWV86A018-010
N285	1390	BWV86D019-005
N285	1390	BWV87K021-016
N285	1390	BWX-6-5
N285	1390	HAT78D003-004
N285	1390	HAT79J005-005
N285	1390	HAT80H006-007
N285	1390	HAT81F007-007
N285	1390	HAT81J007H010
N285	1390	HAT81K007-011
N285	1390	HAT81M007-014
N285	1390	HAT82L009H003
N285	1390	HAT83H010-005
N285	1390	HAT83H010-006
N285	1390	HAT83H013-021
N285	1390	HAT84A012-004
N285	1390	HAT84C012-010
N285	1390	HAT84D012-013
N285	1390	HAT84H013-006
N285	1390	HAT85C016-013
N285	1390	HAT85F015-003
N285	1390	HAT85G015-004
N285	1390	HAT86A017-012
N286	1390	MA-83J003-001
N286	1390	MA-83J003-002
N286	1390	MA-84H004-004
N286	1390	MA-85L005-004
N286	1390	MA-85M005-005
N286	1390	MA-85M005-007
N286	1390	MA-85M005-011
N286	1390	MA-86A005-005
N286	1390	MA-86A005-013
N286	1390	MA-86A005-014
N286	1390	MA-86A005-015
N286	1390	MA-86A005-015
N286	1390	MA-86A005-016
N286	1390	MA-86A005-017
N286	1390	MA-86G005-020
N286	1390	MA-86G005-021
N286	1390	MA-86G005-022
N286	1390	MA-87C006-001
N286	1390	MA-87C006-002
N286	1390	MA-87D006-004
N286	1390	MA-88C008-001
N311	1390	JA-4-323A
N311	1390	KN-3-219B
N311	1390	KN-4-73A
N311	1390	LS-34-1A
N311	1390	LS-34-1A
N311	1390	MA-20-1
N311	1390	MA-24-3
N311	1390	MA-24-4
N311	1390	MA-24-6D
N311	1390	MA-25-2
N311	1390	MA-27-7
N311	1390	MA-8-173A
N311	1390	MA-8-177A
N331	1390	ALL LOTS
N335	1390	CH-500-1B
N335	1390	CH-500-2A
N335	1390	CH-500-3A

N335 1390	CH-500-4A
N335 1390	CH-500-5B
N335 1390	HAW78M003M003
N335 1390	HAW85F001G013
N335 1390	HAW85F001G014
N335 1390	JA-11-19C
N335 1390	JA-11-21C
N335 1390	JA-11-22C
N335 1390	JA-11-34B
N335 1390	JA-12-11
N335 1390	JA-4-153C
N335 1390	JA-4-18B
N335 1390	JA-4-335A
N335 1390	JA-4-364A
N335 1390	JA-4-435A
N335 1390	JA-4-437A
N335 1390	JA-4-526A
N335 1390	JA-4-627A
N335 1390	JA-4-914-B1
N335 1390	JA-4-981B
N335 1390	JA-6-26F
N335 1390	JA-6-76A
N335 1390	JA-9-8A
N335 1390	KN-2-88C
N335 1390	KN-5-12B
N335 1390	KN-5-23B
N335 1390	LS-111-5C
N335 1390	LS-51-12C
N335 1390	LS-59-16
N335 1390	LS-59-16B
N335 1390	LS-59-16D
N335 1390	LS-63-15
N335 1390	LS-63-8F
N335 1390	LS-65-6
N335 1390	LS-66-4
N335 1390	LS-8-122A
N335 1390	LS-83-8F
N335 1390	LS-89-6A
N335 1390	MA-1-118D
N335 1390	MA-1-171
N335 1390	MA-1-262D
N335 1390	MA-14-108
N335 1390	MA-14-117
N335 1390	MA-14-142
N335 1390	MA-14-149
N335 1390	MA-14-151
N335 1390	MA-14-19
N335 1390	MA-15-11F
N335 1390	MA-15-16A
N335 1390	MA-15-2C
N335 1390	MA-15-3A
N335 1390	MA-15-7C
N335 1390	MA-15-9D
N335 1390	MA-17-1D
N335 1390	MA-17-35
N335 1390	MA-17-65
N335 1390	MA-19-19
N335 1390	MA-2-18D
N335 1390	MA-3-38B
N335 1390	MA-3-60A
N335 1390	MA-3-62C
N335 1390	MA-3-63A
N335 1390	MA-30-11
N335 1390	MA-30-45
N335 1390	MA-32-2
N335 1390	MA-33-13
N335 1390	MA-33-14
N335 1390	MA-33-2
N335 1390	MA-33-23
N335 1390	MA-33-25
N335 1390	MA-33-4
N335 1390	MA-34-6
N335 1390	MA-36-12
N335 1390	MA-36-15
N335 1390	MA-36-16
N335 1390	MA-36-2
N335 1390	MA-36-23
N335 1390	MA-37-1
N335 1390	MA-37-2
N335 1390	MA-39-11
N335 1390	MA-39-19
N335 1390	MA-39-30
N335 1390	MA-39-9
N335 1390	MA-42-2
N335 1390	MA-42-4
N335 1390	MA-6-19D
N335 1390	MA-78K043-012
N335 1390	MA-79F001-019
N335 1390	MA-8-175G
N335 1390	MA-8-500B
N335 1390	MA-81B044-004
N335 1390	MA-81D044-005
N335 1390	MA-81E044-007
N335 1390	MA-81E044-008
N335 1390	MCA-500-11
N335 1390	MCA-500-12
N335 1390	SOP-36-265A
N335 1390	SOP-36-413A
N340 1390	MA-79F001-019
N340 1390	MA-79K001-029

N340	1390	MA-80D001-032
N340	1390	MA-80D001-032
N340	1390	MA-81B004-010
N340	1390	MA-82C004-013
N340	1390	MA-82F003-014
N340	1390	MA-82J003-017
N340	1390	MA-82J004-022A
N340	1390	MA-82K004-023A
N340	1390	MA-83A006-003
N340	1390	MA-83A007-002
N340	1390	MA-83G006-011
N340	1390	MA-83M006-014
N340	1390	MA-83M006-015
N340	1390	MA-84B007-014
N340	1390	MA-84C006-016
N340	1390	MA-84F010-003
N340	1390	MA-84H010-006
N340	1390	MA-86H010-025
N340	1390	MA-87B011-002
N340	1390	MA-87C011-005
N340	1390	MA-87E011-006
N340	1390	MA-87E011-007
N340	1390	MA-87G011-009
N340	1390	MA-87G011-010
N340	1390	MA-87H011-011
N411	1390	ALL LOTS
N412	1390	ALL LOTS
N462	1390	RYB-1-1
N462	1390	RYB-1-3
N462	1390	RYB-1-4
N462	1390	RYB-1-7
N462	1390	RYB-2-11
N462	1390	RYB-2-4
N462	1390	RYB-4-1
N463	1390	AOY-500-1
N463	1390	FCI-1-4A
N463	1390	FCI-2-014A
N463	1390	FCI-3-007A
N463	1390	FCI-4-007A
N463	1390	FCI-4-013A
N463	1390	FCI-4-014A
N463	1390	FCI-4-016A
N463	1390	FCI-5-33
N463	1390	FCI-6-001
N463	1390	FCI-6-002
N463	1390	FCI-6-003
N463	1390	RYB-1-11B
N463	1390	RYB-1-4A
N463	1390	RYB-1-5A
N463	1390	RYB-2-12A
N463	1390	RYB-2-14
N463	1390	RYB-2-19A
N463	1390	RYB-3-11A
N463	1390	RYB-4-19A
N463	1390	RYB-4-30A
N463	1390	RYB-5-10A
N463	1390	RYB-5-18
N463	1390	RYB-5-18A
N463	1390	RYB-6-1
N463	1390	RYB-6-2
N463	1390	RYB-7-006
N463	1390	RYB-8-006
N463	1390	TEX-1-001A
N463	1390	TEX-1-003A
N463	1390	TEX-1-004A
N463	1390	TEX-1-005A
N463	1390	TEX-1-006A
N463	1390	TEX-2-001A
N463	1390	TEX-2-005A
N463	1390	TEX-2-006C
N463	1390	TEX-2-009A
N463	1390	TEX-2-010A
N463	1390	TEX-2-011A
N463	1390	TEX-2-012A
N463	1390	TEX-2-013A
N463	1390	TEX-2-027A
N464	1390	LS-79F001-003
N464	1390	LS-79H001-007
N464	1390	LS-79J002-001
N464	1390	LS-80J002H015
N464	1390	LS-80M002-028
N464	1390	LS-81D003-002
N464	1390	LS-82C004-022
N464	1390	LS-82C004-023
N464	1390	LS-82C006-019
N464	1390	LS-82F008-003
N464	1390	LS-82F008-004
N464	1390	LS-83B011-007
N464	1390	LS-83C012-006
N464	1390	LS-83H012-012
N464	1390	LS-84B013-007
N477	1390	SAA-6070-H-55
N477	1390	SAA-7117-H-55
N477	1390	SAB-5117-H-54

APPENDIX F
MICOM AMMUNITION RESTRICTION DEFINITIONS

A01	RESTRICTED TO PROTECTED LAUNCH PLATFORM USE ONLY, I.E. BRADLEY OR IMPROVED TOW VEHICLE. INCLUDES TOW MSLS WITH EXPIRED LAUNCH MOTOR SHELF LIFE.
A02	RESTRICTED TO EXPOSED LAUNCH PLATFORM USE ONLY. LIMITED LAUNCH MOTOR SHELF LIFE OF 24 MONTHS. PRIORITY OF ISSUE APPLIES. ISSUE BEFORE CODE A AND B STOCKS TO AVOID LOSS OF ASSETS. UPON EXPIRATION OF SHELF LIFE REVERTS TO COND CODE B (BRAVO) WITH RESTRICTION A01 APPLYING.
A03	RESTRICTED TO TRAINING USE ONLY. TO BE FIRED ONLY AT TARGETS THAT ARE LESS THAN 750 METERS FROM THE FIRING POINT AND WHEN THE AMBIENT TEMP IS AT OR ABOVE 25 DEG FAHRENHEIT.
A04	RESTRICTED TO TEST AND EVALUATION USE ONLY. NOT SUITABLE FOR TRAINING USE. SEVERE PROBLEM WITH GUIDANCE WIRE BREAKS DUE TO HEAVY LACQUER BUILDUP ON WIRES.
A05	RESTRICTED TO USE ONLY WHEN DISTANCE BETWEEN UNPROTECTED PERSONNEL AND THE IGNITION POINT FOR THIS ITEM IS 205 METERS (670 FT) MINIMUM. PROTECTION OF PERSONNEL AT A MINIMUM DISTANCE OF 100 METERS WILL BE PROVIDED BY AN ARMORED PERSONNEL CARRIER (APC-M113) OR EQUIVALENT BARRICADE.
A06	RESTRICTED TO TEST AND EVALUATION USE ONLY. SAFE FOR HANDLING, STORAGE AND TRANSPORTATION.
A07	ANNOTATE AMMUNITION ISSUE DOCUMENTS AND DEPOT SURVEILLANCE RECORD CARDS WITH THE WORDS: ``FLIGHT PERFORMANCE QUALIFICATION. WITH CLOUD CEILINGS OF 200 METERS OR LESS POSSIBILITY OF LOSS OF OR LACK OF TARGET ACQUISITION EXISTS. COND CODE B (BRAVO) APPLIES.''
A08	RESTRICTED TO TRAINING USE ONLY.
A09	ANNOTATE AMMUNITION ISSUE DOCUMENTS AND DEPOT SURVEILLANCE RECORD CARDS WITH THE WORDS "MSL BODY MISSING AMMO LOT NO. COND CODE B (BRAVO) APPLIES."

By Order of the Secretary of the Army:

CARL E. VUONO
General, United States Army
Chief of Staff

Official:

WILLIAM J. MEEHAN II
Brigadier General, United States Army
The Adjutant General

Distribution:

☆U.S. GOVERNMENT PRINTING OFFICE: 1989 654-034/00003